

MOUNTING HEIGHTS GENERAL NOTES

- 1. ALL MOUNTING HEIGHTS APPLY THROUGHOUT UNO.
- 2. SEE SHEET A-002 FOR ACCESSIBILITY REQUIREMENTS
- SEE SHEET A-002 FOR TOILET PAPER DISPENSER MOUNTING RANGE

REQUIRED PLUMBING FIXTURES:

384 OCCUPANTS / 2 = 192 MEN, 192 WOMEN

WATER CLOSETS REQUIRED: 4 MEN, 4 WOMEN
WATER CLOSETS PROVIDED: 3 MEN, 5 WOMEN, 4 UNISEX (12 TOTAL)
URINALS PROVIDED: 2

LAVATORIES REQUIRED: 4 MEN, 4 WOMEN
LAVATORIES PROVIDED: 2 MEN, 2 WOMEN, 4 UNISEX (8 TOTAL)

THE APPROVED CONSTRUCTION PLANS, DOCUMENTS AND ALL ENGINEERING MUST BE POSTED ON THE JOB AT ALL INSPECTIONS IN A VISIBLE AND READILY ACCESSIBLE LOCATION.

FULL SIZED LEDGIBLE COLOR PLANS ARE REQUIRED TO BE PROVIDED BY THE PERMITEE ON SITE FOR INSPECTION

Approval of submitted plans is not an approval of omissions or oversights by this office or noncompliance with any applicable regulations of local government. The contractor is responsible for making sure that the building complies with all applicable codes and regulations of the local government.


City of Puyallup Building APPROVED

See permit for additional requirements.

JMontgomery 03/10/2023 3:10:37 PM



Reviewed for compliance by David L Comments reviewed by Janelle





Benaroya

BENAROYA

SOUTH HILL BUSINESS AND TECHNOLOGY CENTER

1015 39TH AVE SE




PUYALLUP, WA 98374

1015 39TH AVE SE, SUITE 120 PUYALLUP, WA 98374



WJA DESIGN-COLLABORATIVE 617 WESTERN AVE SEATTLE, WA 98104



ISSUANCE

ISSUE DATE 02/17/2023

DRAWN BY: WJA

CHECKED BY: WJA

NO. DATE DESCRIPTION BY
1 01/30/23 PERMIT SET
1 02/17/23 100% CONSTRUCTION DOCS


ENLARGED RESTROOM PLAN
AND MOUNTING HEIGHTS

SHEET NUMBER

©Marshall Design + Management, LLC 2022

KEY PLAN

A-401



0 2' 4' 6'

SCALE:1/4" = 1'-0"