

CHEERS PUYALLUP

PERMIT SET

JANUARY 15, 2021

VICINITY MAP



LEGAL DESCRIPTION

Section 04 Township 19 Range 04 Quarter 43 SOUTH HILL MALL PH II BSP L 5 OF DBLR 2005-05-25-5002 DESC AS FOLL BEG AT INTER OF C/L OF MERIDIAN ST & C/L OF 112TH ST E SD PT SE COR OF SE TH 89 DEG 22 MIN 01 SEC W ALG C/E OF SD 112TH ST E 2741.97 FT TO A PT INTER OF C/L OF LAKEVIEW-PUYALLUP RD & C/L OF 94TH AVE E SD PT S 1/4 COR OF SEC TH N ALG C/L OF 94TH AVE E 984.61 FT TO A PT TH E & LEAVING C/L OF SD 94TH AVE E 40 FT TO A PT ON ELY R/W LI OF SD 94TH AVE E TH N 45 DEG 00 MIN 00 SEC E 70.71 FT TH E CONT ALG SD R/W LI 40 FT TH N CONT SD R/W LI 14.50 FT TH E & LEAVING SD R/W LI OF 94TH AVE E 1 FT TO NW OF COR OF L 1 OF DBLR 9603070322 ALSO BEING NW COR OF L 1 BSP 9505310496 TH CONT E ALG N LI OF SD L 1 275.44 FT TO A C TO R TH CON ALG NLY & ELY LI OF SD L 1 ALG ARC OF C TO R 77.86 FT TO PT OF TANG OF SD CURVE RAD 49.50 FT & CENT ANGLE OF 90 DEG 07 MIN 07 SEC TH S 00 DEG 07 MIN 07 SEC W ALG ELY LI OF SD L 1 OF DBLR & ELY LI OF L 2 OF DBLR 9903115001 290 FT TH S 89 DEG 52 MIN 53 SEC E CONT ALG ELY LI OF SD L 2 5 FT TH S 00 DEG 07 MIN 07 SEC W CONT ALG ELY OF L 2 & 3 OF SD DBLR & ELY LI OF L 4 & 5 OF SD BSP 225.22 FT TH W 100 FT TO POB TH S 00 DEG 07 MIN 07 SEC W 138.23 TH N 89 DEG 22 MIN 01 SEC W 16.77 FT TH S 00 DEG 00 MIN 54 SEC W 15.66 FT TH N 89 DEG 19 MIN 54 SEC W 220.83 FT TH N ALG WLY LI OF SD L 5 & L 4 OF DBLR 200206125008 151.13 FT TO A PT W 237.87 FT OF POB TH E 237.87 FT TO POB OUT OF 005-0 SEG R-0098 07/29/02CL DC09/15/05CL

GENERAL PROJECT NOTES

- THE CONTRACTOR IS RESPONSIBLE FOR FAMILIARIZING HIMSELF WITH THE CONTENT OF THESE DRAWINGS PRIOR TO PROCEEDING WITH THE WORK.
- THE CONTRACTOR SHALL PREVIEW DESIGN INTENT AS SUBSTANTIATED IN THESE DOCUMENTS PRIOR TO COMMENCING CONSTRUCTION ACTIVITIES. THE CONTRACTOR SHALL ISSUE REQUEST FOR INFORMATION (RFI'S) INQUIRIES TO THE OWNER AND THE ARCHITECT WHERE DESIGN INTENT IS NOT SELF EVIDENT TO ELIMINATE DETRIMENTAL INTERPRETATIONS.
- IN THE EVENT THE CONTRACTOR FINDS A CONFLICT OR DISCREPANCY WITH THESE DRAWINGS, THE ARCHITECT SHALL BE NOTIFIED IMMEDIATELY IN WRITING. SHOULD THE CONTRACTOR PROCEED WITHOUT NOTIFYING THE ARCHITECT OF SUCH CONFLICT, THE CONTRACTOR SHALL BE PROCEEDING AT THEIR OWN RISK & ASSOCIATED LIABILITY.
- THESE DRAWINGS SERVE TO REPRESENT DESIGN INTENT AS DIRECTED BY THE OWNER & COMPLIANT WITH GOVERNING JURISDICTIONAL LAW. IN NO WAY SHALL THESE DRAWINGS SERVE TO DICTATE METHODS OF CONSTRUCTION RELATIVE TO ADHERENCE TO EITHER. IT IS THE CONTRACTOR'S & OWNER'S RESPONSIBILITY TO WORK WITHIN THE PARAMETERS OF THE AGENCY APPROVED DOCUMENTS TO MAINTAIN THE INTEGRITY OF THE DESIGN INTENT AND AGENCY COMPLIANCE.
- GENERAL CONTRACTOR IS RESPONSIBLE FOR UNDERSTANDING THE WSEC REQUIREMENTS AND MEET ANY AND ALL REQUIREMENTS FOR COMPLETING A PROPERLY INSULATED AND SEALED SHELL (WHERE APPLICABLE). THIS INCLUDES MEETING WSEC REQUIREMENTS FOR LIMITING AIR INFILTRATION.

PROJECT TEAM

OWNER:
ALI KASHI
3509 CARPENTER RD SE
LACEY WA 98503
EMAIL: ALIKASHIWA@GMAIL.COM

ARCHITECT:
JENNIFER WEDDERMANN
WEDDERMANN ARCHITECTURE PLLC
2302 A STREET, TACOMA WA 98402
T: (253) 973-6611
CONTACT: JUSTIN LOSEY
EMAIL: JUSTIN@WEDDERMANN.COM

STRUCTURAL:
VISSER ENGINEERING
32001 32ND AVE S STE #320
FEDERAL WAY, WA 98001
T: (253) 835-0810
EMAIL: JONATHONW@VISSERENGINEERING.COM

PROPERTY MANAGER:
KEVIN HOVEY
SOUTH HILL MALL
3500 S MERIDIAN ST
PUYALLUP, WA 98373
T: (253) 840-2828
EMAIL: PROPERTYMANAGER@SOUTHHILLMALL.COM

TENANT COORDINATOR:
TOM EFT
THE CAFARO COMPANY
NILES, OHIO 44445
T: (330) 743-7450
EMAIL: TEFT@CAFARCOMPANY.COM

PROJECT CODE ANALYSIS

APPLICABLE CODES

2018 INTERNATIONAL BUILDING CODE
(including IBC 2015-WIBC Amendments, w/IEBC-2018 and ANSI-2009)

2018 INTERNATIONAL MECHANICAL CODE
(including IMC 2018-WIBC Amendments, w/ IFGC-2018, NFPA-54, NFPA-58)

2018 INTERNATIONAL FIRE CODE
(including IFC 2018-WIBC Amendments)

2018 UNIFORM PLUMBING CODE
(including UPC 2018-WIBC Amendments)

2017 NATIONAL ELECTRICAL CODE (NFPA 70) - SEE DEPT. OF L&I ADOPTION/ AMENDMENTS

2018 INTERNATIONAL FUEL GAS CODE (WAC 51-50)

2018 WASHINGTON STATE ENERGY CODE (WAC 51-11C)

ICC / ANSI A.117-2009 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES
(including IBC 2018-WIBC Amendments, w/IEBC-2018 and ANSI-2009)

CITY CODE - PUYALLUP MUNICIPAL CODE

PROJECT NAME	CHEERS PUYALLUP
PROJECT DESCRIPTION	TI OF EXISTING RESTAURANT TO NEW RESTAURANT. NEW EXTERIOR SIGNAGE. Existing Building Sq Ft: 6,752 (No change to Footprint)
ADDRESS	3811 9TH ST SW, PUYALLUP, WA 98373
JURISDICTION	CITY OF PUYALLUP
ZONE	CCX - Community Commercial Mixed Use
PARCEL NUMBER	6021590051
SITE AREA	0.826 Acres (35,992 sq. ft.)
IBC OCCUPANCY CLASS	A-2 - Restaurant
IBC CONSTRUCTION TYPE	VB - Restaurant
FIRE SPRINKLER	Yes, per IBC 903.2.9.1 (EXISTING)
STORIES AND HEIGHT	20.31.026 Building form standards - Allowed: 75'-125' Existing Building: 24'-6"
SETBACKS	20.31.026 Building form standards Front: 20'-0" Street Side: 10'-0" Rear Yard: 0'-0"
PARKING	(22) Restaurants, bars, taverns and other similar establishments whose primary business is the on-site sale and consumption of food and beverages: one space for each 100 square feet of gross floor area; Required: 68 Spaces Provided - 83 spaces, with 4 ADA, Van Compliant
LANDSCAPE	Existing
IMPERVIOUS SURFACE	85% maximum (approx. 30,593 SF)

DRAWING INDEX

SHEET INDEX		
Sheet Number	Sheet Name	Revision Date
03 - Demo		
D2.01	FIRST FLOOR DEMO & CLEAN-UP PLAN	
04 - Architecture		
A1.01	SITE PLAN	
A2.01	FIRST FLOOR PLAN	1/12/23
A3.01	EXTERIOR ELEVATIONS	
A3.02	EXTERIOR ELEVATIONS	
P1.0	PLUMBING FIXTURE PLAN	1/12/23

INCLUDED IN THIS SUBMITTAL

THE FOLLOWING DRAWINGS / FORMS ARE BEING SUBMITTED:

01. ARCHITECTURE DRAWINGS
02. WSEC ENV15-V4 FORM
03. STRUCTURAL DRAWINGS
04. STRUCTURAL CALCS

SEPARATE SUBMITTAL PERMITS

THE FOLLOWING SEPARATE PERMIT SUBMITTALS SHALL BE RUN CONCURRENTLY, AND TO BE DESIGNED AND SUBMITTED BY THE SELECTED DESIGN-BUILD SUBCONTRACTOR:

01. PLUMBING DRAWINGS
02. MECHANICAL DRAWINGS IF REQUIRED (NO CHANGE TO MECHANICAL SYSTEM PROPOSED)
03. WSEC LIGHTING FORM

OCCUNPANCY ANALYSIS

OCCUPANT LOAD FACTORS

IBC Table 1004.1.2, small assembly spaces Section 303.1.2

Office/Business	100 sf / person on gross sf
Assembly unconcentrated	15 sf / person on net sf
Accessory storage/ mechanical	300 sf / person on gross sf
Kitchen, Commercial	200 sf / person on gross sf

GROSS FLOOR AREA AS DEFINED BY IBC (INSIDE FACE OF EXTERIOR WALL)

IBC Table 1004.1.2 - commentary: If a specific type of facility is not found in this table, the occupancy it most closely resembles should be utilized.

EGRESS WIDTHS

IBC 1005.3.1 & 1005.3.2

Story area	OL / #exits	egress	stairs	min width required **	width provided **
6,752 sf	299 / 3	0.2 / 0.15 fs	0.3 / 0.2 fs	egress 14.95"/stair NA*	72" doors

Occupant load per door size: 36" doors = 240 ol

IBC 1005.5 Multiple means of egress shall be sized such that the loss of any one means of egress shall not reduce the available capacity to less than 50 percent of the required capacity.

TRAVEL DISTANCE

IBC TABLE 1017.2

MAXIMUM EXIT ACCESS TRAVEL DISTANCE FOR A-2 AND B OCCUPANCY WITH SPRINKLERS = 300 FT
MAXIMUM EXIT ACCESS TRAVEL DISTANCE FOR S-2 OCCUPANCY WITHOUT SPRINKLERS = 300 FT

A-2, B = with fs 300'
S-2= with fs 400'

NUMBER OF EXITS

IBC TABLE 1006.3.1, TABLE 1006.2.1

SPACES WITH ONE EXIT-OCCUPANT LOAD	49 @ OCCUPANCY	A-2 (75' max travel distance)
	49 @ OCCUPANCY	B (100' max travel distance)
	29 @ OCCUPANCY	S (100' max travel distance)


TOTAL OCCUPANTS: Business 1 + Assembly 297 + Storage 1 = 299 OL
3 EXITS PROVIDED (2 EXITS REQUIRED)

EXIT ARRANGEMENT

IBC 1007.1.1 exc 2) & IBC 1007.1.2

WHERE TWO EXITS ARE REQUIRED WITH FIRE SPRINKLERED BUILDING. SEPARATION DISTANCE SHALL NOT BE LESS THAN 1/3 OF LENGTH OF MAXIMUM OVERALL DIAGONAL DIMENSION OF AREA SERVED.

- EXIT SIGN
- EXIT DOOR w/ OCC LOAD
- xx ol



PLUMBING

IBC Table 2909.1

OCCUPANCY GROUP:
TOTAL A-2 OCCUPANTS:
RESTROOMS:

A-2 RESTAURANT
317 OCCUPANTS
RESTAURANT 211 + 18 = 229 OL
TOILETS - 1 PER 75 OCCUPANTS
SINKS - 1 PER 200 OCCUPANTS
PATIO SEATING = 79 OL
TOILETS - 1 PER 75 OCCUPANTS
SINKS - 1 PER 200 OCCUPANTS
KITCHEN, COMMERCIAL: 7 + 1 + 1 = 9 OL
TOILETS - 1 PER 75 OCCUPANTS
SINKS - 1 PER 200 OCCUPANTS

OCCUPANCY GROUP:
TOTAL B OCCUPANTS:
RESTROOMS:

B - BUSINESS
1 OCCUPANTS
TOILETS - 1 PER 25 OCCUPANTS
SINKS - 1 PER 40 OCCUPANTS

OCCUPANCY GROUP:
TOTAL S-2 OCCUPANTS:
RESTROOMS:

S-2 - WAREHOUSE
1 OCCUPANTS
TOILETS - 1 PER 100 OCCUPANTS
SINKS - 1 PER 100 OCCUPANTS

PROVIDED RESTROOMS:

7 TOILETS
1 URINAL
6 SINKS

TOTAL OCCUPANTS:

319 OCCUPANTS

PRCTI20221460

REVISION

City of Puyallup
Building
APPROVED

See permit
for additional
requirements.

JMontgomery
06/21/2023
1:42:55 PM



City of Puyallup
Development &
Engineering
APPROVED

See permit
conditions.

ycharitou
06/21/2023
2:43:47 PM



WEDDERMANN

ARCHITECTURE

JENNIFER WEDDERMANN, AIA, LEED AP
2302 A STREET
TACOMA, WA 98405
(253) 973-6611
JENNIFER@WEDDERMANN.COM

REGISTERED
ARCHITECT

7815

ALI KASHI
CHEERS PUYALLUP
3811 9th St SW
Puyallup, WA 98373

PROJECT

ALI KASHI

CHEERS PUYALLUP
3811 9th St SW
Puyallup, WA 98373

REVISIONS

Description

Rev#	Date	Description
1	11/08/22	

INFO

01/10/20

20156
CHEERS IN
PUYALLUP

5/19/2023 8:28:49 AM

SHEET NAME

COVER

PERMIT SET


City of Puyallup
Development & Permitting Services
ISSUED PERMIT


Building Planning
Engineering Public Works
Fire Traffic

SHEET NO.


COVER

1 CODE - FIRST FLOOR FIRE / LIFE SAFETY
1/8" = 1'-0"





SHEET NAME		INFO		REVISIONS		PROJECT		WEDDERMANN	
FIRST FLOOR	DEMO & CLEAN-UP PLAN	Start Date: 01/01/20	Project Number: 20186	Rev#	Date	ALI KASHI	PROJECT	JENNIFER WEDDERMANN, AIA, LEED AP	ARCHITECTURE
	PERMIT SET	File Name: CHEERS IN PUYALLUP	Per Date: 5/19/2023 8:28:49 AM			3811 9th St SW Puyallup, WA 98373		2302 A STREET TACOMA, WA 98405	
SHEET NO.		D2.01		7815 REGISTERED ARCHITECT <i>Jennifer Weddermann</i> JENNIFER WEDDERMANN STATE OF WASHINGTON		JENNIFER WEDDERMANN, AIA, LEED AP 2302 A STREET TACOMA, WA 98405 (253) 973-6611 JENNIFER@WEDDERMANN.COM			



1 SITE PLAN
1" = 20'-0"



SHEET NAME	INFO	REVISIONS	PROJECT	WEDDERMANN	
				REGISTERED ARCHITECT 7815 JENNIFER WEDDERMANN STATE OF WASHINGTON	ARCHITECTURE JENNIFER WEDDERMANN, AIA, LEED AP 2302 A STREET TACOMA, WA 98405 (253) 973-6611 JENNIFER@WEDDERMANN.COM
SITE PLAN	01/01/20 20186 CHEERS IN PUYALLUP	Description	ALI KASHI CHEERS PUYALLUP	3811 9th St SW Puyallup, WA 98373	
PERMIT SET	Start Date: 01/01/20 Project Name: CHEERS IN PUYALLUP File Name: PRCTI20221460 Rev# Date 20186 5/19/2023 8:26:46 AM				
City of Puyallup Development & Permitting Services ISSUED PERMIT				SHEET NO. A1.01	
Building Engineering Fire Planning Public Works Traffic					

EQUIPMENT LIST							
#	ITEM NAME	QTY	MAKE	MODEL	NOTES	CW	HW
1.	CONVECTION OVEN	1	MOTAK	MCO-1-DBL	NATURAL GAS		
2.	GYRO MACHINE	1	AMERICAN RANGE	AVB-1	NATURAL GAS		
3.	FRYER	4	MOTAK	MFG3-N	40 LBS; NATURAL GAS		
4.	MICROWAVE	1	AMANA	RCS10TS			
5.	FREEZER	1	MOTAK	MUF-60	UNDERCOUNTER; 60"		
6.	GRIDDLE	1	CPG	GM-CPG-48-NL	NATURAL GAS		
7.	BROILER	1	MOTAK	MBR48	NATURAL GAS		
8.	PREP REFRIGERATOR	1	MOTAK	MST-72-30-HC			
9.	TOASTER	1	WARING	WCT708			
10.	FOOD PROCESSOR	1	WARING	WFP11S			
11.	PANINI PRESS	1	WARING	WPG250			
12.	RICE COOKER	1	PROCTOR SILEX	37560R			
13.	STEAM TABLE	1	AVANTCO	STE-3S	ELECTRIC EXISTING		
14.	ICE MACHINE	1					
15.	REACH-IN COOLER	3	MOTAK	MBB-3D-90-G			
17.	GLASS WASHER	1	JACKSON DELTA	490DELTA5X			
18.	ICE BIN	2	REGENCY	600IB1836CP			
19.	PREP SINK	1	PER OWNER	PER OWNER	MEAT SINK		
20.	HAND SINK	2	PER OWNER	PER OWNER			
21.	RANGE	1	MOTAK	MR10-C-S-3	NATURAL GAS		
22.	SODA MACHINE	1	DISTRIBUTOR	DISTRIBUTOR	TO BE INSTALLED BY DISTRIBUTOR		
23.	DUMP SINK	2	PER OWNER	PER OWNER			
24.	PREP REFRIGERATOR	1	MOTAK	MST-48-18			
25.	GLASS DRAIN BOARD	2					
26.	PREP SINK	1	PER OWNER	PER OWNER	VEGETABLE SINK		
27.	PREP SINK	1	PER OWNER	PER OWNER	BAR PREP SINK - 4'		
28.	DISHWASHER	1	JACKSON	CONSERVER XL-E			

IT IS RESPONSIBILITY OF THE OWNER TO SUBMIT KITCHEN EQUIPMENT LIST AND PLAN TO THE HEALTH DEPARTMENT PRIOR TO ISSUANCE OF CO


WEDDERMANN ARCHITECTURE DOES NOT TAKE LIABILITY FOR APPLIANCE INFORMATION NOT PROVIDED BY THE OWNER.

ANY CHANGES TO KITCHEN EQUIPMENT WILL REQUIRE AN ADDITIONAL REVIEW CYCLE WITH THE HEALTH DEPARTMENT PRIOR TO HEALTH DEPARTMENT APPROVAL

UNWRAP EXISTING COLUMNS DOWN TO STRUCTURE
- ENCLOSE EXISTING STRUCTURE WITH OSB

OUTDOOR SEATING

SPACE DOES NOT PROVIDE ADEQUATE LIGHTING TO QUALIFY AS A 'DAYLIGHT ZONE'
PROVIDE MIN 10 FOOT-CANDLE LIGHTING TO AREA W/ ARTIFICIAL LIGHTING W/ OCCUPANCY SENSOR



2 TYPICAL WALL SECTION
1/4" = 1'-0"

1 FIRST FLOOR PLAN
3/16" = 1'-0"

Project North

WEDDERMANN

ARCHITECTURE

JENNIFER WEDDERMANN, AIA, LEED AP

2302 A STREET

TACOMA, WA 98405

(253) 973-6611

JENNIFER@WEDDERMANN.COM

REGISTERED ARCHITECT

JENNIFER WEDDERMANN

STATE OF WASHINGTON

PROJECT

ALI KASHI

CHEERS PUYALLUP

3811 9th St SW

Puyallup, WA 98373

REVISIONS

Rev#	Date	Description
2	1/12/23	Rev 2

INFO

01/10/20	20186	CHEERS IN PUYALLUP	5/19/2023 8:26:46 AM
----------	-------	--------------------	----------------------

SHEET NAME

FIRST FLOOR PLAN

PERMIT SET

City of Puyallup

Development & Permitting Services

ISSUED PERMIT

Building

Planning

Engineering


Public Works

Fire

Traffic

SHEET NO.


A2.01




1 SECOND FLOOR PLAN
1/8" = 1'-0"

Project North

SHEET NAME	INFO	REVISIONS	PROJECT	WEDDERMANN
ROOF PLAN	01/01/20 20186 Project Number: File Name: City of Puyallup Development & Permitting Services ISSUED PERMIT Building Engineering Fire Planning Public Works Traffic	Description	ALI KASHI CHEERS PUYALLUP 3811 9th St SW Puyallup, WA 98373	JENNIFER WEDDERMANN, AIA, LEED AP 2302 A STREET TACOMA, WA 98405 (253) 973-6611 JENNIFER@WEDDERMANN.COM
PERMIT SET	5/19/2023 8:26:46 AM			
SHEET NO.				
A2.05				




SHEET NAME	INFO	REVISIONS	PROJECT	WEDDERMANN	
				ARCHITECTURE	ARCHITECTURE
PRIOR ELEVATIONS	01/01/20 20186 CHEERS IN PUYALLUP	Rev# Date	ALI KASHI	JENNIFER WEDDERMANN, AIA, LEED AP	JENNIFER WEDDERMANN, AIA, LEED AP
	Start Date: 01/01/20 Project Number: 20186 File Name: CHEERS IN PUYALLUP	Description	CHEERS PUYALLUP	2302 A STREET TACOMA, WA 98405	2302 A STREET TACOMA, WA 98405
PERMIT SET	5/19/2023 9:28:48 AM		3811 9th St SW Puyallup, WA 98373	(253) 973-6611	(253) 973-6611
	City of Puyallup Development & Permitting Services ISSUED PERMIT			JENNIFER@WEDDERMANN.COM	JENNIFER@WEDDERMANN.COM
SHEET NO.		A3.01			



SHEET NAME	INFO	REVISIONS	PROJECT	WEDDERMANN	
				ARCHITECTURE	
PRIOR ELEVATIONS	Start Date: 01/01/20	Rev#	ALI KASHI	JENNIFER WEDDERMANN, AIA, LEED AP	
	Project Number: 20186	Date	CHEERS PUYALLUP	2302 A STREET	
PERMIT SET	File Name:	Description	3811 9th St SW	TACOMA, WA 98405	
	Per Date:		Puyallup, WA 98373	(253) 973-6611	
City of Puyallup Development & Permitting Services ISSUED PERMIT				JENNIFER@WEDDERMANN.COM	
				7815 REGISTERED ARCHITECT	
				JENNIFER WEDDERMANN	
				STATE OF WASHINGTON	
SHEET NO.				A3.02	

EQUIPMENT LIST						
#	ITEM NAME	QTY	MAKE	MODEL	NOTES	
1.	CONVECTION OVEN	1	MOTAK	MCO-1-DBL	NATURAL GAS	
2.	GYRO MACHINE	1	AMERICAN RANGE	AVB-1	NATURAL GAS	
3.	FRYER	4	MOTAK	MFG3-N	40 LBS; NATURAL GAS	
4.	MICROWAVE	1	AMANA	RCS10TS		
5.	FREEZER	1	MOTAK	MUF-60	UNDERCOUNTER; 60"	
6.	GRIDDLE	1	CPG	GM-CPC-48-NL	NATURAL GAS	
7.	BROILER	1	MOTAK	MBR48	NATURAL GAS	
8.	PREP REFRIGERATOR	1	MOTAK	MST-72-30-HC		
9.	TOASTER	1	WARING	WCT708		
10.	FOOD PROCESSOR	1	WARING	WFP11S		
11.	PANINI PRESS	1	WARING	WPG250		
12.	RICE COOKER	1	PROCTOR SILEX	37560R		
13.	STEAM TABLE	1	AVANTCO	STE-3S	ELECTRIC	
14.	ICE MACHINE	1			EXISTING	
15.	REACH-IN COOLER	3	MOTAK	MBB-3D-90-G		
17.	GLASS WASHER	1	JACKSON DELTA	490DELTA5X		
18.	ICE BIN	2	REGENCY	600IB1836CP		
19.	PREP SINK	1	PER OWNER	PER OWNER	MEAT SINK	
20.	HAND SINK	2	PER OWNER	PER OWNER		
21.	RANGE	1	MOTAK	MR10-C-S-3	NATURAL GAS	
22.	SODA MACHINE	1	DISTRIBUTOR	DISTRIBUTOR	TO BE INSTALLED BY DISTRIBUTOR	
23.	DUMP SINK	2	PER OWNER	PER OWNER		
24.	PREP REFRIGERATOR	1	MOTAK	MST-48-18		
25.	GLASS DRAIN BOARD	2				
26.	PREP SINK	1	PER OWNER	PER OWNER	VEGETABLE SINK	
27.	PREP SINK	1	PER OWNER	PER OWNER	BAR PREP SINK - 4'	
28.	DISHWASHER	1	JACKSON	CONSERVER XL-E		



1 FIRST FLOOR PLAN
3/16" = 1'-0"

PRCT120221460

WEDDERMANN
ARCHITECTURE
JENNIFER WEDDERMANN, AIA, LEED AP
2302 A STREET
TACOMA, WA 98405
(253) 973-6611
JENNIFER@WEDDERMANN.COM

REGISTERED ARCHITECT
7815
JENNIFER WEDDERMANN
STATE OF WASHINGTON

PROJECT
ALI KASHI
CHEERS PUYALLUP
3811 9th St SW
Puyallup, WA 98373

REVISIONS
Description
Rev# Date
2 1/12/23 Rev 2

INFO
01/10/20
20186
CHEERS IN PUYALLUP
5/19/2023 8:26:50 AM

SHEET NAME
BUILDING FIXTURE PLAN
PERMIT SET

CITY OF PUYALLUP
DEPARTMENT & PERMITTING SERVICES
ISSUED PERMIT
Building Planning
Engineering Public Works
Fire Traffic

SHEET NO.
P1.0