



# City of Puyallup Application for Building Permit

PRCTI20230725

**333 S. Meridian  
Puyallup, WA 98371  
Tel: (253) 864-4165  
[permitcenter@ci.puyallup.wa.us](mailto:permitcenter@ci.puyallup.wa.us)**

Parcel No: 0420222056, 0420222055, 0420226014, 0420226015		Site Address: 407 Valley Ave NE Puyallup, WA 98372	
0420226016 & 0420222051, 0420226013			
Owner Name: Meridian Pointe Apartments, LLC	Tel: 206-241-4800		
Owner Address: 17786 Des Moines Memorial Dr.	City: Burien, WA	Zip: 98148	
Contractor Name: Farrell-McKenna Construction, LLC	Tel: 206-241-2600		
Contractor Address: 17786 Des Moines Memorial Dr.	City: Burien, WA	Zip: 98148	
WA State License: FARREC*005L6	Exp Date: 6/24/24	City Business License: Yes - Exp 11/30/23	
Contact Name: Sean McKenna	Email: Sean@farrellpi.com		
Contact Tel: 206-241-2600	Fax: 206-241-2600		
Lender Name: PNC Real Estate / Midland Loan Services	Address: 10851 Mastin Ste 700 Overland Park, KS 66210	Tel: 913-253-9438	

**Project Description:** Interior Unit Building Renovation - BUILDING 'Y' 102/202/302 Unit Stack If  
 the project disturbs one acre or more, the applicant must apply for a NPDES Construction stormwater general permit from the Department of Ecology. For additional information visit DOE website [www.ecy.wa.gov/programs/wq/stormwater/construction](http://www.ecy.wa.gov/programs/wq/stormwater/construction)

## Building Permit Information

COMMERCIAL OR RESIDENTIAL	Commercial	TYPE OF CONSTRUCTION	Type V - 1 Hr
OCCUPANCY TYPE	R-2	FIRST FLOOR SQ. FT.	2,963 gross SF
OCCUPANCY LOAD	4	SECOND FLOOR SQ. FT.	including Decks, Storage and Breezeways
# OF DWELLING UNITS	3	BASEMENT SQ. FT.	
# OF BEDROOMS	3	GARAGE SQ. FT.	
# OF BATHROOMS	3	COVERED PORCH SQ. FT.	
BUILDING HEIGHT		PATIO SQ. FT.	
ZONING	1305 - Multi Family	DECK SQ. FT.	
LOT SIZE SQ. FT.		HEAT TYPE	Electric
LOT COVERAGE: (%)		CHANGE OF USE?	No
IMPERVIOUS SURFACE SQ. FT.		AIR CONDITIONED?	No
PROJECT DISTURBED AREA SQ. FT.		FIRE SPRINKLERS?	Yes
SEWER OR SEPTIC	Sewer	LOCATED IN FLOOD PLAIN?	
WATER PURVEYOR		<b>VALUATION</b>	<b>\$ 28,037.08</b>

**I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS APPLICATION AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT.**

**BY LEAVING THE CONTRACTOR INFORMATION SECTION BLANK, I HEREBY CERTIFY FURTHER THAT CONTRACTORS (GENERAL OR SUBCONTRACTORS) WILL NOT BE HIRED TO PERFORM ANY WORK IN ASSOCIATION WITH THIS PERMIT. I ALSO CERTIFY THAT IF I DO CHOOSE TO HIRE A CONTRACTOR (GENERAL OR SUBCONTRACTOR) I WILL ONLY HIRE THOSE CONTRACTORS THAT ARE LICENSED BY THE STATE OF WASHINGTON.**

\_\_\_\_\_  
**SIGNATURE OWNER / AUTHORIZED AGENT**

Sean McKenna, Manager

\_\_\_\_\_ **PRINT NAME**

\_\_\_\_\_ **DATE**

# MECHANICAL

Quantity Scheduled	Description	Permit Rate Per Unit	Total Price
3	<b>Permit Issuance</b>	<b>40.00</b>	120.00
	Supplemental Permit	9.60	
	AC Unit – Stand Alone	19.55	
	Install Furnace / Burner up to 100,000 BTU	19.55	
	Install Furnace / Burner over 100,000 BTU	24.00	
	Install / Relocate Floor Furnace & Vent	19.55	
	Install / Relocate Recessed Wall Space Heater	19.55	
	Appliance Vent – Separate	9.60	
	Repair Heating / Cooling Unit	18.11	
	Heat Pump/Boiler / Compress. 3 HP; up to 6 Tons; 100,000	19.55	
	Heat Pump/Boiler / Compress. 3-15 HP or 500,000 BTU	35.95	
	Heat Pump/Boiler / Compress 15-30 HP or 1,000,000 BTU	49.28	
	Heat Pump/Boiler / Compress 30-50 HP or 1,750,000 BTU	73.30	
	Heat Pump/Boiler / Compress over 50 HP or over 1,750,000	122.48	
	Separate Air Handling Unit to 10,000 CFM	14.10	
	Separate Air Handling Unit over 10,000 CFM	23.92	
	Stationary Evaporative Cooler	14.10	
3	Exhaust Vent Fan with Single Duct (Bath Fan)	14.10	42.30
	Vent System Apart from Heating or AC	14.10	
	Mechanical Exhaust Hood / Duct (Range Hood) - Residential	14.10	
	Mechanical Exhaust Hood w/Make-up Air - Commercial	35.95	
	Commercial / Industrial Incinerator	24.00	
	Gas Piping: (1 - 4 outlets)	6.30	
	(5 or more outlets / per outlet)	1.30	
	Unclassified Appliance or Equipment (Fireplace, etc.)	14.10	
	Mechanical Duct Work: (1 – 5 Diffusers)	14.10	
	(6 – 10 Diffusers)	19.55	
	(11 or more Diffusers)	24.00	
<b>TOTAL:</b>			<b>162.30</b>

# PLUMBING

Quantity Scheduled	Description	Rate Per Unit	Total	Quantity Scheduled	Description	Rate Per Unit	Total
3	Permit Issuance	40.00	120.00		<b>GREASE TRAP/INTERCEPTOR</b>		
	<b>RESIDENTIAL (1 &amp; 2 DWELLINGS)</b>				Grease Trap	13.00	
	1 Bathroom	160.00			Grease Interceptor	13.00	
	2 Bathroom	200.00			<b>BACK FLOW DEVICE</b>		
	3 Bathroom	240.00			Per Unit	26.00	
	Alterations each fixture	13.00			<b>MEDICAL GAS SYSTEM</b>		
	Water Heater	13.00			Medical Gas Piping System	80.00	
	<b>***COMMERCIAL***</b>				Surgical Vacuum System	80.00	
	New Const. each fixture	13.00			Gas Piping: (1 - 4 outlets)	8.50	
					(5 or more outlets/per outlet)	2.00	
9	Alterations each fixture	13.00	117.00		Dental Chair or Unit	40.25	
	Drinking Fountain, Water Cooler, Ice Machine	40.25			<b>OTHER (NOT LISTED)</b>		
	Sump, Sewage Ejector Pump	13.00					
3	Garbage Disposal	13.00	39.00				
3	Water Heater	13.00	39.00				
<b>SUB-TOTAL:</b>			315.00	<b>SUB-TOTAL:</b>			
<b>TOTAL:</b>							315.00

**\*\*\*COMMERCIAL PROJECTS: Please complete "System Development Calculation Sheet" \*\*\***

A water availability/approval letter shall be submitted with this application for any property located outside the city's water service area.

Fruitland Mutual Water Co. – (253) 848-5519 / Valley Water Co. – (253) 841-9698 / Tacoma Water Co. – (253) 502-8600

## Plan Submittal Checklist for Single Family Residence

- 2 (two) copies of a site plan, drawn to scale on 8½" x 11". Details to include setbacks, easements, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals.
  - 2 (two) sets of plans (**Engineer or Architect Stamped** on all sheets)
    - Foundation Plan: footing size, wall height, section & reinforcing. Provide design calculations for basement walls that are not supported by concrete cross walls spaced per table 404.1b.
    - Floor plan with room use identified  Floor framing plan for each floor (post & beam or joist w/ size & spacing)  Ceiling/roof framing plan or truss layout w/ reactions from truss manufacturer  Truss layout with hanger and reactions for girder/carrier trusses  Truss drawings for TJI's or BCI's  Truss specifications packet **Engineer Stamped**
    - Window & door sizes, header sizes, U-values
    - Complete building sections - special sections (show floor, wall & ceiling height, insulation R-value of floors, walls & ceilings. Show sections through stairs - headroom)
    - Construction details (i.e. structural members, insulation, sheathing, siding, roofing, bracing, dimensions, etc.)
    - Exterior porches & decks (resistance to decay including support footings)
    - Special equipment (fireplace, woodstove, hydro-massage tub, etc.)
    - Location of all smoke detectors
    - Handrail/guardrail details for stairs, landings, decks
  - Energy Worksheets: <http://www.energy.wsu.edu/BuildingEfficiency/EnergyCode.aspx>
  - 2 (two) sets Engineering plans/calculations for special conditions – **Engineer stamped**
    - Basement & retaining walls 4 feet and higher  Beams supporting combined roof & floor loads  Beams supporting other beams or girder trusses  Shear walls when bracing not provided as required.
  - If less than 2,000 square feet of new + replaced hard surface: submit a temporary sediment and erosion control plan per the 2014 update to the 2012 Stormwater Management Manual for Western Washington
  - If greater than 2,000 square feet of new + replaced hard surface: submit a Stormwater site plan, report and temporary sediment and erosion control plan and report that satisfy the 2014 update to the 2012 Stormwater Management Manual for Western Washington and City standards
  - Plan Review Fee
- 

## Plan Submittal Checklist for Commercial Projects

- 2 (two) copies of a site plan, drawn to scale on 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.
- 2 (two) complete sets of plans. (**Engineer or Architect Stamped** on all sheets)
- 2 (two) sets of structural calculations – **Engineer Stamped**
- 1 (one) set of specifications
- Driveways, sidewalks, parking, and accessible routes
- Exterior elevations  Complete building sections - special sections
- Building code summary  Proposed use  Construction Type  Occupancy Group Classification  Allowable Area  Actual Area  Dimension yard width on site plan where used for allowable area increase.
- Occupant load calculations and exiting, including exit width calculations
- Energy worksheets including envelope calculations, HVAC, and lighting budget
- Foundation plan including footing sizes, wall heights, cross-sections and reinforcing  Floor plan with room use identified for each floor  Floor framing plan each floor (slab, post & beam or joist)  Ceiling/roof framing plan or truss layout with girder truss reactions
- Window & door sizes, header sizes, and U-Values
- Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)
- Handrail / guardrail / stair details (with headroom) for stairs and landings
- Smoke detectors, fire alarm, sprinkler system details (if required)
- Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)
- Plumbing plans including layout and fixture count - **Plumbing Fixture Worksheet is required with plumbing plans**
- Special equipment (kitchen, HVAC, Boiler, fireplace, woodstove, etc.)
- Mechanical plans including layout, location and make/model of equipment
- Traffic Scoping Worksheet
- Plan Review Fee

CFP LEGEND

- WALL FINISHES
- FINISH 1
  - FINISH 2
  - FINISH 3
  - FINISH 4
  - FINISH 5
  - FINISH 6
  - FINISH 7
  - FINISH 8
  - FINISH 9
  - FINISH 10
  - FINISH 11
  - FINISH 12
  - FINISH 13
  - FINISH 14
  - FINISH 15
  - FINISH 16
  - FINISH 17
  - FINISH 18
  - FINISH 19
  - FINISH 20
  - FINISH 21
  - FINISH 22
  - FINISH 23
  - FINISH 24
  - FINISH 25
  - FINISH 26
  - FINISH 27
  - FINISH 28
  - FINISH 29
  - FINISH 30
  - FINISH 31
  - FINISH 32
  - FINISH 33
  - FINISH 34
  - FINISH 35
  - FINISH 36
  - FINISH 37
  - FINISH 38
  - FINISH 39
  - FINISH 40
  - FINISH 41
  - FINISH 42
  - FINISH 43
  - FINISH 44
  - FINISH 45
  - FINISH 46
  - FINISH 47
  - FINISH 48
  - FINISH 49
  - FINISH 50
  - FINISH 51
  - FINISH 52
  - FINISH 53
  - FINISH 54
  - FINISH 55
  - FINISH 56
  - FINISH 57
  - FINISH 58
  - FINISH 59
  - FINISH 60
  - FINISH 61
  - FINISH 62
  - FINISH 63
  - FINISH 64
  - FINISH 65
  - FINISH 66
  - FINISH 67
  - FINISH 68
  - FINISH 69
  - FINISH 70
  - FINISH 71
  - FINISH 72
  - FINISH 73
  - FINISH 74
  - FINISH 75
  - FINISH 76
  - FINISH 77
  - FINISH 78
  - FINISH 79
  - FINISH 80
  - FINISH 81
  - FINISH 82
  - FINISH 83
  - FINISH 84
  - FINISH 85
  - FINISH 86
  - FINISH 87
  - FINISH 88
  - FINISH 89
  - FINISH 90
  - FINISH 91
  - FINISH 92
  - FINISH 93
  - FINISH 94
  - FINISH 95
  - FINISH 96
  - FINISH 97
  - FINISH 98
  - FINISH 99
  - FINISH 100

GENERAL FINISH NOTES

1. SEE ALL NOTES IN ALL DRAWINGS.
2. FINISHES ARE NECESSARY FOR PROTECTION AND PROTECT BARRADES DURING CONSTRUCTION.
3. DO NOT COVER AND PROTECT BARRADES DURING CONSTRUCTION.
4. FINISHES ARE TO BE APPLIED TO EXTERIOR WALLS AND ROOFS. ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE SPECIFICATIONS AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE ARCHITECT.
5. ALL FINISHES TO BE COMPLETED IN ACCORDANCE WITH THE SPECIFICATIONS AND SHALL BE SUBJECT TO INSPECTION AND APPROVAL BY THE ARCHITECT.
6. REFER TO DRAWINGS FOR FINISHES NOT SHOWN ON PLAN.
7. FINISHES TO BE APPLIED TO MATCH EXISTING SPECIFICATIONS.

PRCTI20230725

