




PRFUP20230907

The applicant is responsible to notify the city of a job start 48 hours in advance using the CityView portal.


The permit and traffic control plans shall be posted at the job site and available to inspectors at all times. Applicant must provide 48hr. notification to residents within 300 feet of the work area either via door hanger, message board or signs posted visibly along the right-of-way.



PUYALLUP FAIRGROUNDS

110 9TH AVE SW PUYALLUP, WA 98371 JB# 48946

AERIAL & UNDERGROUND FIBER INSTALLATION



COMCAST

STEVE GASSIN

410 VALLEY AVE

PUYALLUP, WA 98371

PHONE: 253-225-6745

EMAIL: STEVE_GASSIN@COMCAST.COM

PERMITTING

ASHLEY KIEHN

253-999-2271

4610 TACOMA AVE

SUMNER, WA 98104

ASKIEHN.SEFNCO.COM

SEFNCO

STACY PENNEWELL

410 TACOMA AVE

SUMNER, WA 98104

PHONE:253-457-0628

EMAIL: SPENNEWELL@SEFNCO.COM

City of Puyallup Development & Permitting Service: ISSUED PERMIT Building Planning Engineering Public Works

PG#	SHEET INDEX	DECRIPTION OF WORK	IOIAL
		OVERLASH FIBER TO EXISTING STRAND	578LF
1	COVER SHEET		
2	VICINITY MAP, CONTACTS & SHEET INDEX		
3-4	GENERAL NOTES		
5	LEGEND		
6	SITE-PLAN		
		TOTAL:	578LF





PUYALLUP FAIRGROUNDS

OCATION ADDRESS:
110 9TH AVE SW
PUYALLUP, WA 98371
OMCAST JOB NUMBER:
JB# 48946

VICINITY MAP

DRAWN BY: MDD
DATE: 4/22/20
REVISIONS
DATE DESCRIPTION INITIAL

EPT AS MAY BE OTHERWISE PROVIDED BY CONTRAC
SE DRAWINGS AND SPECIFICATIONS SHALL REMAIN
PERTY OF SEPNCO COMMUNICATION, INC. BOTH BEI
BOIN STRICT CONFIDENCE AND SHALL NOT BE
RODUCED, COPIED, OR USED FOR ANY PURPOSE
OUT SPECIFIC WRITTEN PERMISSION.

N/A

SCALE N/A N/A
SHEET 2 OF 7

GENERAL NOTES

PRFUP20230907


THE LOCATIONS OF UTILITIES SHOWN ON THESE DRAWING ARE ONLY APPROXIMATE. SEFNCO HEREBY DISCLAIMS ANY RESPONSIBILITY TO THIRD PARTIES FOR THE ACCURACY OF THIS INFORMATION. PERSONS WORKING IN THE AREA COVERED BY THIS DRAWING MUST CONTACT THE STATEWIDE CALL-BEFORE-YOU-DIG SYSTEM TO ASCERTAIN THE LOCATION OF UNDERGROUND UTILITIES PRIOR TO PERFORMING ANY EXCAVATION.

- 1. ALL MATERIALS, WORKMANSHIP, AND CONSTRUCTION OF UTILITY IMPROVEMENTS SHALL MEET OR EXCEED SITE WORK STANDARDS AND THE STANDARDS AND SPECIFICATIONS SET FORTH IN THE LOCAL JURISDICTION REGULATIONS AND APPLICABLE STATE AND FEDERAL REGULATIONS. WHERE THERE IS CONFLICT BETWEEN THESE PLANS AND THE SPECIFICATIONS, OR ANY APPLICABLE STANDARDS, THE HIGHER QUALITY STANDARD SHALL APPLY. ALL WORK WITHIN PUBLIC R.O.W. OR EASEMENTS MAY REQUIRE INSPECTED AND APPROVED BY THE LOCAL JURISDICTION INSPECTOR. INSPECTION SERVICES AND CONSTRUCTION CERTIFICATION TO BE PROVIDED BY DESIGNEE OF PROJECT SPONSOR/OWNER.
- 2. THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES, AS SHOWN ON THESE PLANS, IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES AND, WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED UPON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE LOCAL UTILITY LOCATION CENTER AT LEAST 48 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATIONS OF EXISTING UTILITIES. THE CONTRACTOR SHALL VERIFY PERTINENT LOCATIONS AND ELEVATIONS, ESPECIALLY AT THE CONNECTION POINTS AND AT POTENTIAL UTILITY CONFLICTS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO RELOCATE ALL EXISTING UTILITIES THAT CONFLICT WITH THE PROPOSED IMPROVEMENTS SHOWN ON THESE PLANS.
- 3. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS FROM ALL APPLICABLE AGENCIES. THE CONTRACTOR SHALL NOTIFY THE LOCAL JURISDICTION INSPECTOR AT LEAST 48 HOURS PRIOR TO THE START OF ANY EARTH DISTURBING ACTIVITY OR CONSTRUCTION ON ANY AND ALL PUBLIC IMPROVEMENTS IF REQUIRED.
- 4. THE CONTRACTOR SHALL COORDINATE AND COOPERATE WITH THE LOCAL JURISDICTION AND ALL UTILITY COMPANIES WITH REGARD TO RELOCATIONS OR ADJUSTMENTS OF EXISTING UTILITIES DURING CONSTRUCTION, TO ASSURE THAT THE WORK IS ACCOMPLISHED IN A TIMELY FASHION, AND WITH A MINIMUM DISRUPTION OF SERVICE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING ALL PARTIES AFFECTED BY ANY DISRUPTION OF ANY UTILITY SERVICE.
- 5. THE CONTRACTOR SHALL HAVE ONE (1) SIGNED COPY OF THE APPROVED PLANS, ONE (1) COPY OF THE APPROPRIATE STANDARDS AND SPECIFICATIONS, AND ONE (1) COPY OF ANY PERMITS AND EXTENSION AGREEMENTS NEEDED FOR THE JOB ON-SITE AT ALL TIMES.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL ASPECTS OF SAFETY INCLUDING, BUT NOT LIMITED TO: EXCAVATION, TRENCHING, SHORING, TRAFFIC CONTROL, AND SECURITY.
- 7. IF, DURING THE CONSTRUCTION PROCESS, CONDITIONS ARE ENCOUNTERED BY THE CONTRACTOR, HIS SUBCONTRACTORS, OR OTHER AFFECTED PARTIES WHICH COULD INDICATE A SITUATION THAT IS NOT IDENTIFIED IN THE PLANS OR SPECIFICATIONS, THE CONTRACTOR SHALL CONTACT THE ENGINEER IMMEDIATELY.
- 8. ALL REFERENCES TO ANY PUBLISHED STANDARDS SHALL REFER TO THE LATEST REVISION OF SAID STANDARD, UNLESS SPECIFICALLY STATED OTHERWISE.
- 9. FOR WORK AFFECTING PUBLIC ROADWAYS OR IF REQUIRED BY THE LOCAL JURISDICTION, THE CONTRACTOR SHALL SUBMIT A TRAFFIC CONTROL AND PHASING PLAN IN ACCORDANCE WITH M.U.T.C.D. FOR APPROVAL. PRIOR TO ANY CONSTRUCTION ACTIVITIES WITHIN OR AFFECTING THE RIGHT-OF-WAY, THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING ANY AND ALL TRAFFIC CONTROL DEVICES AS MAY BE REQUIRED BY SAID PLANS. PRIOR TO INSTALLATION A PRECONSTRUCTION CONFERENCE SHALL BE HELD WITH LOCAL JURISDICTION.

- 0. THE CONTRACTOR IS RESPONSIBLE FOR PROVIDING ALL LABOR AND MATERIALS NECESSARY FOR THE COMPLETION OF THE INTENDED IMPROVEMENTS SHOWN ON THESE DRAWINGS OR DESIGNATED TO BE PROVIDED, INSTALLED, CONSTRUCTED, REMOVED OR RELOCATED UNLESS SPECIFICALLY NOTED OTHERWISE.
- 11. PER AGENCY STANDARDS THE CONTRACTOR SHALL BE RESPONSIBLE FOR KEEPING ROADWAYS FREE AND CLEAR OF ALL CONSTRUCTION DEBRIS AND DIRT TRACKED FROM THE SITE.
- 12. THE CONTRACTOR SHALL BE RESPONSIBLE FOR RECORDING RECORD INFORMATION ON A SET OF RECORD DRAWINGS KEPT AT THE CONSTRUCTION SITE AND AVAILABLE TO THE LOCAL JURISDICTION INSPECTOR AT ALL TIMES
- 13. DIMENSIONS FOR LAYOUT AND CONSTRUCTION ARE NOT TO BE SCALED FROM ANY DRAWING. FOR ADDITIONAL INFORMATION CONTACT THE ENGINEER FOR CLARIFICATION AND NOTE ON THE RECORD DRAWINGS.
- 14. ALL EROSION AND SEDIMENT CONTROL (E.S.C.) MEASURES SHALL BE INSTALLED AT THE LIMITS OF CONSTRUCTION PRIOR TO GROUND DISTURBING ACTIVITY. ALL E.S.C. MEASURES SHALL BE MAINTAINED IN GOOD REPAIR BY THE CONTRACTOR UNTIL SUCH TIME AS THE ENTIRE DISTURBED AREAS ARE STABILIZED WITH HARD SURFACE OR LANDSCAPING.
- 15. ALL WORK WITHIN THE PUBLIC RIGHT-OF-WAY IS SUBJECT TO THE JURISDICTION OF THE LOCAL JURISDICTION ENGINEERING DEPARTMENT STANDARD DETAILS AND SPECIFICATIONS.
- 16. ALL CONSTRUCTION OPERATIONS, INCLUDING THE WARMING UP, REPAIR, ARRIVAL, DEPARTURE OR RUNNING OF TRUCKS, EARTH MOVING EQUIPMENT, CONSTRUCTION EQUIPMENT AND ANY OTHER ASSOCIATED EQUIPMENT SHALL GENERALLY BE LIMITED TO THE TIME PERIOD APPROVED BY THE LOCAL JURISDICTION.
- 17. CALL THE "CALL BEFORE YOU DIG" NUMBER 48HRS IN ADVANCE AT 1-800-424-5555 PRIOR TO DIGGING.

PIERCE COUNTY

- 1. ALL METHODS AND MATERIALS SPECIFICATION SHALL MEET THE ACCOMMODATING UTILITIES IN PIERCE COUNTY RIGHTS-OF-WAY MANUAL.
- 2. ALL PIERECE COUNTY STANDARD DRAWINGS CAN BE FOUND AT THE FOLLOWING WEBSITE: https://www.piercecountywa.org/1745/Standard-Drawings
- 3. ALL ASPHALT REPAIR TO BE DONE IN ACCORDANCE WITH PIERCE COUNTY STANDARDS. SEE PIERCE COUNTY STANDARD DRAWINGS SECTION A DRAWING NUMBER PC.A7.1 AND PC.A7.2.
- 4. ALL SIDEWALK REPAIR TO BE DONE IN ACCORDANCE WITH PIERCE COUNTY STANDARDS. SEE PIERCE COUNTY STANDARD DRAWINGS SECTION F DRAWING NUMBER PC.F7.1.
- 5. ALL CURB AND GUTTER REPAIR TO BE DONE IN ACCORDANCE WITH PIERCE COUNTY STANDARDS. SEE PIERCE COUNTY STANDARD DRAWINGS SECTION F DRAWING NUMBERS PC.F8.1 THROUGH PC.F8.3.
- 6. UTILITY LOCATIONS SHOWN ON THIS PLAN ARE BASED ON DOCUMENT RESEARCH AND FIELD EVALUATION. THE INFORMATION MAY NOT BE ACCURATE OR COMPLETE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO PHYSICALLY LOCATE AND VERIFY LOCATION AND DEPTH OF ALL UTILITIES WITHIN THE CONSTRUCTION PATH. ALL INSTALLATIONS MUST COMPLY WITH MINIMUM HORIZONTAL AND VERTICAL CLEARANCES FROM UTILITIES.





CC	COMCAS			
SITE NAME: PUYALLUP FAIRGROUNDS	J 98371	COMCAST JOB NUMBER:		
OENIEDAI MOTES	CLINE TO THE TO LOCATION ADDRESS: 110 9TH AVE SW PUYALLUP, WA			

		STAMP	
DRAW	N	BY: MDD	
DATE:		4/22/20	
REVISIONS			
DATE		DESCRIPTION	INITIAL
THESE DRAW PROPERTY O ISSUED IN ST REPRODUCEI	INC F S RIC D, C	BE OTHERWISE PROVIDED BY ON SPECIFICATIONS SHALL BEFUCO COMMUNICATION, INC. E. T. CONFIDENCE AND SHALL NOT OPPED, OR USED FOR ANY PURIFIC WRITTEN PERMISSION.	REMAIN TH OTH BEING BE
		11/1	

N/A

SCALE

SHEET

GENERAL NOTES

PRFUP20230907

GENERAL NOTES

- 1.) ALL WORK IN CITY RIGHT-OF-WAY REQUIRES A PERMIT FROM THE CITY OF PUYALLUP. PRIOR TO ANY WORK COMMENCING, THE GENERAL CONTRACTOR SHALL ARRANGE FOR A PRECONSTRUCTION MEETING AT THE DEVELOPMENT SERVICES CENTER TO BE ATTENDED BY ALL CONTRACTORS THAT WILL PERFORM WORK SHOWN ON THE APPROVED ENGINEERING PLANS, REPRESENTATIVES FROM ALL APPLICABLE UTILITY COMPANIES, THE PROJECT OWNER AND APPROPRIATE CITY STAFF. CONTACT ENGINEERING SERVICES AT (253-841-5568) TO SCHEDULE THE MEETING. THE CONTRACTOR IS RESPONSIBLE TO HAVE THEIR OWN SET OF APPROVED PLANS AT THE MEETING.
- 2.) AFTER COMPLETION OF ALL ITEMS SHOWN ON THESE PLANS AND BEFORE ACCEPTANCE OF THE PROJECT THE CONTRACTOR SHALL OBTAIN A "PUNCH LIST" PREPARED BY THE CITY'S INSPECTOR DETAILING REMAINING ITEMS OF WORK TO BE COMPLETED. ALL ITEMS OF WORK SHOWN ON THESE PLANS SHALL BE COMPLETED TO THE SATISFACTION OF THE CITY PRIOR TO ACCEPTANCE OF THE WATER SYSTEM AND PROVISION OF SANITARY SEWER SERVICE.
- 3.) ALL MATERIALS AND WORKMANSHIP SHALL CONFORM TO THE STANDARD SPECIFICATIONS. FOR ROAD, BRIDGE, AND MUNICIPAL CONSTRUCTION (HEREINAFTER REFERRED TO AS THE "STANDARD SPECIFICATION"), WASHINGTON STATE DEPARTMENT OF TRANSPORTATION AND AMERICAN PUBLIC WORKS ASSOCIATION, WASHINGTON STATE CHAPTER, LATEST EDITION, UNLESS SUPERSEDED OR AMENDED BY THE CITY OF PUYALLUP CITY STANDARDS FOR PUBLIC WORKS ENGINEERING AND CONSTRUCTION (HEREINAFTER REFERRED TO AS THE "CITY STANDARDS").
- 4.) A COPY OF THESE APPROVED PLANS AND APPLICABLE CITY DEVELOPER SPECIFICATIONS AND DETAILS SHALL BE ON SITE DURING CONSTRUCTION.
- 5.) ANY REVISIONS MADE TO THESE PLANS MUST BE REVIEWED AND APPROVED BY THE DEVELOPER'S ENGINEER AND THE CITY PRIOR TO ANY IMPLEMENTATION IN THE FIELD. THE CITY SHALL NOT BE RESPONSIBLE FOR ANY ERRORS AND/OR OMISSIONS ON THESE PLANS.
- 6.) THE CONTRACTOR SHALL HAVE ALL UTILITIES VERIFIED ON THE GROUND PRIOR TO ANY CONSTRUCTION. CALL (811) AT LEAST TWO WORKING DAYS IN ADVANCE, THE OWNER AND HIS/HER ENGINEER SHALL BE CONTACTED IMMEDIATELY IF A CONFLICT EXISTS.
- 7.) ANY STRUCTURE AND/OR OBSTRUCTION THAT REQUIRES REMOVAL OR RELOCATION RELATING TO THIS PROJECT SHALL BE DONE SO AT HE DEVELOPER EXPENSES.
- 8.) ALL PLAN SETS SHALL REFERENCE THE CITY OF PUYALLUP STANDARD DETAILS APPLICABLE FOR THE PROJECT. THE DETAILS SHALL BE LOCATED ON SEPARATE PLAN SHEETS. WHERE A PARTICULAR ITEM IS CALLED OUT ON THE PLANS, A NOTE SHALL BE INCLUDED ON THE DRAWING IDENTIFYING THE APPLICABLE CITY STANDARD DETAIL REFERENCING THE PLAN SHEET THE DETAIL IS LOCATED ON AND THE CITY STANDARD NUMBER (I.E., FOR A FIRE HYDRANT LOCATED ON THE PLANS, THE NOTE SHOULD READ "SEE CITY STANDARD NO. 03.05.01 ON SHEET 3 OF 3"). ALL OTHER REQUIRED DETAILS NOT STANDARDIZED BY THE CITY OF PUYALLUP SHALL BE SHOWN ON A SEPARATE DETAIL SHEET.

- 9.) LOCATIONS OF EXISTING UTILITIES ARE APPROXIMATE. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO DETERMINE THE TRUE ELEVATIONS AND LOCATIONS OF HIDDEN UTILITIES. ALL VISIBLE ITEMS SHALL BE THE ENGINEERS RESPONSIBILITY.
- 10.) THE CONTRACTOR SHALL INSTALL, REPLACE, OR RELOCATE ALL SIGNS, SHOWN ON THE PLANS OR AS AFFECTED BY CONSTRUCTION. PER CITY STANDARDS.
- 11.) POWER, STREET LIGHT, CABLE, AND TELEPHONE LINES SHALL BE IN A TRENCH LOCATED WITHIN A 10-FOOT UTILITY EASEMENT ADJACENT TO PUBLIC RIGHT-OF-WAY. CROSSINGS SHALL HAVE A MINIMUM HORIZONTAL SEPARATION FROM THEIR UTILITIES (SEWER, WATER, AND STORM) OF 5 FEET.
- 12.) ALL CONSTRUCTION SURVEYING FOR EXTENSIONS OF FACILITIES SHALL BE DONE UNDER THE DIRECTION OF A WASHINGTON STATE LICENSED LAND SURVEYOR A WASHINGTON STATE LICENSED PROFESSIONAL CIVIL ENGINEER.
- 13.) DURING CONSTRUCTION, ALL PUBLIC STREETS ADJACENT TO THIS PROJECT SHALL BE KEPT CLEAN OF ALL MATERIAL DEPOSITS RESULTING FROM ON-SITE CONSTRUCTION, AND EXISTING STRUCTURES SHALL BE PROTECTED AS DIRECTED BY THE CITY.
- 14.) CERTIFIED RECORD DRAWINGS ARE REQUIRED PRIOR TO PROJECT ACCEPTANCE.
- 15.) A NPDES STORMWATER GENERAL PERMIT MAY BE REQUIRED BY THE DEPARTMENT OF ECOLOGY FOR THIS PROJECT. FOR INFORMATION CONTACT THE DEPARTMENT OF ECOLOGY, SOUTHWEST REGION OFFICE AT (360) 407-6300.
- 16.) ANY DISTURBANCE OR DAMAGE TO CRITICAL AREAS AND ASSOCIATED BUFFERS, OR SIGNIFICANT TREES DESIGNATED FOR PRESERVATION AND PROTECTION SHALL BE MITIGATED IN ACCORDANCE WITH A MITIGATION PLAN REVIEWED AND APPROVED BY THE CITY'S PLANNING DIVISION. PREPARATION AND IMPLEMENTATION OF THE MITIGATION PLAN SHALL BE AT THE DEVELOPER'S EXPENSE.

City of Puyallup
Development & Permitting Service
ISSUED PERMIT
Building Planning
Engineering Public Works
Fire Traffic

APPROVED
BY
CITY OF PUYALLUP
ENGINEERING SERVICES
DATE
NOTE: THIS APPROVAL IS VOID
AFTER 1 YEAR FROM APPROVAL
THE CITY WILL NOT BE
RESPONSIBLE FOR ERRORS AND/O
OMISSIONS ON THESE PLANS
FIELD CONDITIONS MAY DICTATE
CHANGES TO THESE PLANS AS
DETERMINED BY THE
ENGINEERING SERVICES MANAGE




Ш					
	COMCAS				
	SITE NAME: PUYALLUP FAIRGROUNDS	LOCATION ADDRESS: 110 9TH AVE SW PUYALLUP, WA 98371	COMCAST JOB NUMBER:	JB# 48946	
	SENIERAI MOTES				

	STAMP	
DRAW	N BY: MDD	
DATE:	4/22/20	
	REVISIONS	
DATE	DESCRIPTION	INITIA
	I	1

CEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT SEE DRAWINGS AND SPECIFICATIONS SHALL REMAIN T PERTRY OF SEFROC COMMUNICATION, INC. BOTH BEIN JED IN STRICT CONFIDENCE AND SHALL NOT BE RODUCED, COPIED, OR USED FOR ANY PURPOSE HOUT SPECIFIC WRITTEN PERMISSION.

SCALE N/A N/A
SHEET 4 OF 7

PROPOSED PROPOSED AERIAL STRAND DIRECT BORE TRENCH TRENCH. PROOF/PULL **BASE LAYERS** DITCH LINE EDGE OF PAVEMENT FACE OF CURB **FENCE GUARDRAIL** LIP OF GUTTER PROPERTY LINE RAILROAD RIGHT OF WAY CENTER LINE **BUILDING OUTLINE FOGLINE EXISTING UTILITIES TELECOMMUNICATION** ELECTRICAL GAS LINE RECYCLED WATER SANITARY SEWER STORM DRAIN WATER



LEGEND

PROPOSED SYMBOLS



PROPOSED MANHOLE

PROPOSED PEDESTAL



PROPOSED VAULT



PROPOSED GUY

PROPOSED RISER



PROPOSED SIDEWALK ANCHOR & GUY



POTHOLE



P

P

BORE PIT

EXISTING COMCAST SYMBOLS



EXISTING COMCAST MANHOLE



EXISTING COMCAST VAULT **EXISTING COMCAST PED**



EXISTING COMCAST SPLICE



EXISTING COMCAST ANCHOR

EXISTING COMCAST GUY




EXISTING COMCAST SIDEWALK ANCHOR & GUY





EXISTING COMCAST POLE W/ NEW RISER

EXISTING UTILITIES SYMBOLS



POWER HANDHOLE





PP P ? POWER UNKNOWN

(P)**POWER POLE**

(SL) STREET LIGHT POLE

SL STREET LIGHT HANDHOLE TRAFFIC SIGNAL HANDHOLE

TS TRAFFIC SIGNAL VAULT

(TS) TRAFFIC SIGNAL MANHOLE

TS TRAFFIC CABINET

(TS) TRAFFIC SIGNAL POLE

ΤŚ TRAFFIC SIGNAL PEDESTAL

(C) **CATV MANHOLE** С **CATV HANDHOLE**

)C(**CATV PEDESTAL**

TELECOM MANHOLE

Т **TELECOM HANDHOLE**




 \Box

POWER ANCHOR

TELECOM CABINET




POWER GUY



PEDESTAL ? (UNKNOWN UTILITY) WATER SAMPLING STATION

SEWER UNKNOWN



SS SEWER VAULT S?

SD STORM DRAIN VAULT

 \oplus STORM ACCESS POINT \top **TELECOM PEDESTAL**

(T) TELECOM POLE

(ss) **SEWER MANHOLE** SO **SEWER CLEANOUT**

SEWER CATCH BASIN

STORM CATCH BASIN STORM MANHOLE

(SD) D? STORM DRAIN UNKNOWN

60 STORM CLEANOUT

STORM DRAIN VALVE

WATER VALVE

 \bigcirc WATER METER W

WATER RESERVOIR

WATER UNKNOWN

W WATER MANHOLE

ΜV WATER VAULT

V(E)L WATER WELL

W?

MANHOLE (UNKNOWN UTILITY)



WATER PUMP TEST VALVE

PRFUP20230907



FIRE HYDRANT **GAS METER**



GAS VALVE

GAS MANHOLE

 \oplus **GAS TEST POINT**

(TL) (TL)

TRAFFIC LOOP DETECTOR TRAFFIC DETECTOR



BOLLARD SIGN POST



PARKING METER CULVERT



ADA RAMP



ADA RAMP COMPLIANCE



SUB STATION



TRANSIT STOP



TREE





ATION ADDRESS: 110 9TH AVE SW PUYALLUP, WA 98371

EGEND

DRAWN BY: MDD 4/22/20 **REVISIONS**

DESCRIPTION

N/A SCALE N/A SHEET 5

