
CONSTRUCTION NOTES

- 1. CALL UTILITY LOCATE AT 811 72 HOURS PRIOR TO TRENCHING OR DIGGING.
- THE EXISTENCE AND LOCATION OF ANY UNDER GROUND UTILITY PIPES OR DIGGING. STRUCTURE SHIWN ON THESE OLANS WERE OBTAINED BY FIELD INSPECTION AND A SEARCH OF THE AVAILABLE CITY OR COUNTY RECORDS.SINCE THE ACTUAL LOCATION AND NATURE OF THE UNDER GROUND FACILITIES MAY BE SOME WHAT DIFFERENT FROM THE SHOWN. THE CONTRACTOR IS REQUIRED TO VERIFY PRIOR TO EXCAVATION.
- 3. FOR UNDERGROUND ACTIVITY: TEST AND VENTILATE MANHOLE/UTILITY VAULT PRIOR TO ENTRY. PLACE WARNING DEVICES AND WORK AREA PROTECTION AS REQUIRED, AND USE EYE AND HEAD SAFETY PROTECTION PER PUYALLUP, WAY, STATE, AND LOCAL REGULATIONS.
- 4 ALL EXCAVATION .TRENCHING. AND SHORING IS TO ADHERE TO THE CODE OF REGULATIONS(CFR)1926.650 SUBPART P.
 - a. PROVIDED ALL PITS WITH 1'X 1' SLOPE ART ONE END OF EXCAVATION FOR TECHNICIAN INGRESS/EGRESS.
 - b. EXCAVATED SPOILS ARE TO BE NO LESS THAN 24" FROM EDGE OF PIT OR TRENCH.
 - c. BARRICADE ALL OPEN PITS AND TRENCHING FOR PUBLIC SAFETY. ALL BARRICADE MUST BE EQUIPPED WITH FLASHING LIGHTS FOR NIGHT VISIBILITY.
 - d. FOR PITS HREATER THAN 4' IN DEPTH ,USE APPROPRIATE SHORING FOR WALL STABILITY
- 5. TRENCH COVER IS TO BE 9" MINIMUM AND FREE OF ROCKS, DEBRIS, AND CLODS. THE TRENCH IS TO BE A MINIMUM OF 9" COVER IN DEVELOPED AREAS AND A MINIMUM OF 48" OF COVER IN UNDEVELOPED AREAS (ANY VARIANCE FROM THESE STANDARDS WILL BE SPECIFIED ON THE PLANS)
- 6. ALL ASPHALT/CONCRETE AND LANDSCAPING REMOVED, DISTURBED, OR DAMAGES AS A RESULT OF CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION OR BETTER.
- 7. NORMAL / GUIDED-BORING METHOD RECOMMENDED WHEN BORING.
- 8. ADHERE TO AIRTIGHT GUIDELINES UNLESS OTHERWISE NOTED
- 9. BOND BURIED/AERIAL FACILITIES AS A REQUIRED BY JURISDICTIONAL AGENCY(S).
- 10. AERIAL FACILITIES ARE TO BE TESTED PRIOR TO BEGINING WORK PER STATE AND LOCAL REGULATIONS.
- 11. ALL WORK AREA PROTECTION FOR TRAFFIC CONTROL IS TO BE WITH APPROVED WARNING DEVICES AND PLACED PER STATE DEPARTMENT OF TRANSPORTATION AND/OR PUBLIC WORKS ENGINEERING.DEPARTMENT STANDARDS AND SPECIFICATIONS.IF REQUIRED ,A TRAFFIC CONTROL PLAN SHALL BE SUBMITTED TO THE REQUESTING PERMITTING AGENCY.PRIOR TO BEGINNING WORK. PERMITTING AGENCIES MUST BE NOTIFIED 48 HOURS IN ADVANCE OF CONSTRUCTION ACTIVITIES.
- 12. EXISTING PEDESTRIAN CROSSWALKS AND WALKING AREAS SHALL BE MAINTAINED AT ALL TIMES. AS NECESSARY, TEMPORARY PEDESTRIAN CROSSWALKS AND WALKING AREAS SHALL BE PROVIDED AND MAINTAINED PER STATE DEPARTMENT OF TRANSPORTATION AND/OR PUBLIC WORKS ENGINEERING DEPARTMENT STANDARDS AND SPECIFICATIONS.
- 13. THE FOLLOWING FOOTAGES ARE ESTIMATES, FOOTAGES TO BE VERIFIED PRIOR TO CONSTRUCTIONS.



NARRATIVE: THIS PROJECT WILL PROVIDE CDFS SERVICE TO 1019 39TH AVE SE . EXISTING 48 FIBER CABLE FROM MH-178 TO MH-180 IN EXISTING CONDUIT.EXISTING 48 FIBER CABLE FROM MH-180 TO MH-182 IN EXISTING CONDUIT.EXISTING 24 FIBER CABLE FROM MH-182 TO MH-220 IN EXISTING CONDUIT.PLACE NEW 24 FIBER CABLE FROM MH-220 TO MH-1019 IN THE EXISTING CONDUIT.CONTINUE NEW 24 FIBER CABLE FROM MH-1019 TO CUSTOMER MPOP IN EXISTING CONDUIT.

CUSTOMER INFORMATION NAME: WESTWOOD SHIPPING LINES ADDRESS: 1019 39TH AVE SE

CITY, STATE: PUYALLUP, WA

ZIP CODE: 98374 CLLI: PYLPWA01

ENGINEERING CONTACT

NAME: JEREMIAH SCHERER NAME: LAKEN HUNTER PHONE: 702-546-3400



PHONE: 662-871-6309

CONTRACT ENGINEER

CYIENT INC



Centu	ıry Lin k	EXCEPT AS MAY		PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN TY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE				
SECTION:	3							
TOWNSHIP:	19N	SCALE:	1"=100'		REVISION	l: 1		
RANGE:	4E	JOB: P.	145829	DATE: 07/13	3/2023	SH:	01 OF	08

YES / NO

JOHN WOOD

702-395-2776

253-200-3789

LINES


LEGEND SHEET

SYMBOLOGY

BACK OF CURB EDGE OF PAVEMENT CENTERLINES	BOC
CENTERLINES — — — —	—— EOP ————
OLIVILIVEO	сл
MONUMENT LINE — — — — — — —	
DRIVEWAY	DW
SIDEWALK	SW
PROPERTY LINE	P/L
RIGHT OF WAY	
PUE	
NON-VEHICLE-ACCESS EASEMENT	NVAE
MATCHLINE	
RAILROAD	
CATV LINE ————————————————————————————————————	CATV———
ELECTRIC	Ε
OVERHEAD ELECTRIC — • • • • • • • • • • • • • • • • • •	DE
OVERHEAD T & E	
GAS ————	G
IRRIGATION	IRR
SEWER -	s
SITE TRIANGLE	
STORM DRAIN	sp
TELEPHONE —————	т
JOINT TRENCH TELCO/ELEC	T&E
AERIAL UTILITY (FIBER OPTIC)	AF0
	BFO
	×
WATER	v
	xx
COUNTY LINE	
	тѕ
TRAFFIC SIGNAL	sı
STREET LIGHT	
BORE	///////////////////////////////////////
ASPHALT CUT & RESTORE	^/^//
TRENCH	

⊕	BRASS CAP		STORM DRAIN INTAKE
_	CENTERLINE TICK	>	CULVERT
P	MAILBOX	S	SEWER MANHOLE
<u>s</u> o	STREET SIGN	SD	STORM DRAIN MANHOLE
8	TREE		RWCD IRRIGATION PIPE
\Diamond	BUSH	R	IRRIGATION MANHOLE
∲ ⊙∞	CACTUS	Q	IRRIGATION VALVE
×	POWER POLE	ш	CATV HANDHOLE
0	TELEPHONE POLE	V	CATV VAULT
\rightarrow	CATV ANCHOR	№	CATV PEDESTAL
- ∢	POWER / TELEPHONE ANCHOR	6	GAS VALVE
•	TRAFFIC LIGHT POLE	G	GAS VAULT
•	TRAFFIC SIGNAL POST	©	GAS METER
IS	TRAFFIC SIGNAL J-BOX	×	TEL PEDESTAL EXISTING
\otimes	JOINT POLE	×	TEL PEDESTAL NEW
•	STREET LIGHT	\oplus	TEL MANHOLE EXISTING
E	ELECTRIC SWITCHGEAR	+	TEL MANHOLE NEW
	JUNCTION BOX	3048 264-TA	TELCO HANDHOLE EXISTING
E	ELECTRIC VAULT	3048 264 —TA	TELCO HANDHOLE NEW
	GROUND TRANSFORMER		4'x4' BOREPIT
•	AERIAL TRANSFORMER		SAI EXISTING
	ELECTRIC HANDHOLE	\boxtimes	SAINEW
©	ELECTRIC MANHOLE	RT	RT EXISTING
	POWER PED EXISTING	RT	RT NEW
	POWER PED NEW	©	TELCO REPEATER NEW
V	WATER METER	©	TELCO REPEATER EXISTING
w	WATER VALVE		COOLPED NEW
•	FIRE HYDRANT		COOLPED EXISTING
XX'	TRENCH FOOTAGE		(x')
XX'>	ASPHALT CUT FOOT	ΓAGE	
XX'	BORE FOOTAGE		SLACK LOOP FOOTAGE
		S. 45 N. 7	VIII DE DELD

ALL PROPOSED EQUIPMENT WILL BE BOLD





CLLI: PYLPWA01

CUSTOMER INFORMATION **ENGINEERING CONTACT** CONTRACT ENGINEER NAME: WESTWOOD SHIPPING LINES NAME: JEREMIAH SCHERER NAME: LAKEN HUNTER ADDRESS: 1019 39TH AVE SE PHONE: 702-576-3400 PHONE: 662-871-6309 CenturyLink CITY, STATE: PUYALLUP,WA ZIP CODE: 98374 CYIENT INC

`	Century Link					
	SECTION: 3					
- 1		_				

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE


TOWNSHIP: 19N

SCALE: 1"=100'

REVISION: 1

SH: 02 OF 08

RANGE: JOB: P.145829 DATE: 07/13/2023




PRFUP20231169

Puyallup Construction Restriction Zones and routes shall be in effect during the Washington State Fair. September 1-24, 2023



EXISTING 48 FIBER FROM EXISTING MH 180 TO EXISTING MH_182 THROUGH EXISTING CONDUIT.



- 4		
	NAME: WESTWOOD SHIPPING LINES	NAME
, ,	ADDRESS: 1019 39TH AVE SE	PHON
>	CITY, STATE: PUYALLUP,WA	4174
	ZIP CODE: 98374	
	CLLI: PYLPWA01	

CUSTOMER INFORMATION

ENGINEERING CONTACT CONTRACT ENGINEER IE:JEREMIAH SCHERER NAME: LAKEN HUNTER NE: 702-576-3400 PHONE: 662-871-6309 CenturyLink CYIENT INC



Century Link	EXC
SECTION: 3	

CEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE

TOWNSHIP: 19N

SCALE: 1"=100' REVISION:

RANGE: 4E JOB: P.145829 SH: 04 OF 08 DATE: 07/13/2023

