
CONSTRUCTION NOTES

- 1. CALL UTILITY LOCATE AT 811 72 HOURS PRIOR TO TRENCHING OR DIGGING.
- 2. THE EXISTENCE AND LOCATION OF ANY UNDER GROUND UTILITY PIPES OR DIGGING. STRUCTURE SHIWN ON THESE OLANS WERE OBTAINED BY FIELD INSPECTION AND A SEARCH OF THE AVAILABLE CITY OR COUNTY RECORDS. SINCE THE ACTUAL LOCATION AND NATURE OF THE UNDER GROUND FACILITIES MAY BE SOME WHAT DIFFERENT FROM THE SHOWN. THE CONTRACTOR IS REQUIRED TO VERIFY PRIOR TO EXCAVATION.
- FOR UNDERGROUND ACTIVITY: TEST AND VENTILATE MANHOLE/UTILITY VAULT PRIOR TO ENTRY. PLACE WARNING DEVICES AND WORK AREA PROTECTION AS REQUIRED, AND USE EYE AND HEAD SAFETY PROTECTION PER PUYALLUP, WAY, STATE, AND LOCAL REGULATIONS.
- ALL EXCAVATION ,TRENCHING, AND SHORING IS TO ADHERE TO THE CODE OF REGULATIONS(CFR)1926.650 SUBPART P.
 - a. PROVIDED ALL PITS WITH 1'X 1' SLOPE ART ONE END OF EXCAVATION FOR TECHNICIAN INGRESS/EGRESS.
 - b. EXCAVATED SPOILS ARE TO BE NO LESS THAN 24" FROM EDGE OF PIT OR TRENCH.
 - c. BARRICADE ALL OPEN PITS AND TRENCHING FOR PUBLIC SAFETY. ALL BARRICADE MUST BE EQUIPPED WITH FLASHING LIGHTS FOR NIGHT VISIBILITY.
 - d. FOR PITS HREATER THAN 4' IN DEPTH, USE APPROPRIATE SHORING FOR WALL STABILITY
- TRENCH COVER IS TO BE 9" MINIMUM AND FREE OF ROCKS, DEBRIS, AND CLODS. THE TRENCH IS TO BE A MINIMUM OF 9" COVER IN DEVELOPED AREAS AND A MINIMUM OF 48" OF COVER IN UNDEVELOPED AREAS (ANY VARIANCE FROM THESE STANDARDS WILL BE SPECIFIED ON THE PLANS)
- 6. ALL ASPHALT/CONCRETE AND LANDSCAPING REMOVED, DISTURBED, OR DAMAGES AS A RESULT OF CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION OR BETTER.
- 7. NORMAL / GUIDED-BORING METHOD RECOMMENDED WHEN BORING.
- 8. ADHERE TO AIRTIGHT GUIDELINES UNLESS OTHERWISE NOTED.
- BOND BURIED/AERIAL FACILITIES AS A REQUIRED BY JURISDICTIONAL AGENCY(S).
- 10. AERIAL FACILITIES ARE TO BE TESTED PRIOR TO BEGINING WORK PER STATE AND LOCAL REGULATIONS.
- 11. ALL WORK AREA PROTECTION FOR TRAFFIC CONTROL IS TO BE WITH APPROVED WARNING DEVICES AND PLACED PER STATE DEPARTMENT OF TRANSPORTATION AND/OR PUBLIC WORKS ENGINEERING.DEPARTMENT STANDARDS AND SPECIFICATIONS.IF REQUIRED .A TRAFFIC CONTROL PLAN SHALL BE SUBMITTED TO THE REQUESTING PERMITTING AGENCY. PRIOR TO BEGINNING WORK. PERMITTING AGENCIES MUST BE NOTIFIED 48 HOURS IN ADVANCE OF CONSTRUCTION ACTIVITIES.
- 12. EXISTING PEDESTRIAN CROSSWALKS AND WALKING AREAS SHALL BE MAINTAINED AT ALL TIMES. AS NECESSARY, TEMPORARY PEDESTRIAN CROSSWALKS AND WALKING AREAS SHALL BE PROVIDED AND MAINTAINED PER STATE DEPARTMENT OF TRANSPORTATION AND/OR PUBLIC WORKS ENGINEERING DEPARTMENT STANDARDS AND SPECIFICATIONS.
- 13. THE FOLLOWING FOOTAGES ARE ESTIMATES, FOOTAGES TO BE VERIFIED PRIOR TO CONSTRUCTIONS.





PERMITS

ROW REQUIRED: CIY:

STATE: RAIL ROAD:

PREMIS FORM:

CONFORMANCE TEST:

ADDITIONAL PERMIT INFO:

SEE NDS

LCON NUMBER:

COUNTY:

LOOP QUAL:

LCON NAME: JOHN WOOD

FIBER ENGINEER: JEREMIAH SCHERER

702-395-2776 FIBER ENGINEER CONTACT:

253-200-3789

FIELD ENGINEER:

FIELD ENGINEER CONTACT

CUSTOMER NAME: WESTWOOD SHIPPING LINES

ADDRESS: 1019 39TH AVE SE TACOWA WA 98374

TOTAL PLUF FIBER PLACEMENT: 350' TOTAL PLAF FIBER PLACEMENT: 0' TOTAL PLAC FIBER PLACEMENT: 0' TOTAL INBF FIBER PLACEMENT: 50' **TOTAL BORE: 0'**

TOTAL TRENCH: 0'

NARRATIVE: THIS PROJECT WILL PROVIDE CDFS SERVICE TO 1019 39TH AVE SE . EXISTING 48 FIBER CABLE FROM MH-178 TO MH-180 IN EXISTING CONDUIT.EXISTING 48 FIBER CABLE FROM MH-180 TO MH-182 IN EXISTING CONDUIT.EXISTING 24 FIBER CABLE FROM MH-182 TO MH-220 IN EXISTING CONDUIT.PLACE NEW 24 FIBER CABLE FROM MH-220 TO MH-1019 IN THE EXISTING CONDUIT.CONTINUE NEW 24 FIBER CABLE FROM MH-1019 TO CUSTOMER MPOP IN EXISTING CONDUIT.

CUSTOMER INFORMATION ADDRESS: 1019 39TH AVE SE CITY, STATE: PUYALLUP, WA ZIP CODE: 98374 CLLI: PYLPWA01

ENGINEERING CONTACT NAME: WESTWOOD SHIPPING LINES

PHONE: 702-546-3400

CenturvLink

NAME: JEREMIAH SCHERER NAME: LAKEN HUNTER PHONE: 662-871-6309

CONTRACT ENGINEER

CYIENT INC

CenturyLink EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN SECTION: TOWNSHIP: 19N SCALE: 1"=100" REVISION: 2 RANGE: 4E JOB: P.145829 SH: 01 OF 11 DATE: 08/28/2023

LEGEND SHEET

SYMBOLOGY

BACK OF CURB EDGE OF PAVEMENT **CENTERLINES** MONUMENT LINE DRIVEWAY SIDEWALK PROPERTY LINE RIGHT OF WAY PUE NON-VEHICLE-ACCESS EASEMENT MATCHLINE RAILROAD **CATV LINE ELECTRIC OVERHEAD ELECTRIC** OVERHEAD T & E GAS **IRRIGATION** SEWER SITE TRIANGLE STORM DRAIN TELEPHONE JOINT TRENCH TELCO/ELEC AERIAL UTILITY (FIBER OPTIC) **BURIED UTILITY (FIBER OPTIC)** ABN TELCO WATER **FENCE** WALL CITY LIMITS **COUNTY LINE** TRAFFIC SIGNAL STREET LIGHT **BORE ASPHALT CUT & RESTORE TRENCH**

⊕	BRASS CAP		STORM DRAIN INTAKE
_	CENTERLINE TICK		CULVERT
P	MAILBOX	S	SEWER MANHOLE
2 0	STREET SIGN	SD	STORM DRAIN MANHOLE
\$	TREE		RWCD IRRIGATION PIPE
\bigcirc	BUSH	(RR)	IRRIGATION MANHOLE
₩ 👁	CACTUS	\omega	IRRIGATION VALVE
×	POWER POLE	Ш	CATV HANDHOLE
0	TELEPHONE POLE	V	CATV VAULT
\longrightarrow	CATV ANCHOR	N	CATV PEDESTAL
\longrightarrow	POWER / TELEPHONE ANCHOR	©	GAS VALVE
•	TRAFFIC LIGHT POLE	G	GAS VAULT
•	TRAFFIC SIGNAL POST	<u>©</u>	GAS METER
	TRAFFIC SIGNAL J-BOX	×	TEL PEDESTAL EXISTING
\otimes	JOINT POLE	×	TEL PEDESTAL NEW
	STREET LIGHT	\oplus	TEL MANHOLE EXISTING
E	ELECTRIC SWITCHGEAR	+	TEL MANHOLE NEW
	JUNCTION BOX	3048 264 —TA	TELCO HANDHOLE EXISTING
E	ELECTRIC VAULT		TELCO HANDHOLE NEW
	GROUND TRANSFORMER		4'x4' BOREPIT
	AERIAL TRANSFORMER	\boxtimes	SAI EXISTING
	ELECTRIC HANDHOLE	×	SAI NEW
(E)	ELECTRIC MANHOLE	RT	RT EXISTING
	POWER PED EXISTING	RT	RT NEW
	POWER PED NEW	(TELCO REPEATER NEW
V	WATER METER	(TELCO REPEATER EXISTING
w	WATER VALVE		COOLPED NEW
•	FIRE HYDRANT		COOLPED EXISTING
XX'	TRENCH FOOTAGE		(x)
$\langle XX' \rangle$	ASPHALT CUT FOO	TAGE	SIVER I UUD EUUTVA
	DODE FOOTAGE		SLACK LOOP FOOTAG





CUSTOMER INFORMATION

NAME: WESTWOOD SHIPPING LINES ADDRESS: 1019 39TH AVE SE CITY, STATE: PUYALLUP, WA

ZIP CODE: 98374 CLLI: PYLPWA01

ENGINEERING CONTACT

PHONE: 702-576-3400

Century Link

NAME: JEREMIAH SCHERER NAME: LAKEN HUNTER PHONE: 662-871-6309

CONTRACT ENGINEER

XX'

CYIENT INC



3

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE


CALL TWO WORKING DAYS BEFORE YOU DIG	
211	C
	Т

BORE FOOTAGE


SECTION:
TOWNSHIP:

PROPOSED EQUIPMENT WILL BE BOLD

SCALE: 1"=100'): 19N REVISION: 2 RANGE: 4E JOB: P.145829 DATE: 08/28/2023 SH: 02 OF 11



PRFUP20231306 only permits access to MH-221 HH-222, Ped-A2KUS. See PRFUP20231169 for permitted access to MH-178, MH-180, MH-182, MH-220, MH-4T, MH-1T-, and MH-1019.





CUSTOMER INFORMATION NAME: WESTWOOD SHIPPING LINES ADDRESS: 1019 39TH AVE SE CITY, STATE: PUYALLUP, WA

ZIP CODE: 98374 CLLI: PYLPWA01

ENGINEERING CONTACT

CONTRACT ENGINEER NAME: JEREMIAH SCHERER NAME: LAKEN HUNTER

PHONE: 662-871-6309

PHONE: 702-576-3400 Century Link

CYIENT INC

 CALL TWO WORKING DAYS BEFORE YOU DIG	
J811	

CenturyLink

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAI THE PROPERTY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE

	SECTION:	3
J	TOWNSHIP:	19N

RANGE:

SCALE: 1"=100'

JOB: P.145829

REVISION: 2

DATE: 08/28/2023 SH: 04 OF 11

PRFUP20231306 only permits access to MH-221

HH-222, Ped-A2KUS. See PRFUP20231169 for PARCEL ID permitted access to MH-178, MH-180, MH-182, 0420344004 MH-220, MH-4T, MH-1T-, and MH-1019. EXISTING 48 FIBER FROM EXISTING MH 180 TO EXISTING MH 182 THROUGH EXISTING CONDUIT. MH_182 EXISTING 24 FIBER FROM EXISTING MH 182 (5' from EOP) TO EXISTING MH 220 THROUGH EXISTING CONDUIT. **ACCESS FOR SPLICING-ONLY** NO CHANGE TO FIBER SIDEWALK SIDEWALK SIDEWALK EDP 23RD AVE SE 23RD AVE SE 16 N 22 DR SIDEWALK SIDEWALK RK PARCEL ID 6776000012 PA PARCEL ID PARCEL ID 6776000013 12' 6776001241 PARCEL ID PARCEL ID 6776000021 6020170120


1	V
	/
/	

CUSTOMER INFORMATION NAME: WESTWOOD SHIPPING LINES ADDRESS: 1019 39TH AVE SE CITY, STATE: PUYALLUP, WA

ZIP CODE: 98374 CLLI: PYLPWA01

ENGINEERING CONTACT

NAME: JEREMIAH SCHERER NAME: LAKEN HUNTER PHONE: 702-576-3400



PHONE: 662-871-6309

CYIENT INC

CONTRACT ENGINEER



4E

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMA
THE PROPERTY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE

DATE: 08/28/2023

$\overline{}$	W GOLLEG	·· y –
	SECTION:	3
	TOWNSHIP:	19N

RANGE:

CALL TWO WORKING D
BEFORE YOU DIG

SCALE: 1"=100' JOB: P.145829

REVISION: 2

SH: 05 OF 11

