

#### REVISION 1 OF 2 (27 PAGES) B-20-0078

#### 1515 S. Meridian Street, Puyallup, WA 98371

#### VICINITY MAP





FULL SIZED LEDGIBLE COLOR PLANS ARE REQUIRED TO BE PROVIDED BY THE PERMITTEE ON SITE FOR ALL INSPECTIONS (MIN. PLAN SIZE 24" X 36")

#### **ABBREVIATIONS**

ADDKLV	IATIONS		
A.B.	ANCHOR BOLT	L.	LENGTH
	ACOUSTICAL CEILING PANEL	MDF.	medium density fiberboard
	ABOVE FINISH FLOOR	MTL.	METAL
ADD. ALT.		N.I.C.	NOT IN CONTRACT
B.F.	BARRIER FREE	N.T.S.	NOT TO SCALE
B.S.	BACK SPLASH	O.C.	ON CENTER
BM.	BEAM	O.H.	OPPOSITE HAND/OVER HANG
C.J.	•	OPT.	OPTIONAL
C.L. or C	CENTERLINE	O.S.B.	ORIENTED STRAND BOARD
CONT.	CONTINUOUS	P.L.B.	PARA LAMINATED BEAM
CPT.	CARPET	P.LAM.	PLASTIC LAMINATED
CRM.	CLASSROOM	PLYWD.	PLYWOOD
C.T.	Ceramic Tile	PR.	PAIR
D.	DEPTH	PT.	PAINT
D.F.	DRINKING FOUNTAIN	P.T.D.	PAPER TOWEL DISPENSER
D.O.	DEDICATED OUTLET	R.B.	RUBBER BASE
D.S.		R.D.	ROOF DRAIN
E.C.	EXPOSED CONCRETE	R.I.	ROUGH-IN
EXIST.	EXISTING	R.L.	RAIN LEADER
EXP. BOLT	EXPANSION BOLT	R.S.	ROUGH SAWN
FDN.	FOUNDATION	S & V	STAINED & VARNISHED
F.D.	FLOOR DRAIN	S.C.	SOLID CORE
F.E.	FIRE EXTINGUISHER	S.V.	SHEET VINYL
FIN. FLR.	FINISH FLOOR	SHT. MTL.	SHEET METAL
F.O.I.C.	furnished by Owner installed by GC.	SIM.	SIMILAR
F.O.I.O	furnished by Owner installed by Owner	T & G	TONGUE & GROOVE
F.O.P.W	FACE OF PLYWOOD	T.O.C	TOP OF CONCRETE
F.R.P.	FIBERGLASS REINFORCED PANEL	T.O.P.	TOP OF PLATE
G.LAM/GL	GLUE LAMINATED	T.O.W.	TOP OF WALL
GA.	GAUGE OR GAGE	TRT.	TREATED
GALV.	GALVANIZED	T.S.	TUBE STEEL
GWB.	GYPSUM WALL BOARD	T.T.D.	TOILET TISSUE DISPENSER
GYP.	GYPSUM	TYP.	TYPICAL
H.	HEIGHT	U.N.O.	UNLESS NOTED OTHERWISE
H.C.	HOLLOW CORE/HANDICAP	W.O.M.	WALK OFF MAT
H.M.	HOLLOW METAL	W.	WIDE
HDR.	HEADER	W.P.	WATER PROOF
	^	WD.	WOOD
	<u>/</u> 5\	WDW.	WINDOW
	<del></del>	· S.A.M.	SELF ADHERING MEMBRANE
SYMBOI	(	سس	· · · · · · · · · · · · · · · · · · ·
	<u></u>	_	
ROOM 222	— Room Number		
	4 1	' /	levation Group
(A)-	— Window Type	Sheet Nu	umber
	Ž		

-Door Number

- Shear Wall Type

Datum, Work, or Control Point

— Wall Section Number

— Bldg. Section Number

-Sheet Number

—Sheet Number

— Sheet Number

A -\----Detail Number

#### GENERAL NOTES

- ALL WORK SHALL CONFORM TO APPLICABLE CURRENT FEDERAL, STATE AND LOCAL CODES. THE CONTRACTOR IS TO PROVIDE FOR ALL REQUIRED NOTIFICATION OF AND COORDINATION WITH CITY AND STATE AGENCIES, AND PROVIDE REQUIRED PERMITS. ALL TESTS AND INSPECTIONS ASSOCIATED WITH OBTAINING APPROVALS TO PROCEED WITH AND COMPLETE THE WORK SHALL BE PAID FOR BY THE CONTRACTOR.
- THE CONTRACTOR SHALL COORDINATE ALL OPERATIONS WITH THE OWNER, INCLUDING AREA FOR WORK, MATERIALS STORAGE, AND ACCESS TO AND FROM THE WORK, SPECIAL CONDITIONS OR NOISY WORK, TIMING OF WORK AND INTERRUPTION OF MECHANICAL AND ELECTRICAL SERVICES. NOISY OR DISRUPTIVE WORK SHALL BE SCHEDULED AT LEAST ONE (1) WEEK IN ADVANCE OF THE TIME WORK IS TO COMMENCE.
- 3. ALL WORK SHALL BE PERFORMED IN ACCORDANCE WITH THE HIGHEST STANDARD OF WORKMANSHIP IN GENERAL AND WITH SUCH STANDARDS AS ARE SPECIFIED.
- 4. CONTRACTOR SHALL ADHERE TO ALL BUILDING STANDARDS. ANY CHANGES TO SAME SHALL BE SUBMITTED TO ARCHITECT IN WRITING FOR APPROVAL.
- 5. CONTRACTOR SHALL SUBMIT SAMPLES OF ALL FINISHES OF SUCH SIZE AND NUMBER THAT THEY REPRESENT A REASONABLE DISTRIBUTION OF COLOR RANGES AND PATTERN PRIOR TO INSTALLATION FOR OWNER'S APPROVAL. CONTRACTOR SHALL PROVIDE SHOP DRAWINGS AND PRODUCT DATA FOR ARCHITECT'S APPROVAL ON ALL SPECIAL ITEMS REQUIRING CUSTOM FABRICATION.
- CONTRACTOR IS TO VERIFY ALL DIMENSIONS AND CONDITIONS ON SITE AND NOTIFY ARCHITECT OF ANY DISCREPANCIES. CONTRACTOR IS NOT TO SCALE OFF DRAWINGS.
- 7. CONTRACTOR SHALL PROVIDE BLOCKING/BACKING IN PARTITIONS FOR ALL WALL-MOUNTED FIXTURES AND DEVICES UNLESS INDICATED OTHERWISE ON THE DRAWINGS.
- 8. ALL FLOORS SHOULD BE LEVEL AND NOT VARY MORE THAN 1/4" IN 10'-0". THE CONTRACTOR SHALL NOTIFY ARCHITECT OF ANY CONDITIONS THAT DO NOT MEET THIS STANDARD.
- 9. FLOOR FINISH TRANSITIONS SHALL OCCUR UNDER DOORS, UNLESS SHOWN OR NOTED OTHERWISE.
- 10. MATERIALS, ARTICLES, DEVICES AND PRODUCTS ARE SPECIFIED IN THE DOCUMENTS BY LISTING ACCEPTABLE MANUFACTURERS OR PRODUCTS, BY REQUIRING COMPLIANCE WITH REFERENCED STANDARDS, OR BY PERFORMANCE SPECIFICATIONS. FOR ITEMS SPECIFIED BY NAME, SELECT ANY PRODUCT NAMED. FOR THOSE SPECIFIED BY REFERENCE STANDARDS OR BY PERFORMANCE SPECIFICATIONS SELECT ANY PRODUCT MEETING OR EXCEEDING SPECIFIED CRITERIA. FOR APPROVAL OF AN ITEM NOT SPECIFIED, SUBMIT REQUIRED SUBMITTALS, PROVIDING COMPLETE BACK-UP INFORMATION FOR PURPOSES OF EVALUATION. WHERE BUILDING STANDARD ITEMS ARE CALLED FOR, NO SUBSTITUTE WILL BE ACCEPTED.
- CONTRACTOR SHALL PROVIDE FOR ALL WORK REQUIRED TO MAINTAIN COMPLIANCE WITH LOCAL FIF CODE. PROVIDE FOR ALL REQUIRED SHOP DRAWINGS AND APPROVALS. CONTRACTOR IS RESPONSIBLE FOR PROVIDING FIRE ALARM SYSTEM AUDIBILITY.
- 12. MECHANICAL AND ELECTRICAL FIXTURES, OUTLETS, ETC., WHEN SHOWN ON THE ARCHITECTURAL DRAWINGS, ARE FOR LOCATION INFORMATION ONLY. MECHANICAL AND ELECTRICAL TO BE DESIGNED BY OTHERS. ALL CIRCUITING COORDINATION TO BE BY OTHERS.

#### PROJECT TEAM

#### OWNER PVI, LLC

11010 NE 8th ST SUITE 465 BELLEVUE, WA 98444 626-200-5019 Contact: VICTOR SUNG

STRUCTURAL ENGINEER

MECH./ELEC. ENGINEER

PCS Structural Solutions Huitt-Zollars 120 Pacific Avenue, Suite 701 1102 Broadway, #301 Tacoma, WA 98402 Tacoma, WA 98402 253.627.9131 253.383.2797

**ARCHITECT** 

253-572-551

Manager

909 S. 336th Street, Suite 107

LANDSCAPE ARCHITECT

Contact: Rhonda Gillogly, AIA-Project

Federal Way, WA 98003

CIVIL ENGINEER

KNIT

Contact Jared Plank, Project Eng. Contact: Darton Riely-Gibbons

Abossein Engineering, Inc. Aspen Design Group 18456 NE 68th Street P.O. Box 2394 Redmond, WA 98052 Issaguah, WA 98027 425.462.9441 425.292.9845 Contact: Paul Dix

Elec. Contact: Jay Werner Plumbing Contact: Dennis Grovenburg Mech. Contact: Gary Womack

#### PROJECT DATA

TAX PARCEL NUMBER: 1515 MERIDIAN S 7790000050 AND 7790000024 PUYALLUP, WA

ZONING: SITE AREA: ZONING: CG 85,977 SF

SCOPE OF WORK:

PARKING AREA EXPANSION BELOW NEW GUEST ROOM WING. NEW GUEST ROOM WING ADDITION OF 3 FLOORS. MINOR DEMOLITION OF ONE EXSTING GUEST ROOM ON EACH FLOOR TO PROVIDE ACCESS TO NEW WING.

#### APPLICABLE EDITIONS OF BUILDING CODES:

2015 I.B.C. STATE AMENDMENTS AND WAC 51-50 2015 INTERNATIONAL MECHANICAL CODE, STDS AND AMENDMENTS - WAC 51-52 2015 INTERNATIONAL FIRE CODE, STDS AND AMENDMENTS - WAC 51-54 2015 UNIFORM PLUMBING CODE, STDS AND AMENDMENTS - WAC 51-56, 51-57 2010 ADA STANDARDS FOR ACCESSIBLE DESIGN & I.C.C. A117.1-2009 2012 NON-RESEIDENTIAL ENERGY CODE

OCCUPANCY CLASSIFICATION: R1, S1, B, A3 CONSTRUCTION TYPE:

NUMBER OF STORIES

SPRINKLED

FLOOR	EXISTING AREA	NEW AREA	TOTAL AREA
	<del></del>		
PARKING GARAGE	15,441 SF	0 SF	15,441 SF
1ST FLOOR	15,189 SF	168 SF	15,357 SF
2ND FLOOR	20,296 SF	4,484 SF	24,780 SF
3RD FLOOR	19,357 SF	4,484 SF	23,841 SF
4TH FLOOR	18,892 SF	4,484 SF	23,376 SF

#### 

ARCHITECTURAL

AD1.1 DEMOLITION PLANS

A1.1 OVERALL SITE PLAN

A3.2 EXTERIOR ELEVATIONS

A4.1 BUILDING SECTIONS

A4.2 BUILDING SECTIONS

A5.1 WALL SECTIONS

A6.1 DOOR SCHEDULE A6.2 WINDOW SCHEDULE

A7.1 EXTERIOR DETAILS

A7.2 DETAILS

A0.2 CODE INFORMATION

A0.4 FIRE RATED PENETRATIONS

A0.3A WALL AND FLOOR-CEILING TYPES

A0.3B WALL AND FLOOR-CEILING TYPES

کے	<u>INDE</u>	X TO DRAWINGS	<u> </u>		<u> </u>	<u>-</u>
ک	A0.1	COVER SHEET AND PROJECT INFORMATION	A7.3 A7.4	ROOF DETAILS DETAILS	P9.0 ELECT	PLUMBING SPECIFICATIONS
۲	CIVIL		A7.5	DETAILS	E1.0	GENERAL NOTES, SCHEDULES, AND PLAN
(	C1.0	COVER, VICINITY LEGEND & MAP	ENVEL		L1.0	INDEX
(	C1.1	GENERAL NOTES		GENERAL NOTES	E2.0	1ST FLOOR POWER
(	C1.2	OVERALL SITE PLAN	BE1.1	STEGO SLAB	E2.1	2ND FLOOR POWER
(	C2.0	DEMOLITION PLAN		TPO ROOFING	E2.2	3RD FLOOR POWER
/	C3.0	TEMPORARY EROSION AND SEDIMENT	BE2.1	TPO ROOFING	E2.3	4TH FLOOR POWER
>		CONTROL PLAN		WINDOW INSTALL	E2.4	1ST FLOOR LIGHTING
>	C3.1	TESC NOTES AND DETAILS	BE6.1	EIFS	E3.0	1ST FLOOR LIGHTING
>	C4.0	GRADING CROSS SECTIONS			E3.1	2ND FLOOR LIGHTING
>	C4.1	GRADING CROSS SECTIONS	STRUC	TURAL	E3.2	3RD FLOOR LIGHTING
>	C4.2	GRADING & DRAINAGE PLAN	\$1.0	GENERAL NOTES	E3.3	4TH FLOOR LIGHTING
7	C5.0	SITE PAVING & UTILITY PLAN	\$1.1	GENERAL NOTES	E4.0	ENLARGED UNIT PLANS ELECTRICAL
7	C5.1	SITE PAVING & UTILITY DETAILS	\$1.2	GENERAL NOTES	E5.0	POWER RISER DIAGRAM LEVELS 1-4
(	C5.2	SITE PAVING & UTILITY DETAILS	\$1.3	GENERAL NOTES	E5.1	TELECOMMUNICATION RISER DIAGRAM
(	C5.3	SITE PAVING & UTILITY DETAILS	\$2.0	FOUNDATION PLAN	E6.0	DETAILS
(	C6.0	RIGHT-OF WAY/ FRONTAGE IMPROVEMENTS	\$2.1	LEVEL 2 FRAMING PLAN	E7.0	PANEL SCHEDULES
(	C.1	RIGHT-OF-WAY/ FRONTAGE IMPROVEMENTS	S2.1A	LEVEL 2 BOTTOM & TOP REINFORCING PLANS	E7.1	PANEL SCHEDULES
(		DETAILS	\$2.2	LEVEL 3 FRAMING PLAN	E8.0	ENERGY CODE FORMS
/	\$1.0	SURVEY	\$2.3	LEVEL 4 FRAMING PLAN	E8.1	ENERGY CODE FORMS
>			\$2.4	ROOF FRAMING PLAN	E9.0	MECHANICAL EQUIPMENT SCHEDULES
٢	LANDS	CAPE	\$3.1	FOUNDATION DETAILS	E9.1	FAULT CURRENT & ARC FLASH SCHEDULES
>	L1.0	LANDSCAPE PLAN	\$3.2	FOUNDATION DETAILS	E10.0	SPECIFICATIONS
>	L2.0	LANDSCAPED DETAILS	\$3.3	FOUNDATION DETAILS		

\$3.4 CONCRETE STUD RAIL DETAILS

\$3.5 FOUNDATION DETAILS

\$4.0 WOOD FRAMING DETAILS

\$4.1 WOOD FRAMING DETAILS

\$4.2 WOOD FRAMING DETAILS

\$4.3 WOOD FRAMING DETAILS

\$5.0 WOOD FRAMING DETAILS

\$6.0 ROOF FRAMING DETAILS

A2.1	1ST FLOOR PLAN		
A2.2	2ND FLOOR PLAN	MECH.	ANICAL
A2.3	3RD FLOOR PLAN	M1.0	GENERAL NOTES, SCHEDULES AND LEGENDS
A2.4	4TH FLOOR PLAN	M1.1	GENERAL NOTES, SCHEDULES AND LEGEND
A2.5	ROOF PLAN	M2.1	1ST LEVEL FLOOR PLAN - HVAC
A2.6	1ST FLOOR REFLECTED CEILING PLAN	M2.0	2ND LEVEL FLOOR PLAN - HVAC
A2.7	2ND FLOOR REFLECTED CEILING PLAN	M3.0	3RD LEVEL FLOOR PLAN - HVAC
A2.8	3RD FLOOR REFLECTED CEILING PLAN	M4.0	4TH LEVEL FLOOR PLAN - HVAC
A2.9	4TH FLOOR REFLECTED CEILING PLAN	M5.0	ROOF PLAN - HVAC
A2.11	ENLARGED BATHROOM PLANS	M6.0	MECHANICAL DETAILS
A2.12	ENLARGED STAIR PLANS & SECTIONS	M7.0	SPECIFICATIONS
A3.1	EXTERIOR ELEVATIONS		

#### P1.0 GENERAL NOTES, SCHEDULES AND LEGEND

2.0	1ST FLOOR PLAN - PLUMBING	
3.0	2ND FLOOR PLAN - PLUMBING	
4.0	3RD FLOOR PLAN - PLUMBING	
5.0	4TH FLOOR PLAN - PLUMBING	
0.6	ROOF PLAN - PLUMBING	

P7.0 RISER DIAGRAMS PLUMBING

KNIT

909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF

CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT. REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT

03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS

**09.25.2023 CORRECTIONS** 

10.17.2023 CORRECTIONS 12.21.2023 CORRECTIONS





12/21/2023


**★ ★ ★ 1**51 U

JOB NO: **210158** 


<u>/5</u>

S

0








PARTIAL SELECTIVE DEMO REFLECTIVE CEILING PLAN - 1ST FLOOR

SCALE: 1/4"=1'-0"



PARTIAL SELECTIVE DEMO PLAN - 2ND, 3RD, & 4TH FLOOR

|| ||

SCALE: 1/4"=1'-0"

SELECTIVE DEMO REFLECTIVE CEILING PLAN - 2ND, 3RD, & 4TH FLOOR



#### REVISION 1 OF 2 (27 PAGES) B-20-0078

GENERAL NOTES

A. FIELD VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS. DIMENSIONS ARE TO FACE OF FINISH, TO FACE OF EXISTING WALL, OR TO FACE OF FOUNDATION WALL UNLESS NOTED OTHERWISE.

#### DEMO FLOOR PLAN KEYED NOTES (1 - 29)

- 1 REMOVE EXISTING FRAMED INTERIOR WALL AND FINISHES AND LEGALLY DISPOSE, TYPICAL
- (2) REMOVE EXISTING WINDOW AND LEGALLY DISPOSE. REMOVE EXISTING CURTAINS AND RODS AND SALVAGE FOR OWNER.
- (3) EXISTING DOOR, FRAME AND HARDWARE TO BE REMOVED. SALVAGE DOOR HARDWARE FOR OWNER. LEGALLY DISPOSE OF DEMOLISHED ITEMS.
- (4) REMOVE EXISTING LAVATORY, WATER CLOSET, AND BATHTUB/ SHOWER, AND ASSOCIATED PLUMBING PIPING AND ACCESSORIES. COORDINATE EXTENT OF PIPING REMOVAL WITH THE MEP DRAWINGS AND CAP PIPING OR REROUTE AS NEEDED. LEGALLY DISPOSE OF ITEMS THAT ARE NOT SALVAGED. INFILL HOLES IN FLOOR AND CEILING WITH LIKE MATERIALS TO CREATE SEAMLESS LOOK AND MAINTAIN EXISTING FIRE AND SOUND RATINGS.
- (5) REMOVE EXISTING PTAC UNIT AND SALVAGE FOR OWNER.
- $\binom{6}{1}$  REMOVE PORTION OF EXISTING EXTERIOR WALL. (FRAMING, SHEATHING, GYP BOARD, WALL FINISH, EIFS/STUCCO TO CONSTRUCT NEW HALLWAY BETWEEN EXISTING BUILDING AND NEW ADDITION.
- (7) REMOVE EXISTING FLOORING AND BASE. THIS ROOM (CARPET, TILE, SHEET FLOORING). COORDINATE NEW FLOORING WORK WITH NEW FLOOR PLANS.
- 8 COORDINATE REMOVAL OF EXISTING ELECTRICAL, MECHANICAL, AND PLUMBING ITEMS THIS ROOM AREA WITH MEP DRAWINGS.
- (9) REMOVE EXISTING WALL COVERING IN MAIN ROOM AND BATHROOM. PREP TO RECEIVE NEW WALL FINISHES. REFER TO NEW PLANS AND COORDINATE WITH OWNER
- (10) REMOVE EXISTING KITCHENETTE.
- (11) REMOVE, SALVAGE, AND REINSTALL EXISTING FIRE EXTINGUISHER AND FIRE EXTINGUISHER CABINET AT NEW LOCATION.
- (12) REMOVE EXISTING PTAC UNIT. COORDINATE SCOPE OF WORK WITH THE HVAC
- (13) REMOVE EXISTING EXTERIOR GRILL. PROVIDE WEATHERPROOF BARRIER UNTIL WALL CAN BE PATCHED IN.

#### DEMO REFLECTED CEILING PLAN **KEYED NOTES (31 - 49)**

- (31) DASHED LINES REPRESENT LOCATIONS OF WHERE EXISTING WALLS ARE BEING REMOVED AND WOULD AFFECT CEILING CONDITIONS. COORDINATE REMOVAL OF MEP ITEMS WITHIN WALLS AND CEILING AREAS WITH MEP DRAWINGS.
- (32) COORDINATE REMOVAL OF PARTIAL FIRE RATED WALL FOR INSERTION OF NEW DUCTWORK, DAMPER AND GRILLES WITH MEP DRAWINGS.
- (33) REMOVE A PORTION OF THE EXISTING ACOUSTICAL CEILING TILE AND GRID AND SALVAGE FOR REINSTALLATION AFTER NEW DUCTWORK IS INSTALLED.
- (34) PROTECT EXISTING SOFFIT WHERE NEW DUCTWORK IS TO BE INSTALLED ABOVE. PATCH WALLS TO MATCH EXISTING IF DAMAGED.
- (35) CONTRACTOR TO REVIEW IF EXISTING SOFFIT CONTAINS ANY DUCTWORK. IF NO, THE CONTRACTOR IS TO REMOVE THE EXISTING SOFFIT AND PATCH CEILING TO MATCH EXISTING. IF THE EXISTING SOFFIT IS FOUND TO CONTAIN DUCTOWORK OR OTHER ITEM, THE SCOPE OF SHALL BE REVIEWED WITH THE OWNER.

#### LEGEND

EXISTING FRAMED WALL AND GYPSUM BOARD TO BE i----i REMOVED AS SHOWN AND NOTED, AND LEGALLY

\_\_\_\_\_

EXISTING DOOR, FRAME AND HARDWARE TO BE REMOVED. SALVAGE DOOR HARDWARE FOR OWNER. LEGALLY DISPOSE OF DEMOLISHED ITEMS.

EXISTING WINDOW TO BE DEMOLISHED, AND LEGALLY


EXISTING WALL TO REMAIN

EEEEEE

EXISTING DOOR TO REMAIN

REMOVE EXISTING WALLPAPER AND GYPSUM BOARD DOWN TO EXISTING FRAMING. REFER TO REVISED STRUCTURAL DRAWINGS FOR SHEAR WALL REVISIONS ND REFER TO NEW FLOOR PLANS. REMOVE EXISTING AC UNITS, CURTAINS, WINDOW SILLS, CURTAIN TRACKS, CURTAIN FRAMES AND SALVAGE FOR REINSTALLATION. COORDINATE ADDITIONAL MEP ITEMS WITH MEP DRAWINGS

 $\cdots$ 



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT. COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT

**03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS

12.21.2023 CORRECTIONS







12/21/2023


# HAMP.

JOB NO: **210158** 

DEMO








 $24 \times 36 - 11/2" = 1'-0"$ 

24 x 36 - 1 1/2" = 1'-0"

 $12 \times 18 - 3/4$ " = 1'-0"

 $12 \times 18 - 3/4$ " = 1'-0"

HOUR FLOOR-CLG@CORRIDOR




HOUR FLOOR-CLG

 $24 \times 36 - 11/2'' = 1'-0''$ 

 $12 \times 18 - 3/4$ " = 1'-0"

24 x 36 - 1 1/2" = 1'-0" 12 x 18 - 3/4" = 1'-0"



ONE LAYER 5/8" TYPE 'X' GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO CHANNELS WITH 1" TYPE 'S' DRYWALL SCREWS 6" O.C. AT HORIZONTAL JOINTS AND 12" O.C. AT INTERMEDIATE CHANNELS 5 1/2" GLASS FIBER INSULATION .8 PFC STAPLES TO STUDS IN STUD

OPPOSITE SIDES. ONE LAYER 5/8" TYPE 'X' GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED AT RIGHT ANGLES TO STUD WITH 6d NAILS AT 8" O.C.

HR TYP. CORRIDOR WALLS

AT BATHROOMS USE MOISTURE RESISTANT GWB.

2 x 6 STUDS PER STRUCTURAL.

24 x 36 - 1 1/2" = 1'-0"


 $12 \times 18 - 3/4'' = 1'-0''$ 


IBC TABLE 721.1.(3), ITEM NUMBER 1-1.1

R38 RIGID INSULATION MECH. FASTENED TO CONC. DECK

ALL JOINTS TAPED WITH MATCHING TAPE BY SAME MFR.

16" CONCRETE SLAB





#### GA FILE NO. 6905 PROPRIETARY

ONE LAYER 1"x 24" PROPRIETARY TYPE X GYPSUM PANELS INSERTED BETWEEN 2-1/2" FLOOR AND CEILING J RUNNERS WITH TAB-FLANGE SECTION OF 2-1/2" STEEL C-H, CT, OR I STUDS@ 16" O.C. BETWEEN PANELS. 3-1/2" GLASS FIBER INSULATION IN STUD CAVITY. ONE LAYER & PROPRIETARY TYPE X GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPIED PARALLEL OR AT RIGHT ANGLES TO STUDIES WITH 1" TYPE S DRYWALL SCREWS 12" O.C. 


TYP 1 HOUR SHAFT WALL

NATIONAL GYPSUM 5/8" GOLD BOND BRAND FIRE-SHIELD GWB 1" GOLD BOND BRAND FIRE-SHIELD SHAFTLINER

24 × 36 - 1 1/2" = 1'-0"

 $12 \times 18 - 3/4$ " = 1'-0"

ADD 5/8" MOISTURE RESISTANT GWB @ BATHROOMS



WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

EXCEPT BY WRITTEN CONSENT OF KNIT.

REV DATE COMMENT 03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS

909 S. 336TH ST,

SUITE 107

FEDERAL WAY. WA 98003

knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF

SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE

ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.


ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR

CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY


REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED

**09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS** 

12.21.2023 CORRECTIONS



8677 REGISTERED ARCHITECT RHONDA A. GILLOGLY STATE OF WASHINGTON 12/21/2023





GA FILE NO. 3644

WALLBOARD EACH SIDE.

3-1/2" MINERAL FIBER INSULATION IN STUD CAVITY


BETWEEN BATHROOM AND ADJACENT SPACES.

 $2 \times 4$  WOOD STUDS 16" O.C. WITH 1 LAYER 5/8" TYPE 'X' GYPSUM


TYP 1 HOUR WALL

ALL WALLS IN BATH SHALL BE MOISTURE RESISTANT GYPSUM


BOARD ON BATHROOM SIDE AND HAVE 3-1/2" SOUND BATT








3/4" CEMENT PLASTER TYPE STUCCO 12" CONCRETE WALL 1 1/2" RIGID INSULATION (R-10) 1 LAYER 5/8" TYPE 'X' GYPSUM WALL BOARD AT INTERIOR




ANTI-GRAFFITI SEALANT 8" CONCRETE WALL 1 1/2" RIGID INSULATION (R-10)

CONCRETE STAIR WALL 24 x 36 - 1 1/2" = 1'-0" 12 x 18 - 3/4" = 1'-0"



JOB NO: **210158** 



- 2X4 WOOD STUDS AT 16" O.C. USE TREATED

- 5/8" TYPE 'X' GYPSUM WALL BOARD EACH SIDE.


NOTE: ALL WALLS IN BATH SHALL BE MOISTURE


RESISTANT GYPSUM BOARD ON BATHROOM

SILL PLATES WHERE IN CONTACT WITH

CONCRETE OR MASONRY

- BATT INSULATION





16" REINFORCED CONCRETE SLAB

FLOOR-CLG SEPARATION

IBC TABLE 721.1.(3), ITEM NUMBER 21-1.1 FLOOR OR ROOF CONSTRUCTION 3/4" STRUCTURAL PANEL WITH EXT. GLUE APPLIED AT RIGHT ANGLES TO TOP OF JOIST WITH 8d NAILS FLOOR JOIST FRAMING, SEE STRUCTURAL DRAWINGS FOR SIZES AND SPACING 5/8" TYPE X GWB APPLIED AT RIGHT ANGLES TO JOIST WITH 1-1/4" TYPE S OR TYPE X GWB SCREWS 24" O.C. SECOND LAYER OF TYPE X GWB APPLIED AT RIGHT ANGLES TO JOIST WITH 1-7/8" TYPE S OR TYPE 2 DRYWALL SCREWS12" O.C. AT JOINTS AND INTERMEDIATE JOIST. FACE LAYER TYPE G DRYWALL SCREWS PLACED 2" BACK ON EITHER SIDE OF FACE LAYER END JOINTS, 12" O.C. 12" GLASS FIBER INSULATION. MAINTAIN A MINIMUM OF 3" RIGID INSULATION AT ROOF 24 x 36 - 1 1/2" = 1'-0"

IBC TABLE 721.1.(3), ITEM NUMBER 21-1.1 FLOOR OR ROOF CONSTRUCTION 3/4" STRUCTURAL PANEL WITH EXT. GLUE APPLIED AT RIGHT ANGLES TO TOP OF JOIST WITH 8d NAILS FLOOR JOIST FRAMING, SEE STRUCTURAL DRAWINGS FOR SIZES AND SPACING 5/8" TYPE X GWB APPLIED AT RIGHT ANGLES TO JOIST WITH 1-1/4" TYPE \$ OR TYPE W DRYWALL \$CREW\$ 24" O.C. SECOND LAYER OF TYPE X GWB APPLIED AT RIGHT ANGLES TO JOIST WITH 1-7/8" TYPE S OR TYPE 2 DRYWALL SCREWS12" O.C. AT JOINTS AND INTERMEDIATE JOIST. FACE LAYER TYPE G DRYWALL SCREWS PLACED 2" BACK ON EITHER SIDE OF FACE LAYER END JOINTS, 12" O.C. 7-1/4" GLASS FIBER INSULATION. MAINTAIN A MINIMUM OF 3" RIGID INSULATION AT ROOF

\[ 1 HOUR ROOF-CLG@CORRIDOR \]

GA.FILE NO. WP3230 

ONE LAYER 5/8" TYPE 'X' GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED PARALLEL OR AT RIGHT ANGLES TO CHANNELS WITH 1" TYPE 'S' DRYWALL SCREWS 6" O.C. AT HORIZONTAL JOINTS AND 12" O.C. AT INTERMEDIATE CHANNELS. 3 1/2" GLASS FIBER INSULATION .8 PFC STAPLES TO STUDS IN STUD


OPPOSITE SIDES. ONE LAYER 5/8" TYPE 'X' GYPSUM WALLBOARD OR GYPSUM VENEER BASE APPLIED AT RIGHT ANGLES TO STUD WITH 6d NAILS AT 8" O.C.

AT BATHROOMS USE MOISTURE RESISTANT GWB.

2 x 8 STUDS PER STRUCTURAL. 6" GLASS FIBER INSULATION IN STUD CAVITY.

HR TYP. CORRIDOR WALLS

24 × 36 - 1 1/2" = 1'-0"  $12 \times 18 - 3/4$ " = 1'-0"



2 LAYERS OF 1/2" PLYWOOD 2 x 8 WOOD STUDS 12" ON CENTER SEE STRUCTURAL

6" BATT INSULATION

2 LAYERS OF 5/8" TYPE 'X' GYPSUM BOARD

 $12 \times 18 - 3/4$ " = 1'-0"

1 LAYER OF 5/8" TYPE 'X' GYPSUM BOARD 2 x 8 WOOD STUDS 16" ON CENTER SEE STRUCTURAL 8" BATT INSULATION COMPACTED 1 LAYER OF 5/8" TYPE 'X' GYPSUM BOARD

STAIR 

#### **UL DESIGN U301**

24 x 36 - 1 1/2" = 1'-0"

 $12 \times 18 - 3/4$ " = 1'-0"


2 LAYERS OF 5/8" TYPE 'X' GYPSUM BOARD 2 x 6 WOOD STUDS 16" ON CENTER SEE STRUCTURAL 5 1/2" INSULATION

2 LAYERS OF 5/8" TYPE 'X' GYPSUM BOARD

1/2" RESILIENT CHANNEL

 $12 \times 18 - 3/4$ " = 1'-0"

1 LAYER OF 5/8" TYPE 'X' GYPSUM BOARD




2 HOUR SOUND WALL  $24 \times 36 - 11/2'' = 1'-0''$ 


24 × 36 - 1 1/2" = 1'-0"


 $12 \times 18 - 3/4'' = 1'-0''$ 


**UL DESIGN U305** 

FLOOR-CLG LANDING









909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com


THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT. COPYRIGHT 2021 KNIT

ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT **\ 03.03.2023 AC RESPONSE** 08.14.2023 CORRECTIONS 09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS




12.21.2023 CORRECTIONS







JOB NO: **210158** 



SCALE: 1/8"=1'-0"

#### **GENERAL NOTES**

A. CONTRACTOR TO FIELD VERIFY FRAMING AT ALL DOOR LOCATIONS FOR PROPER OPERATING CLEARANCE WITH VANITY CASEWORK.


B. DIMENSIONS ARE TO FACE OF STUD OR TO CENTERLINE WHERE NOTED

C. CONTRACTOR TO VERIFY SHEAR WALL LOCATIONS PER STRUCTURAL PLANS.

D. FIELD VERIFY ALL EXISTING CONDITIONS AND DIMENSIONS. DIMENSIONS ARE TO FACE OF FINISH, TO FACE OF EXISTING WALL, OR TO FACE OF FOUNDATION WALL UNLESS NOTED OTHERWISE. 

#### NEW FLOOR PLAN KEYED NOTES

- 1) INSTALL NEW FLOORING AND RUBBER BASE THIS GENERAL AREA
- (2) PATCH WALLS WHERE DEMOLITION HAS OCCURRED AND FINISH SEAMLESSLY. (3) ALIGN NEW WALL WITH ADJACENT EXISTING WALLS AND FINISH SEAMLESSLY
- (4) SUPPORT COLUMNS, SEE STRUCTURAL DRAWINGS FOR MORE INFORMATION
- (5) SHEAR WALLS, SEE STRUCTURAL DRAWINGS FOR MORE INFORMATION.
- (6) CONCRETE CURBS. SEE CIVIL DRAWINGS FOR MORE INFORMATION.
- (7) NEW STOREFRONT ENTRY. SEE DOOR SCHEDULE FORE MORE INFORMATION.
- (8) (NOT USED)
- 9 PATCH WALLS WHERE DEMOLITION HAS OCCURRED.
- (10) ALIGN NEW WALL WITH ADJACENT EXISTING WALLS AND FINISH SEAMLESSLY.
- (NOT USED)
- 12) INSTALL NEW CARPETING, COLOR, PATTERN, AND MANUFACTURER TO BE DETERMINED BY OWNER.
- (13) NEW WALL PAPER TO MATCH EXISTING WALL PAPER IN CORRIDOR ALL INTERIOR
- (14) NEW WALL PAPER TO MATCH EXISTING ROOM WALL PAPER.
- (15) COORDINATE NEW DUCTWORK AND SUPPLY WITH EXISTING PTAC UNIT AT CORRIDOR AND MEETING ROOM WITH MEP DRAWINGS.
- (16) PROVIDE NEW TILE BASE TO MATCH EXISTING BASE THIS GENERAL AREA.
- (17) INFILL EXISTING EXTERIOR WALL WITH LIKE MATERIALS TO MATCH EXISTING AND TO MAINTAIN WATER TIGHTNESS. WALL SURFACES AT INTERIOR AND EXTERIOR SHALL ALIGN AND SHALL BE SEAMLESS. FINISH WITH TEXTURES, PAINT, SHEEN AND COLORS TO MATCH EXISTING.



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE

ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS. ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

ISSUE DATE 09/25/23 PROGRESS SET


REV DATE COMMENT

**\ 03.03.2023 AC RESPONSE** 


**08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS

12.21.2023 CORRECTIONS









A2.1

JOB NO: **210158** 



A. CONTRACTOR TO FIELD VERIFY FRAMING AT ALL DOOR LOCATIONS FOR

B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**. COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT

03.03.2023 AC RESPONSE **08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS **10.17.2023 CORRECTIONS** 


12.21.2023 CORRECTIONS






### HAMPTON INN PLAN FLOOR 2ND

JOB NO: **210158** 



REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

ISSUE DATE 09/25/23 PROGRESS SET


REV DATE COMMENT

03.03.2023 AC RESPONSE

08.14.2023 CORRECTIONS
09.25.2023 CORRECTIONS

\ \ 10.17.2023 CORRECTIONS

12.21.2023 CORRECTIONS







3RD FLOOR PLAN
ADDITION TO HAMPTON INN
& SUITES

SOJECT COJECT

JOB NO: **210158** 



REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

ISSUE DATE 09/25/23 PROGRESS SET


REV DATE COMMENT

1 03.03.2023 AC RESPONSE

**○** 08.14.2023 CORRECTIONS **○** 09.25.2023 CORRECTIONS

10.17.2023 CORRECTIONS

12.21.2023 CORRECTIONS






4TH FLOOR PLAN
ADDITION TO HAMPTON INN
& SUITES

OJECT 8

\_\_\_\_

JOB NO: **210158** 



SCALE: 1/8"=1'-0"

#### **GENERAL NOTES**

- A. NEW ROOFING IS PVC SINGLE PLY MEMBRANE ON A MINIMUM OF 3" (R=18) POLYISOCYANURATE RIGID INSULATION, WITH RIGID INSULATION CRICKETS.(SHOWN SHADED) INSTALL ROOFING AND RIGID INSULATION ACCORDING TO MANUFACTURER'S WRITTEN DIRECTION.
  NOTE: TOTAL ROOF R VALUE TO EQUAL R-38. (8" COMPACTED BATT = R27 + 2" RIGID =
- B. NOT ALL THRU ROOF MEP PENETRATIONS ARE SHOWN. COORDINATE WORK WITH MEP DRAWINGS AND PROVIDE CRICKETS OR FLASHINGS THAT MEET THE ROOFING MANUFACTURER'S METHOD OF INSTALLATION.

## KNIT

909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

ISSUE DATE 09/25/23 PROGRESS SET

COPYRIGHT 2021 KNIT

REV DATE COMMENT

03.03.2023 AC RESPONSE **08.14.2023 CORRECTIONS** 

**09.25.2023 CORRECTIONS** \ 10.17.2023 CORRECTIONS

12.21.2023 CORRECTIONS


City of Puyallup Development & Permitting Services ISSUED PERMIT						
Building	Planning					
Engineering	Public Works					
Fire OF W	Traffic					



12/21/2023

HAMPTON INN **ROOF PLAN** 

JOB NO: **210158** 



SCALE: 1/8"=1'-0"

#### **GENERAL NOTES**

- A. HEIGHT REFERENCES ARE TAKEN FROM FINISH FLOOR ELEVATIONS. DIMENSIONS ARE CENTERLINE OF FIXTURES.
- B. NOTIFY ARCHITECT OF ANY DISCREPANCIES BETWEEN FINISH SCHEDULE AND CEILING PLAN.
- C. MECHANICAL FIXTURES, LIGHT FIXTURES, AND FIRE SUPPRESSION FIXTURES SHOWN ON THIS DRAWING ARE FOR GENERAL LOCATIONS ONLY. COORDINATE WORK WITH MEP AND FIRE SUPPRESSION DRAWINGS. NOTIFY ARCHITECT OF DISCREPANCIES BETWEEN MECHANICAL AND ELECTRICAL PRIOR TO ORDERING EQUIPMENT.
- D. CENTER ALL FIXTURES IN LAY-IN CEILING TILES.
- E. THE GENERAL CONTRACTOR SHALL COORDINATE FIRE SPRINKLER HEAD LOCATIONS WITH MECHANICAL AND ELECTRICAL ITEMS. ALL HEADS SHALL BE CENTERED IN CEILING TILES, WHERE OCCURS. ALL MEP EQUIPMENT IS SHOWN FOR GENERAL REFERENCE. COORDINATE FIXTURES AND EQUIPMENT WITH MEP DRAWINGS AND SPRINKLER SUBMITTALS.

#### NEW REFLECTED CEILING PLAN KEYED NOTES

- (1) NOT SHOWN FOR CLARITY ARE WHERE EXISTING WALLS AND SOFFITS WERE REMOVED IN THIS GENERAL AREA. CONTRACTOR IS RESPONSIBLE TO PATCH THE EXISTING CEILING TO MATCH EXISTING TEXTURES, AND FINISH TO BE A SEAMLESS AND EVEN APPEARANCE. PAINT THE ENTIRE CEILING FROM CORNER TO CORNER WITH PAINT COLOR AND SHEEN AS IDENTIFIED BY THE OWNER..
- (2) WALL TO RECEIVE NEW THRU WALL HVAC SUPPLY GRILLES. PROVIDE NEW FIRE DAMPERS, FLANGES, SEALANT AND ANY SOUND PROTECTION MEASURES WHERE NEW DUCT WORK PASSES THROUGH EXISTING 1 HOUR FIRE RATED CORRIDOR. REINSTALL EXISTING CEILING TILES IN CORRIDOR AFTER PLACEMENT OF NEW CONNECTING DUCT WORK. PATCH ANY WALLS TO MATCH EXISTING IN TEXTURE, PAINT, (COLOR AND SHEEN), OR PATCH WALL PAPER TO MATCH EXISTING. REPLACE ANY BROKEN CEILING TILES. REFER TO MEP DRAWINGS FOR ADDITIONAL INFORMATION.
- 3 ) THERE ARE SEVERAL MEP RELATED ITEMS THAT MAY NEED REROUTING, REMOVAL, OR POSSIBLE RELOCATION ALONG THE EXISTING NORTH WALL. COORDINATE EXTENT OF WORK WITH MEP DRAWINGS. WHERE AN ITEM IS REMOVED, PATCH EXISTING WALL TO MATCH EXISTING MATERIALS, THICKNESS, AND PROVIDE WATERTIGHT ASSEMBLY.
- (4) PATCH IN CEILING AFTER REMOVAL OF THE PTAC UNITY TO MATCH EXISTING MATERIALS AND TO MAINTAIN THICKNESS WITH CEILING ADJACENT. MATCH TEXTURE, PAINT, COLOR AND SHEEN.


#### **CEILING LEGEND**

- TEXTURED AND PAINTED GYPSUM BOARD TO MATCH EXISTING IN TEXTURE, FINISH, PAINT COLOR, TYPE AND SHEEN.
- 2'-0" x 2'-0" SUSPENDED ACOUSTICAL CEILING TILE AND GRID TO MATCH EXISTING MANUFACTURER AND SYSTEM. INSTALL TO MEET ALL LOCAL ADOPTED BUILDING CODES, INCLUDING SEISMIC INSTALLATION CONDITIONS.

#### CEILING FIXTURE LEGEND

- PARKING GARAGE DOWNLIGHT W/ BUILT-IN OCCUPANCY SENSOR
- PARKING GARAGE DOWNLIGHT W/ EMERGENCY BACKUP AND BUILIT IN OCCUPANCY SENSOR
- LED SURFACE MOUNTED LIGHT
- EXIT SIGN
- FIRE SPRINKLER

REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST. SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**. COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT

**\ 08.03.2023 &ORRESPUNSIS #1 08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS

10.17.2023 CORRECTIONS 12.21.2023 CORRECTIONS






12/21/2023

HAMPTON INN PLAN CEILING 1ST FLOOR REFLECTED

JOB NO: **210158** 



- A. HEIGHT REFERENCES ARE TAKEN FROM FINISH FLOOR ELEVATIONS. DIMENSIONS ARE CENTERLINE OF FIXTURES.
- B. NOTIFY ARCHITECT OF ANY DISCREPANCIES BETWEEN FINISH SCHEDULE AND CEILING PLAN.
- C. MECHANICAL FIXTURES, LIGHT FIXTURES, AND FIRE SUPPRESSION FIXTURES SHOWN ON THIS DRAWING ARE FOR LOCATIONS ONLY. NOTIFY ARCHITECT OF DISCREPANCIES BETWEEN MECHANICAL AND ELECTRICAL PRIOR TO ORDERING EQUIPMENT.
- D. CENTER ALL FIXTURES IN LAY-IN CEILING TILES.
- E. THE GENERAL CONTRACTOR SHALL COORDINATE FIRE SPRINKLER HEAD LOCATIONS WITH MECHANICAL AND ELECTRICAL ITEMS. ALL HEADS SHALL BE CENTERED IN CEILING TILES, WHERE OCCURS. ALL MEP EQUIPMENT IS SHOWN FOR GENERAL REFERENCE. COORDINATE FIXTURES AND EQUIPMENT WITH MEP DRAWINGS AND SPRINKLER SUBMITTALS.
- WHERE EXISTING WALLS WERE REMOVED THAT AFFECT 2 DIFFERENT FINISHES, \*SUCH AS BATHROOM CEILING TO SLEEPING AREA CEILING", THE CEILINGS SHALL BE PATCHED, TEXTURED, AND PAINTED TO MATCH THE SLEEPING AREA CEILING. PAINT TO MATCH HAMPTON INN STANDARDS.

#### NEW REFLECTED CEILING PLAN KEYED **NOTES**

- (1) NEW 2x4's @ 16" OC FRAMED SOFFIT WITH 5/8" TYPE 'X' GYPSUM BOARD ON VERTICAL AND CEILING SURFACES. PROVIDE WALL COVERING ON VERTICAL FACES AND TEXTURE AND PAINT CEILING SURFACES.
- 2 ) PATCH EXISTING GYPSUM BOARD CEILING WHERE EXISTING WALLS OR OTHER EQUIPMENT HAS BEEN REMOVED TO MATCH EXISTING REMAINING CEILING TEXTURE AND FINISH, PAINT, COLOR AND SHEEN. MAINTAIN THE CONTINUITY OF GYPSUM LAYERING TO KEEP EVEN CEILING LEVEL WITHIN THE ROOM.
- (3) EXISTING GYPSUM CEILING ABOVE NEW ACOUSTICAL CEILING AND GRID SHALL BE PATCHED TO MAINTAIN CONTINUITY OF GYPSUM BOARD THICKNESS. THE NEW ACOUSTICAL CEILING TILE AND GRID SHALL MATCH EXISTING IN PROFILE, STYLE AND MANUFACTURER AS EXISTING OR AS DIRECTED WITHIN THE HAMPTON INN DESIGN STANDARDS. NEW CEILING SHALL ALIGN WITH EXISTING.
- $ig( \ 4 \ ig)$  NEW 2X FRAMING WITH GYPSUM BOARD ON ALL EXPOSED EDGES TO FORM A HEADER AS A SEPARATION BETWEEN NEW AND EXISTING CEILINGS. IF ACCEPTABLE TO THE OWNER, A CEILING GRID TRANSITION CAN BE USED IN LIEU OF THE HEADER.

#### **CEILING LEGEND**

- TEXTURED AND PAINTED GYPSUM BOARD TO MATCH EXISTING IN TEXTURE, FINISH, PAINT COLOR, TYPE AND SHEEN.
- 2'-0" x 2'-0" SUSPENDED ACOUSTICAL CEILING TILE AND GRID TO MATCH
- EXISTING MANUFACTURER AND SYSTEM. INSTALL TO MEET ALL LOCAL ADOPTED BUILDING CODES, INCLUDING SEISMIC INSTALLATION CONDITIONS.


#### CEILING FIXTURE LEGEND

1' x 4' SURFACE LIGHT

LED SURFACE MOUNTED LIGHT

- RECESSED 4" FOCAL LIGHT
- RECESSED 5" DOWNLIGHT
- EXIT SIGN
- PHOTOCELL
- EXHAUST FAN
- SMOKE ALARM
- FIRE SPRINKLER FIRE SPRINKLER

REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT **03.03.2023 AC RESPONSE** 

**08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS

\ 12.21.2023 CORRECTIONS






12/21/2023

PLAN HAMPTON **CEILING** 2ND FLOOR REFLECTIVE

JOB NO: **210158** 



- A. HEIGHT REFERENCES ARE TAKEN FROM FINISH FLOOR ELEVATIONS. DIMENSIONS ARE CENTERLINE OF FIXTURES.
- B. NOTIFY ARCHITECT OF ANY DISCREPANCIES BETWEEN FINISH SCHEDULE AND CEILING PLAN.
- C. MECHANICAL FIXTURES, LIGHT FIXTURES, AND FIRE SUPPRESSION FIXTURES SHOWN ON THIS DRAWING ARE FOR LOCATIONS ONLY. NOTIFY ARCHITECT OF DISCREPANCIES BETWEEN MECHANICAL AND ELECTRICAL PRIOR TO ORDERING EQUIPMENT.
- D. CENTER ALL FIXTURES IN LAY-IN CEILING TILES.
- E. THE GENERAL CONTRACTOR SHALL COORDINATE FIRE SPRINKLER HEAD LOCATIONS WITH MECHANICAL AND ELECTRICAL ITEMS. ALL HEADS SHALL BE CENTERED IN CEILING TILES, WHERE OCCURS. ALL MEP EQUIPMENT IS SHOWN FOR GENERAL REFERENCE. COORDINATE FIXTURES AND EQUIPMENT WITH MEP DRAWINGS AND SPRINKLER SUBMITTALS.
- WHERE EXISTING WALLS WERE REMOVED THAT AFFECT 2 DIFFERENT FINISHES, \*SUCH AS BATHROOM CEILING TO SLEEPING AREA CEILING", THE CEILINGS SHALL BE PATCHED, TEXTURED, AND PAINTED TO MATCH THE SLEEPING AREA CEILING. PAINT TO MATCH HAMPTON INN STANDARDS.

#### NEW REFLECTED CEILING PLAN KEYED **NOTES**

- (1) NEW 2x4's @ 16" OC FRAMED SOFFIT WITH 5/8" TYPE 'X' GYPSUM BOARD ON VERTICAL AND CEILING SURFACES. PROVIDE WALL COVERING ON VERTICAL FACES AND TEXTURE AND PAINT CEILING SURFACES.
- 2 ) PATCH EXISTING GYPSUM BOARD CEILING WHERE EXISTING WALLS OR OTHER EQUIPMENT HAS BEEN REMOVED TO MATCH EXISTING REMAINING CEILING TEXTURE AND FINISH, PAINT, COLOR AND SHEEN. MAINTAIN THE CONTINUITY OF GYPSUM LAYERING TO KEEP EVEN CEILING LEVEL WITHIN THE ROOM.
- 3) EXISTING GYPSUM CEILING ABOVE NEW ACOUSTICAL CEILING AND GRID SHALL BE PATCHED TO MAINTAIN CONTINUITY OF GYPSUM BOARD THICKNESS. THE NEW ACOUSTICAL CEILING TILE AND GRID SHALL MATCH EXISTING IN PROFILE, STYLE AND MANUFACTURER AS EXISTING OR AS DIRECTED WITHIN THE HAMPTON INN DESIGN STANDARDS. NEW CEILING SHALL ALIGN WITH EXISTING.
- $ig( \ 4 \ ig)$  NEW 2X FRAMING WITH GYPSUM BOARD ON ALL EXPOSED EDGES TO FORM A HEADER AS A SEPARATION BETWEEN NEW AND EXISTING CEILINGS. IF ACCEPTABLE TO THE OWNER, A CEILING GRID TRANSITION CAN BE USED IN LIEU OF THE HEADER.

#### **CEILING LEGEND**

- TEXTURED AND PAINTED GYPSUM BOARD TO MATCH EXISTING IN TEXTURE, FINISH, PAINT COLOR, TYPE AND SHEEN.
- 2'-0" x 2'-0" SUSPENDED ACOUSTICAL CEILING TILE AND GRID TO MATCH EXISTING MANUFACTURER AND SYSTEM. INSTALL TO MEET ALL LOCAL
- ADOPTED BUILDING CODES, INCLUDING SEISMIC INSTALLATION CONDITIONS.


#### CEILING FIXTURE LEGEND

1' x 4' SURFACE LIGHT

LED SURFACE MOUNTED LIGHT

- RECESSED 4" FOCAL LIGHT
- RECESSED 5" DOWNLIGHT
- EXIT SIGN
- PHOTOCELL
- EXHAUST FAN
- SMOKE ALARM
- FIRE SPRINKLER
- FIRE SPRINKLER

REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT **03.03.2023 AC RESPONSE** 

**08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS


\ 12.21.2023 CORRECTIONS





**TON INN** PLAN CEILING -AMP-3RD FLOOR REFLECTED

JOB NO: **210158** 



- A. HEIGHT REFERENCES ARE TAKEN FROM FINISH FLOOR ELEVATIONS. DIMENSIONS ARE CENTERLINE OF FIXTURES.
- B. NOTIFY ARCHITECT OF ANY DISCREPANCIES BETWEEN FINISH SCHEDULE AND CEILING PLAN.
- C. MECHANICAL FIXTURES, LIGHT FIXTURES, AND FIRE SUPPRESSION FIXTURES SHOWN ON THIS DRAWING ARE FOR LOCATIONS ONLY. NOTIFY ARCHITECT OF DISCREPANCIES BETWEEN MECHANICAL AND ELECTRICAL PRIOR TO ORDERING EQUIPMENT.
- D. CENTER ALL FIXTURES IN LAY-IN CEILING TILES.
- E. THE GENERAL CONTRACTOR SHALL COORDINATE FIRE SPRINKLER HEAD LOCATIONS WITH MECHANICAL AND ELECTRICAL ITEMS. ALL HEADS SHALL BE CENTERED IN CEILING TILES, WHERE OCCURS. ALL MEP EQUIPMENT IS SHOWN FOR GENERAL REFERENCE. COORDINATE FIXTURES AND EQUIPMENT WITH MEP DRAWINGS AND SPRINKLER SUBMITTALS.
- WHERE EXISTING WALLS WERE REMOVED THAT AFFECT 2 DIFFERENT FINISHES, \*SUCH AS BATHROOM CEILING TO SLEEPING AREA CEILING", THE CEILINGS SHALL BE PATCHED, TEXTURED, AND PAINTED TO MATCH THE SLEEPING AREA CEILING. PAINT TO MATCH HAMPTON INN STANDARDS.

#### NEW REFLECTED CEILING PLAN KEYED **NOTES**

- (1) NEW 2x4's @ 16" OC FRAMED SOFFIT WITH 5/8" TYPE 'X' GYPSUM BOARD ON VERTICAL AND CEILING SURFACES. PROVIDE WALL COVERING ON VERTICAL FACES AND TEXTURE AND PAINT CEILING SURFACES.
- 2 ) PATCH EXISTING GYPSUM BOARD CEILING WHERE EXISTING WALLS OR OTHER EQUIPMENT HAS BEEN REMOVED TO MATCH EXISTING REMAINING CEILING TEXTURE AND FINISH, PAINT, COLOR AND SHEEN. MAINTAIN THE CONTINUITY OF GYPSUM LAYERING TO KEEP EVEN CEILING LEVEL WITHIN THE ROOM.
- 3) EXISTING GYPSUM CEILING ABOVE NEW ACOUSTICAL CEILING AND GRID SHALL BE PATCHED TO MAINTAIN CONTINUITY OF GYPSUM BOARD THICKNESS. THE NEW ACOUSTICAL CEILING TILE AND GRID SHALL MATCH EXISTING IN PROFILE, STYLE AND MANUFACTURER AS EXISTING OR AS DIRECTED WITHIN THE HAMPTON INN DESIGN STANDARDS. NEW CEILING SHALL ALIGN WITH EXISTING.
- $ig( \ 4 \ ig)$  NEW 2X FRAMING WITH GYPSUM BOARD ON ALL EXPOSED EDGES TO FORM A HEADER AS A SEPARATION BETWEEN NEW AND EXISTING CEILINGS. IF ACCEPTABLE TO THE OWNER, A CEILING GRID TRANSITION CAN BE USED IN LIEU OF THE HEADER.

#### **CEILING LEGEND**

- TEXTURED AND PAINTED GYPSUM BOARD TO MATCH EXISTING IN TEXTURE, FINISH, PAINT COLOR, TYPE AND SHEEN.
- 2'-0" x 2'-0" SUSPENDED ACOUSTICAL CEILING TILE AND GRID TO MATCH
- EXISTING MANUFACTURER AND SYSTEM. INSTALL TO MEET ALL LOCAL ADOPTED BUILDING CODES, INCLUDING SEISMIC INSTALLATION CONDITIONS.

#### CEILING FIXTURE LEGEND


1' x 4' SURFACE LIGHT

LED SURFACE MOUNTED LIGHT

- RECESSED 4" FOCAL LIGHT
- RECESSED 5" DOWNLIGHT
- EXIT SIGN
- PHOTOCELL
- EXHAUST FAN
- SMOKE ALARM
- FIRE SPRINKLER

FIRE SPRINKLER

REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**. COPYRIGHT 2021 KNIT


ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT

**\ 08.03.2023 &ORRESCUSSIS #1 08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS

10.17.2023 CORRECTIONS \ 12.21.2023 CORRECTIONS








12/21/2023


**TON INN** PLAN **CEILING** -AMP-4TH FLOOR REFLECTED

JOB NO: **210158** 









### NOTE: PLAN IS MIRRORED AT 262 ,362, AND 462. REFER TO OVERALL FLOOR PLANS. PROVIDE BATHTUBS IN LIEU OF SHOWERS IN THESE SAME ROOMS. KING D SHOWER PLAN

KING D SHOWER PLAN

24 x 36 - 1/2" = 1'-0"
12 x 18 - 1/4" = 1'-0"

5

#### **GENERAL NOTES**

- A. CONTRACTOR TO FIELD VERIFY FRAMING AT ALL DOOR LOCATIONS FOR PROPER OPERATING CLEARANCE WITH VANITY CASEWORK.
- B. DIMENSIONS ARE TO FACE OF STUD OR TO CENTERLINE WHERE NOTED.
- C. CONTRACTOR TO FOLLOW DESIGN GUIDELINES FOR FINISHES AND EQUIPMENT TO PROVIDED WITHIN BATHROOMS. "PUYALLUP HAMPTON-ADD GR-FFE-SPECS
- D. COORDINATE ALL EQUIPMENT, FURNISHINGS AND FINISHES WITH THE HAMPTON INN STANDARDS

# KNIT

909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR

CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED
EXCEPT BY WRITTEN CONSENT OF KNIT.

#### ENLARGED BATH PLAN KEYED NOTES

- 1) SHELVING CASEWORK
- 2 IRONING BOARD PER HOTELS STANDARDS
- 3 RUBBER CARPET TO TILE TRANSITION STRIP PER DESIGN STANDARDS
- (4) SHOWER ROD CURTAINS PER HOTEL STANDARDS
- 5 NEW 12" x 24" CERAMIC TILE FLOORING AND GROUT, WITH TILE BASE PER DESIGN STANDARDS

REVISION 1 OF 2 (27 PAGES) B-20-0078 ISSUE DATE 09/25/23 PROGRESS SET

COPYRIGHT 2021 KNIT

REV DATE COMMENT

1 03.03.2023 AC RESPONSE

2 08.14.2023 CORRECTIONS

09.25.2023 CORRECTIONS


10.17.2023 CORRECTIONS
12.21.2023 CORRECTIONS

City of Puyallup
Development & Permitting Services
ISSUED PERMIT
Building Planning
Engineering Public Works
Fire Traffic



ENLARGED BATH PLANS
ADDITION TO HAMPTON INN
SUITES
1515 S MERIDIAN
PUYALLUP, WA 98371

JOB NO: **210158** 



909 S. 336TH ST,
SUITE 107
FEDERAL WAY, WA 98003
knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF
SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF
CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE
ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF
THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR
CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY

ISSUE DATE 09/25/23 PROGRESS SET

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

REV DATE COMMENT

03.03.2023 AC RESPONSE

08.14.2023 CORRECTIONS

09.25.2023 CORRECTIONS

4 10.17.2023 CORRECTIONS

12.21.2023 CORRECTIONS

City of Puyallup
Development & Permitting Services
ISSUED PERMIT
Building Planning
Engineering Public Works

Fire Traffic


REGISTERED ARCHITECT

RHONDA A. GILLOGLY STATE OF WASHINGTON

12/21/2023

ENLARGED STAIR PLANS
& SECTIONS
ADDITION TO HAMPTON INN
& SUITES
1515 S MERIDIAN
PUYALLUP, WA 98371

JOB NO: **210158** 




- CONTRACTOR SHALL MATCH PARAPET PROFILES AT EXISTING BUILDING AS INDICATED ON THE NEW DRAWINGS.
- ALIGN ALL DECORATIVE HORIZONTAL JOINTS AT NEW CONSTRUCTION WITH EXISTING.
- 3. EXTERIOR FINISHES SHALL MATCH EXISTING
- 4. EXTERIOR COLORS SHALL MATCH EXISTING OR AS SELECTED BY THE OWNER.
- 5. ALIGN PARAPET NEW PARAPET CAPS WITH EXISTING AS SHOWN OR AS NOTED WITHIN THE CONSTRUCTION DOCUMENTS.
- 6. FLOOR LINE ELEVATIONS NOTED SHALL BE FILED VERIFIED TO ALIGN WITH EXISTING FLOOR ELEVATION.

#### NOTI

1ST, 2ND, 3RD AND 4TH FLOOR, AND TOP OF ROOF SHEATHING ELEVATIONS ARE TO ALIGN WITH THE EXISTING ELEVATIONS. THE DESIGNATION NOTED ARE BASED ON AS-BUILT DRAWING NOTATIONS FROM THE EXISTING BUILDING. THE CONTRACTOR SHALL FIELD VERIFY ELEVATIONS PRIOR TO FORMING THE 2ND FLOOR SLAB AND ADDITIONAL LEVEL FRAMING.

REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT

1 03.03.2023 AC RESPONSE

2 08.14.2023 CORRECTIONS

3 09.25.2023 CORRECTIONS

10.17.2023 CORRECTIONS

\ 12.21.2023 CORRECTIONS

City of Puyallup
Development & Permitting Services
ISSUED PERMIT
Building Planning
Engineering Public Works
Fire Traffic

REGISTERED ARCHITECT

RHONDA A. GILLOGLY STATE OF WASHINGTON

12/21/2023

EXTERIOR ELEVATIONS

ADDITION TO HAMPTON INN

S. SUITES

1515 S MERIDIAN


PUYALLUP, WA 98371

PUYALLUP, WA 98371

PROJECT


JOB NO: **210158** 


A3.1



WEST ELEVATION

24 x 36 - 1/8" = 1'-0" 12 x 18 - 1/16" = 1'-0"








- CONTRACTOR SHALL MATCH PARAPET PROFILES AT EXISTING BUILDING AS INDICATED ON THE NEW DRAWINGS.
- ALIGN ALL DECORATIVE HORIZONTAL JOINTS AT NEW CONSTRUCTION WITH EXISTING.
- 3. EXTERIOR FINISHES SHALL MATCH EXISTING
- 4. EXTERIOR COLORS SHALL MATCH EXISTING OR AS SELECTED BY THE OWNER.
- ALIGN PARAPET NEW PARAPET CAPS WITH EXISTING AS SHOWN OR AS NOTED WITHIN THE CONSTRUCTION DOCUMENTS.
- 6. FLOOR LINE ELEVATIONS NOTED SHALL BE FILED VERIFIED TO ALIGN WITH EXISTING FLOOR ELEVATION.

#### NOTI

1ST, 2ND, 3RD AND 4TH FLOOR, AND TOP OF ROOF SHEATHING ELEVATIONS ARE TO ALIGN WITH THE EXISTING ELEVATIONS. THE DESIGNATION NOTED ARE BASED ON AS-BUILT DRAWING NOTATIONS FROM THE EXISTING BUILDING. THE CONTRACTOR SHALL FIELD VERIFY ELEVATIONS PRIOR TO FORMING THE 2ND FLOOR SLAB AND ADDITIONAL LEVEL FRAMING.

REVISION 1 OF 2 (27 PAGES) B-20-0078



909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KINIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

SSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT


03.03.2023 AC RESPONSE

2 08.14.2023 CORRECTIONS

3 09.25.2023 CORRECTIONS

4 10.17.2023 CORRECTIONS

5 12.21.2023 CORRECTIONS









JOB NO: 210158

A3 2







ISSUE DATE 09/25/23 PROGRESS SET

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

WRITTEN CONSENT OF KNIT.

COPYRIGHT 2021 KNIT

REV DATE COMMENT


03.03.2023 AC RESPONSE

2 08.14.2023 CORRECTIONS

3 09.25.2023 CORRECTIONS

4 10.17.2023 CORRECTIONS

5 12.21.2023 CORRECTIONS



REGISTERED ARCHITECT

RHONDA A. GILLOGLY STATE OF WASHINGTON

12/21/2023

BUILDING SECTIONS

ADDITION TO HAMPTON INN

S. SUITES

1515 S MERIDIAN

TO HAMPTON INN

S. SUITES

1515 S MERIDIAN

TO HAMPTON INN


TO HAMPTON

PROJECT

JOB NO: **210158** 

A4.2

#### REVISION 1 OF 2 (27 PAGES) B-20-0078





ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT


03.03.2023 AC RESPONSE

2 08.14.2023 CORRECTIONS

3 09.25.2023 CORRECTIONS

4 10.17.2023 CORRECTIONS


12.21.2023 CORRECTIONS






WALL SECTIONS
ADDITION TO HAMPTON INN
S SUITES
515 S MERIDIAN


JOB NO: **210158** 



OOR NO.	OOR NO. DOOR SIZE		DOOR			FRAME		RATING HDW GRP		DETAILS			REMARKS
		TYPE	CORE	MAT	FIN	TYPE	FIN		<u></u>	HEAD	JAMB	SILL	
00A	3'-0" x 7'-0" x 1 3/4"	D	INSUL	HM	PAINT	A	PM/ PT	90 MIN.	$\frac{\sqrt{5}}{}$	1/A7.4	2/A7.4	3/A7.4	INSULATED, SEE NOTES 5, 7, 8
36A	3'-0" x 7'-0"" x 2"	E	IINSUL	ALUM	ME	A	ME		+>	4/A7.4	5/A7.4	3/A7.4	INSULATED, SEL NOTES 5, 7, 6
53A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.	1				SEE NOTES 1,3,4,5,6
53B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
53C	PR 1'-8" x 6'-8" x 1 3/4"	С	SC	WD	PT NOTE 1								FRAMED OPENING, MOUNT TRAC BEHIND WALL
54A 54B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	F A	SC SC	WD WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6 SEE NOTE 2,9
55A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
55B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	A	PM/ PT						SEE NOTE 2,9
66A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
66B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
57A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
57B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL NOTE 1	A	PM/ PT						SEE NOTE 2,9
88A 88B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD WD	NOTE 1	A	PM/ PT PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6 SEE NOTE 2,9
59A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
59B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
60A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
ОВ	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
1A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
51B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL NOTE 1	A	PM/ PT						SEE NOTE 2,9
52A 52B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	F A	SC SC	WD WD	NOTE 1	A	PM/ PT PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6 SEE NOTE 2,9
52b 53	3'-0" x 7'-0" x 1 3/4"	D	HM	MTL	PT	A	PM/ PT	90 MIN.					INSULATED, SEE NOTES 5, 7, 8
35 35	PR 3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	A	PM/ PT	20 MIN.					SEE NOTES 3,5,9
66	PR 3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT	20 MIN.					SEE NOTES 3,5,9
53A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	А	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
3B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	А	PM/ PT						SEE NOTE 2,9
3C	PR 1'-8" x 6'-8" x 1 3/4"	С	SC	WD	PT NOTE 1			 					FRAMED OPENING, MOUNT TRACE BEHIND WALL
4A 4B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD	NOTE 1	A	PM/ PT PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6 SEE NOTE 2,9
5A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
5B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
66A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
6B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
57A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
57B	3'-0" x 6'-8" x 1 3/4"	A F	SC SC	WD WD	PL NOTE 1	A	PM/ PT PM/ PT	20 MIN.					SEE NOTE 2,9 SEE NOTES 1,3,4,5,6
58A 58B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD	PL	A	PM/ PT	20 MIIN.					SEE NOTE 2,9
59A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
59B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
60A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
SOB	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
51A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
51B 52A	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD WD	PL NOTE 1	A	PM/ PT PM/ PT	20 MIN.					SEE NOTE 2,9 SEE NOTES 1,3,4,5,6
52A 52B	3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD	PL	A	PM/ PT	20 MIIN.					SEE NOTE 2,9
3	3'-0" x 7'-0" x 1 3/4"	D	HM	MTL	PT	A	PM/ PT	90 MIN.					INSULATED, SEE NOTES 5, 7, 8
55	PR 3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT	20 MIN.					SEE NOTES 3,5,9
56	PR 3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT	20 MIN.					SEE NOTES 3,5,9
53A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
3B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
53C	PR 1'-8" x 6'-8" x 1 3/4"	С	SC	WD	PT								FRAMED OPENING, MOUNT TRAC BEHIND WALL
54A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
4B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
5A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
5B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A F	SC	WD WD	PL NOTE 1	A	PM/ PT	20 44141					SEE NOTE 2,9 SEE NOTES 1,3,4,5,6
6A 6B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD WD	PL PL	A	PM/ PT PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6  SEE NOTE 2,9
ов 7A	3'-0" x 6'-8" x 1 3/4"	F	SC SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
7B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	A	PM/ PT						SEE NOTE 2,9
8A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
8B	3'-0" x 6'-8" x 1 3/4"	Α	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
9A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
59B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL NOTE 1	A	PM/ PT						SEE NOTE 2,9
0A 0B	3'-0" x 6'-8" x 1 3/4" 3'-0" x 6'-8" x 1 3/4"	A	SC SC	WD WD	NOTE 1	A	PM/ PT PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6 SEE NOTE 2,9
ов 1А	3'-0" x 6'-8" x 1 3/4"	F	SC SC	WD	NOTE 1	A	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
51B	3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	A	PM/ PT						SEE NOTE 2,9
2A	3'-0" x 6'-8" x 1 3/4"	F	SC	WD	NOTE 1	Α	PM/ PT	20 MIN.					SEE NOTES 1,3,4,5,6
2B	3'-0" x 6'-8" x 1 3/4"	А	SC	WD	PL	Α	PM/ PT						SEE NOTE 2,9
3	3'-0" x 7'-0" x 1 3/4"	D	НМ	MTL	PT	A	PM/ PT	90 MIN.					INSULATED, SEE NOTES 5, 7, 8
55	PR 3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	A	PM/ PT	20 MIN.					SEE NOTES 3,5,9 SEE NOTES 3,5,9
.66	PR 3'-0" x 6'-8" x 1 3/4"	A	SC	WD	PL	A	PM/PT	20 MIN.			1	1	INCLERICATED SECTION



REVISION 1 OF 2 (27 PAGES) B-20-0078






ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT **03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS** 09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS

**12.21.2023 CORRECTIONS** 





HAMPTON SCHEDULE DOOR

JOB NO: **210158** 

NOTES:

1. DOOR FINISHES ARE THERMAL FUSED FLUSH DOOR FACES, PRE-FINISHED COLOR PER OWNER. 2. BATHROOM DOOR TO HAVE A PRIVACY LOCK THAT WILL UNLOCK IF CLOSED IN THE LOCKED POSITION.

3. PROVIDE DOOR SWEEP DHSI #36xAMU-3. 4. PROVIDE ASSA ABLOY DOOR BLOCKER TO MATCH EXISTING, IN LIEU OF SWING BAR DOOR GUARD.

5. RATED DOORS WITH SELF CLOSER AND SEALS SHALL BE IN ACCORDANCE WITH NFPA 80 AND NFPA 105.

6. INSULATE INSIDE OF METAL DOOR JAMB. 7. PROVIDE EXTERIOR METAL DOOR THRESHOLD.

8. PROVIDE FIRE RATED GLAZING.9. PLASTIC LAMINATE WILSONART NORDIC LINEN 5015-38

DOOR SCHEDULE ABBREVIATION:

FIN FINISH GRP GROUP HDW HARDWARE HM HOLLOW METAL MT METAL MAT MATERIAL


ME MATCH EXISTING PM PRIMED MFR MANUFACTURER PR PAIR PT PAINT MR MIRROR SC SOLID CORE PL PLASTIC LAMINATE WD WOOD

REFER TO SUBMITTAL

\* NOTE: DOOR SCHEDULE

THE SUBMITTAL REVIEW.

HAS BEEN UPDATED WITHIN



(	GLAZING	}			
EXTERIOR WALL A VERTICAL + OVER % OF GLAZING		11,094S.F ZING: 1,533S.F 14 %			
PROJECTION FAC	CTOR				
ELEVATION	'A'	'B'	PF		
NORTH STAIRWE NORTH SOUTH WEST	LL 1.58' .375' .375' .375'	14.5' 10.91'/A 10.91'/A 10.91'/A	.109 .034 .034 .034		
THESE MEASUREMENTS SHOW THE BEST AVAILABLE PF AT THE 4TH FLOOR. ALL ARE BELOW 0.2 THE NUMBERS DECREASE AT THE 3RD AND 2ND FLOORS.					

FENESTRATION NOTES	
	,

1. ALL WINDOWS TO MEET MINIMU 0.39 U-VALUE. 2. ALL WINOWS TO MEET .40 SHGC.


- 3. ALL WINDOWS TO BEAR MANUFACTURER'S CERTIFIED LABEL. 4. ALL WINDOWS TO BE FILLED WITH ARGON GAS.
- 5. ALL WINDOWS TO HAVE AN EMISSIVITYOF .15 TO .08. SLAZING TO BEAR THE 6. ALL WI

WINDOWS WITH TEMPERED	GL
CHED LABEL.	

TYPE	MATERIAL	U-FACTOR	DIRECTION	PROJ. FACTOR	T C402.4 SHGC	T C303.1.3(3) VT CLEAR/TINTED	NO. OF UNITS	AREA	TOTAL AREA
Α	ALUM	.39	N	<.20	.53	.60/.30	3	29 SF	87 SF
Α	ALUM	.39	E	<.20	.40	.60/.30	18	29 SF	522 SF
Α	ALUM	.39	S	<.20	.40	.60/.30	3	29 SF	87 SF
В	ALUM	.39	Е	<.20	.40	.60/.30	3	17 SF	81 SF
С	ALUM	.39	N	<.20	.53	.60/.30	3	18 SF	51 SF
D	ALUM	.39	N	<.20	.53	.60/.30	6	22 SF	132 SF
D	ALUM	.39	Е	<.20	.40	.60/.30	3	22 SF	66 SF
D	ALUM	.39	W	<.20	.40	.60/.30	18	22 SF	396 SF
E	ALUM	.39	E	<.20	.40	.60/.30	3	37 SF	111 SF
					•	<u>.                                    </u>		TOTAL	1,533 SF

REVISION 1 OF 2

(27 PAGES) B-20-0078



1 FRAME WINDOW OPENING

24 x 36 - 1/4" = 1'-0" 12 x 18 - 1/8" = 1'-0"

TYP. WINDOW FLASHING APPLICATION FOR STUCCO

2 APPLY HOUSE WRAP APPLY SILL FLASHING AND CUT MODIFIED "I" 3 AND WINDOW SEALANT

\* SEE WEATHERIZATION CONSULTANT SET FOR EIFS FLASHING APPLICATION

5 APPLY HEAD FLASHING

DETAILS BEING RELOCATED TO A7 SERIES SHEETS

6 FOLD HOUSE WRAP DOWN AND TAPE OVER CUTS




SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS. CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT. REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.


ISSUE DATE 09/25/23 PROGRESS SET

COPYRIGHT 2021 KNIT

REV DATE COMMENT 03.03.2023 AC RESPONSE **08.14.2023 CORRECTIONS** 09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS **12.21.2023 CORRECTIONS** 










JOB NO: **210158** 

A6.2









REVISION 1 OF 2

(27 PAGES)





909 S. 336TH ST, SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF

SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS. ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT. REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

ISSUE DATE 09/25/23 PROGRESS SET

COPYRIGHT 2021 KNIT


REV DATE COMMENT **03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS

Building

12.21.2023 CORRECTIONS City of Puyallup evelopment & Permitting Services ISSUED PERMIT


Planning



RHONDA A. GILLOGLY STATE OF WASHINGTON 12/21/2023

NOL HAMP. TAIL EXTERIOR

JOB NO: **210158** 



KNIT

SUITE 107 FEDERAL WAY, WA 98003 knitstudios.com

SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS. ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR


CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT. REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

ISSUE DATE 09/25/23

REV DATE COMMENT **03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS

**12.21.2023 CORRECTIONS** 



8677 REGISTERED ARCHITECT RHONDA A. GILLOGLY STATE OF WASHINGTON 12/21/2023

JOB NO: **210158** 

#### SHEATHING WHERE OCCURS PER STRUCTURAL 2X FRAMING @ 16" O.C. 1/2" GWB CORRIDOR 2X8 LEDGER SHEATHING WHERE OCCURS PER STRUCTURAL SET CORRIDOR SOFFIT DETAIL SCALE: 1-1/2" = 1' - 0"

WATER CUT-OFF

STAINLESS STEEL CLAMPING RING

THERMOPLASTIC

PIPING SIZES

**VENT PIPE PENETRATION AT ROOF** 

PRE-MOLDED PIPE

ADEQUATE TO WRAP

FLASHING. PROVIDE SIZE

AROUND FIELD VERIFIED

SCALE: 1-1/2" = 1' - 0"

MASTIC, ALL AROUND

THROUGH ROOF PIPE

- FASTENER AND SEAM

FASTENING PLATE

HOT-AIR WELD ALL

- 1/4" DENS DECK

COVER BOARD

RIGID INSULATION

- 3/4" T&G PLYWOOD SHEATHING

ROOFING MEMBRANE

AROUND

SHEATHING

BARRIER

ADHESIVE

WATER RESISTANT


INSULATION BOARD


EIFS ASSEMBLY PER


MANUFACTURER


ACCENT BAND TO

MATCH EXISTING IN PROFILE AND HEIGHT









REVISION 1 OF 2

(27 PAGES)

B-20-0078




- FLASHING SHEET SET

OVER THE INSTALLED


INTO ROOF CEMENT


BASE SHEET

X SLOPE



FIRE EXTINGUISHER CABINET DETAIL





SEMI-RECESSED

SCALE: 3" = 1' - 0"



2" PIPE COLLAR TO


FORM OVER-FLOW


OVERFLOW DRAIN -


CONFIGURATION

SPRAY APPLIED FOAM -

ROOFING MEMBRANE








FLASHING

FEDERAL WAY, WA 98003 knitstudios.com THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE

ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS. ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT. REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**. COPYRIGHT 2021 KNIT

ISSUE DATE 09/25/23 PROGRESS SET

REV DATE COMMENT **03.03.2023 AC RESPONSE 08.14.2023 CORRECTIONS** 09.25.2023 CORRECTIONS 10.17.2023 CORRECTIONS 12.21.2023 CORRECTIONS



8677 REGISTERED ARCHITECT RHONDA A. GILLOGLY STATE OF WASHINGTON 12/21/2023


HAMPTON DETAIL ROO


JOB NO: **210158** 





ACCENT BAND SCALE: 1-1/2" = 1' - 0"


PARAPET DETAIL (12) SCALE: 1-1/2" = 1' - 0"






































7	UNIT WINDOW JAMB							
	SCALE: 3" = 1' - 0"	EIFS EXTERIOR						








EIFS EXTERIOR















JOB NO: **210158** 

KNIT

909 S. 336TH ST,

SUITE 107

FEDERAL WAY, WA 98003

knitstudios.com

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF

ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR

CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY
ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY
WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF **KNIT**.

ISSUE DATE 09/25/23

REV DATE COMMENT

**03.03.2023 AC RESPONSE** 

08.14.2023 CORRECTIONS

**09.25.2023 CORRECTIONS** 

**10.17.2023 CORRECTIONS** 

12.21.2023 CORRECTIONS

City of Puyallup

elopment & Permitting Services

Planning

Public Works

Traffic

ISSUED PERMIT

8677 REGISTERED ARCHITECT

RHONDA A. GILLOGLY STATE OF WASHINGTON

12/21/2023

Building

Engineering


Fire

PROGRESS SET

COPYRIGHT 2021 KNIT

SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE

#### REVISION 1 OF 2 (27 PAGES) B-20-0078





STUCCO EXTERIOR

INTERIOR HM DOOR JAMB/HEAD SIMILAR

INTERIOR

2 SCALE: 3" = 1' - 0"





INTERIOR HM DOOR

JAMB/HEAD SIMILAR AT GUEST ROOM


SCALE: 3" = 1' - 0"


INTERIOR

WALL DETAIL

SCALE: 3" = 1' - 0"

INTERIOR





12/21/2023

KNIT

909 S. 336TH ST,

SUITE 107

FEDERAL WAY, WA 98003

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. KNIT AS THE ARCHITECT OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IDEAS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

REPRODUCTION OF THIS DOCUMENTS IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF KNIT.

ISSUE DATE 09/25/23

REV DATE COMMENT

**│ 03.03.2023 AC RESPONSE** 

**√ 08.14.2023 CORRECTIONS** 

09.25.2023 CORRECTIONS

10.17.2023 CORRECTIONS

\ 12.21.2023 CORRECTIONS

City of Puyallup Development & Permitting Services

PROGRESS SET

COPYRIGHT 2021 KNIT

knitstudios.com

ADDITION TO HAMPTON INN & SUITES

1515 S MERIDIAN

1515 S

JOB NO: **210158** 

(A7.5)

SCALE: 3" = 1' - 0"

UNIT

WINDOW SILL

SCALE: 3" = 1' - 0"