



City of Puyallup

Application for Building Permit

333 S. Meridian
Puyallup, WA 98371
Tel: (253) 864-4165
permitcenter@puyallupwa.gov

Parcel No: 0420264021	Site Address: 2902 E Pioneer
Owner Name: East Town Crossing, LLC	Tel: 253.845.9544
Owner Address: 2902 E Pioneer	City: Puyallup Zip: 98372
Contractor Name: R & R Construction Consulting LLC	Tel: <input type="text"/>
Contractor Address: 7809 Pacific Ave	City: Tacoma, WA Zip: 98372
WA State License: 604631775	Exp Date: 07.31.2023 City Business License: MKMLELL921RP
Contact Name: Ken Rody	Email: ken@randrcc.com
Contact Tel: 2533185711	Fax: <input type="text"/>
Lender Name: <input type="text"/>	Address: <input type="text"/> Tel: <input type="text"/>

Project Description: East Town Crossing - Multi-Family Building ^C (24 Unit Apartment Building)

If the project disturbs one acre or more, the applicant must apply for a NPDES Construction stormwater general permit from the Department of Ecology. For additional information visit DOE website www.ecy.wa.gov/programs/wq/stormwater/construction

Building Permit Information

COMMERCIAL OR RESIDENTIAL	Residential	TYPE OF CONSTRUCTION	VB
OCCUPANCY TYPE	R2	FIRST FLOOR SQ. FT.	10,154
OCCUPANCY LOAD	200 Gross	SECOND FLOOR SQ. FT.	10,138
# OF DWELLING UNITS	24	BASEMENT SQ. FT.	<input type="text"/>
# OF BEDROOMS	24	GARAGE SQ. FT.	<input type="text"/>
# OF BATHROOMS	<input type="text"/>	COVERED PORCH SQ. FT.	<input type="text"/>
BUILDING HEIGHT	36'	PATIO SQ. FT.	971
ZONING	RM-20	DECK SQ. FT.	971
LOT SIZE SQ. FT.	237,610	HEAT TYPE	Heat pump
LOT COVERAGE: (%)	4%	CHANGE OF USE?	No
IMPERVIOUS SURFACE SQ. FT.	<input type="text"/>	AIR CONDITIONED?	<input type="text"/>
PROJECT DISTURBED AREA SQ. FT.	<input type="text"/>	FIRE SPRINKLERS?	Yes
SEWER OR SEPTIC	Sewer	LOCATED IN FLOOD PLAIN?	No
WATER PURVEYOR	City of Puyallup	VALUATION	\$ 2,600,000

I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS APPLICATION AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT.

BY LEAVING THE CONTRACTOR INFORMATION SECTION BLANK, I HEREBY CERTIFY FURTHER THAT CONTRACTORS (GENERAL OR SUBCONTRACTORS) WILL NOT BE HIRED TO PERFORM ANY WORK IN ASSOCIATION WITH THIS PERMIT. I ALSO CERTIFY THAT IF I DO CHOOSE TO HIRE A CONTRACTOR (GENERAL OR SUBCONTRACTOR) I WILL ONLY HIRE THOSE CONTRACTORS THAT ARE LICENSED BY THE STATE OF WASHINGTON.

Brett Lindsay

BRETT LINDSAY

3/11/24

SIGNATURE OWNER / AUTHORIZED AGENT

PRINT NAME

DATE

MECHANICAL

Quantity Scheduled	Description	Permit Rate Per Unit	Total Price
1	Permit Issuance	40.00	40.00
<input type="text"/>	Supplemental Permit	9.60	<input type="text"/>
<input type="text"/>	AC Unit – Stand Alone	19.55	<input type="text"/>
<input type="text"/>	Install Furnace / Burner up to 100,000 BTU	19.55	<input type="text"/>
<input type="text"/>	Install Furnace / Burner over 100,000 BTU	24.00	<input type="text"/>
<input type="text"/>	Install / Relocate Floor Furnace & Vent	19.55	<input type="text"/>
<input type="text"/>	Install / Relocate Recessed Wall Space Heater	19.55	<input type="text"/>
<input type="text"/>	Appliance Vent – Separate	9.60	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Repair Heating / Cooling Unit	18.11	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Heat Pump/Boiler / Compress. 3 HP; up to 6 Tons; 100,000	19.55	<input type="text"/>
<input type="text"/>	Heat Pump/Boiler / Compress. 3-15 HP or 500,000 BTU	35.95	<input type="text"/>
<input type="text"/>	Heat Pump/Boiler / Compress 15-30 HP or 1,000,000 BTU	49.28	<input type="text"/>
<input type="text"/>	Heat Pump/Boiler / Compress 30-50 HP or 1,750,000 BTU	73.30	<input type="text"/>
<input type="text"/>	Heat Pump/Boiler / Compress over 50 HP or over 1,750,000	122.48	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Separate Air Handling Unit to 10,000 CFM	14.10	<input type="text"/>
<input type="text"/>	Separate Air Handling Unit over 10,000 CFM	23.92	<input type="text"/>
<input type="text"/>	Stationary Evaporative Cooler	14.10	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Exhaust Vent Fan with Single Duct (Bath Fan)	14.10	<input type="text"/>
<input type="text"/>	Vent System Apart from Heating or AC	14.10	<input type="text"/>
<input type="text"/>	Mechanical Exhaust Hood / Duct (Range Hood) - Residential	14.10	<input type="text"/>
<input type="text"/>	Mechanical Exhaust Hood w/Make-up Air - Commercial	35.95	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Commercial / Industrial Incinerator	24.00	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Gas Piping: (1 - 4 outlets)	6.30	<input type="text"/>
<input type="text"/>	(5 or more outlets / per outlet)	1.30	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Unclassified Appliance or Equipment (Fireplace, etc.)	14.10	<input type="text"/>
<input type="text"/>			<input type="text"/>
<input type="text"/>	Mechanical Duct Work: (1 – 5 Diffusers)	14.10	<input type="text"/>
<input type="text"/>	(6 – 10 Diffusers)	19.55	<input type="text"/>
<input type="text"/>	(11 or more Diffusers)	24.00	<input type="text"/>
			<input type="text"/>
TOTAL:			<input type="text"/>

PLUMBING

Quantity Scheduled	Description	Rate Per Unit	Total	Quantity Scheduled	Description	Rate Per Unit	Total	
1	Permit Issuance	40.00	40.00	GREASE TRAP/INTERCEPTOR				
RESIDENTIAL (1 & 2 DWELLINGS)				<input style="width: 50px;" type="text"/>	Grease Trap	13.00	<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	1 Bathroom	160.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	Grease Interceptor	13.00	<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	2 Bathroom	200.00	<input style="width: 50px;" type="text"/>	BACK FLOW DEVICE				
<input style="width: 50px;" type="text"/>	3 Bathroom	240.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	Per Unit	26.00	<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	Alterations each fixture	13.00	<input style="width: 50px;" type="text"/>	MEDICAL GAS SYSTEM				
<input style="width: 50px;" type="text"/>	Water Heater	13.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	Medical Gas Piping System	80.00	<input style="width: 50px;" type="text"/>	
COMMERCIAL				<input style="width: 50px;" type="text"/>	Surgical Vacuum System	80.00	<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	New Const. each fixture	13.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	Gas Piping: (1 - 4 outlets)	8.50	<input style="width: 50px;" type="text"/>	
				<input style="width: 50px;" type="text"/>	(5 or more outlets/per outlet)	2.00	<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	Alterations each fixture	13.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	Dental Chair or Unit	40.25	<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	Drinking Fountain, Water Cooler, Ice Machine	40.25	<input style="width: 50px;" type="text"/>	OTHER (NOT LISTED)				
<input style="width: 50px;" type="text"/>	Sump, Sewage Ejector Pump	13.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>		<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	Garbage Disposal	13.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>		<input style="width: 50px;" type="text"/>	
<input style="width: 50px;" type="text"/>	Water Heater	13.00	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>	<input style="width: 50px;" type="text"/>		<input style="width: 50px;" type="text"/>	
SUB-TOTAL:				<input style="width: 50px;" type="text"/>	SUB-TOTAL:			<input style="width: 50px;" type="text"/>
TOTAL:								<input style="width: 50px;" type="text"/>

*****COMMERCIAL PROJECTS: Please complete a "Plumbing Fixture Worksheet " *****

A water availability/approval letter shall be submitted with this application for any property located outside the city's water service area.

Fruitland Mutual Water Co. – (253) 848-5519 / Valley Water Co. – (253) 841-9698 / Tacoma Water Co. – (253) 502-8600

Plan Submittal Checklist for Single Family Residence

- ☐ 2 (two) copies of a site plan, drawn to scale on 8½" x 11". Details to include setbacks, easements, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals.
 - ☐ 2 (two) sets of plans (**Engineer or Architect Stamped** on all sheets)
 - ☐ Foundation Plan: footing size, wall height, section & reinforcing. Provide design calculations for basement walls that are not supported by concrete cross walls spaced per table 404.1b.
 - ☐ Floor plan with room use identified ☐ Floor framing plan for each floor (post & beam or joist w/ size & spacing) ☐ Ceiling/roof framing plan or truss layout w/ reactions from truss manufacturer ☐ Truss layout with hanger and reactions for girder/carrier trusses ☐ Truss drawings for TJI's or BCI's ☐ Truss specifications packet **Engineer Stamped**
 - ☐ Window & door sizes, header sizes, U-values
 - ☐ Complete building sections - special sections (show floor, wall & ceiling height, insulation R-value of floors, walls & ceilings. Show sections through stairs - headroom)
 - ☐ Construction details (i.e. structural members, insulation, sheathing, siding, roofing, bracing, dimensions, etc.)
 - ☐ Exterior porches & decks (resistance to decay including support footings)
 - ☐ Special equipment (fireplace, woodstove, hydro-massage tub, etc.)
 - ☐ Location of all smoke detectors
 - ☐ Handrail/guardrail details for stairs, landings, decks
 - ☐ Energy Worksheets: <http://www.energy.wsu.edu/BuildingEfficiency/EnergyCode.aspx>
 - ☐ 2 (two) sets Engineering plans/calculations for special conditions – **Engineer stamped**
 - ☐ Basement & retaining walls 4 feet and higher ☐ Beams supporting combined roof & floor loads ☐ Beams supporting other beams or girder trusses ☐ Shear walls when bracing not provided as required.
 - ☐ If less than 2,000 square feet of new + replaced hard surface: submit a temporary sediment and erosion control plan per the 2014 update to the 2012 Stormwater Management Manual for Western Washington
 - ☐ If greater than 2,000 square feet of new + replaced hard surface: submit a Stormwater site plan, report and temporary sediment and erosion control plan and report that satisfy the 2014 update to the 2012 Stormwater Management Manual for Western Washington and City standards
 - ☐ Plan Review Fee
-

Plan Submittal Checklist for Commercial Projects

- ☐ 2 (two) copies of a site plan, drawn to scale on 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.
- ☐ 2 (two) complete sets of plans. (**Engineer or Architect Stamped** on all sheets)
- ☐ 2 (two) sets of structural calculations – **Engineer Stamped**
- ☐ 1 (one) set of specifications
- ☐ Driveways, sidewalks, parking, and accessible routes
- ☐ Exterior elevations ☐ Complete building sections - special sections
- ☐ Building code summary ☐ Proposed use ☐ Construction Type ☐ Occupancy Group Classification ☐ Allowable Area ☐ Actual Area ☐ Dimension yard width on site plan where used for allowable area increase.
- ☐ Occupant load calculations and exiting, including exit width calculations
- ☐ Energy worksheets including envelope calculations, HVAC, and lighting budget
- ☐ Foundation plan including footing sizes, wall heights, cross-sections and reinforcing ☐ Floor plan with room use identified for each floor ☐ Floor framing plan each floor (slab, post & beam or joist) ☐ Ceiling/roof framing plan or truss layout with girder truss reactions
- ☐ Window & door sizes, header sizes, and U-Values
- ☐ Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)
- ☐ Handrail / guardrail / stair details (with headroom) for stairs and landings
- ☐ Smoke detectors, fire alarm, sprinkler system details (if required)
- ☐ Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)
- ☐ Plumbing plans including layout and fixture count - **Plumbing Fixture Worksheet is required with plumbing plans**
- ☐ Special equipment (kitchen, HVAC, Boiler, fireplace, woodstove, etc.)
- ☐ Mechanical plans including layout, location and make/model of equipment
- ☐ Traffic Scoping Worksheet
- ☐ Plan Review Fee