

DORMERS ARE FALSE

0 HIP LINE  
 327.72 RAKE OVERHANG LINES  
 104.33 RIDGE LINE  
 119.98 RIDGE MATERIAL  
 263.21 HORIZONTAL OVERHANG LINES  
 64.79 VALLEY LINES  
 4238.11 ROOF AREA

SQUARE FOOTAGE IS ESTIMATED.  
 CONTRACTORS/FRAMERS WILL NEED  
 TO VERIFY

5/12 PITCH (EXCEPT WHERE NOTED)  
 18" O.H.  
 24" GABLE STUDS  
 25-8-0-7 LOADING  
 110 MPH WIND  
 2018 CODE  
 ALL FLAT CEILINGS  
 FAU IN CLOSET

66 2X4 VENT BLOCKS  
 66 2X4 SOLID BLOCKS



HANGERS  
 MUS26 10  
 JUS24 24  
 SNP3 2

PLEASE VERIFY THE FOLLOWING

1. DIMENSIONS
2. FALSE DORMERS

**LEDGIBLE COLOR  
 PLANS ARE REQUIRED TO BE  
 PROVIDED BY THE PERMITTEE ON  
 SITE FOR ALL INSPECTIONS**

**PRRNSF20230918**




**\*\* IMPORTANT \*\***

◀ = INDICATES LEFT END



**Sales Rep:** Chad Sienkiewicz  
**Estimate By:** Deana Veith  
**Finalized By:** Deana Veith  
**Date:** 4/14/2023



**Customer:** HC Homes Inc  
**Job Name:** 43rd Ave Duplex  
**Job Number:** J1086674  
**Plan:** 1864 DUPLEX

**Drawing Type:** Roof Trusses  
**Loading**  
 TC/LL = 30.0 lb  
 TC/DL = 8.0 lb  
 BC/DL = 7.0 lb  
 WIND = 110 mph 'B'

Sheet Number:

**1 of 1**