



# Washington State Department of Transportation

Phone: 360-704-6340

Website: [www.esnoopro.com](http://www.esnoopro.com)

## OVERSIZE ONLY PERMIT

Effective Date 12/2/2024 until: 12/4/2024

Permit #: 24-1114182-001

Permit ID: 160023



WSDOT Oversize permit is past the effective date. Effective date of WSDOT permit must be current and accurate with COP permit submittal.

Date Issued: 11/14/2024 10:16:21 AM

Total Permit Fee: \$10.30

Payment Method: Credit Card

### CARRIER

Issued To: WILLIAMS SCOTSMAN INC

USDOT#: 350040

DBA: WILLSCOT

Address: 901 S BOND STREET SUITE 600

BALTIMORE, MD 21231

Issuing Office: Self-Issued

### VEHICLE

Unit #	Make	Year	License #	State	VIN	Vehicle Type
MTMBS11	PETERBILT	2016	3505866	IN	1XPBDP9X8GD338561	Tractor Trailer

### LOAD

Commodity Type: BUILDINGS

Load Description: MODULAR BUILDING

#### Feet-Inches

#### Metric

Height: 14' 8" Front Overhang: 0' 0"

Height: 4.47 Front Overhang: 0.00

Width: 14' 6" Rear Overhang: 0' 0"

Width: 4.42 Rear Overhang: 0.00

Overall Length: 86' 0" Trailer or Load Length: 64' 0"

Overall Length: 26.21 Trailer or Load Length: 19.51

GVW: Legal

GVW: Legal

### Route Information

Origin: Mile Marker - WA-167 SB at 10.50

Destination: Mile Marker - WA-512 EB at 11.19

Total Distance: 7.70

Routes Traveled: ==> Mile Marker - WA-167 SB at 10.5 <== WA-167 (MP: 10.333 to 6.454), toward WA-512 W/WA-161 S/PUYALLUP/OLYMPIA, WA-161 Ramp, WA-512 Ramp, WA-512 (MP: 11.645 to 10.785), toward MERIDIAN ST S, WA-512 Ramp, SOUTH MERIDIAN, WA-161 Ramp, WA-161 (MP: 10.787 to 11.121) ==> Mile Marker - WA-512 EB at 11.19 <==



### **Special Conditions**

- CARRY PERMIT IN VEHICLE AT ALL TIMES.
- CANNOT EXCEED LEGAL AXLE WEIGHT PER RCW 46.44.041
- IF TRAVELING ON CITY OR COUNTY STREETS, LOCAL APPROVAL MUST BE OBTAINED.
- OVERSIZE/OVERWEIGHT PERMITTED VEHICLES MUST STOP AT ALL OPEN WEIGH STATIONS, REGARDLESS OF THE TRANSPONDER OR SIGN SIGNAL.
- APPROVED PERMIT ROUTE DOES NOT GUARANTEE HEIGHT CLEARANCES
- PERMIT HOLDER IS RESPONSIBLE FOR VERIFYING RESTRICTIONS AND OVERHEAD CLEARANCES PRIOR TO TRAVEL. RESTRICTIONS AND ALERTS AVAILABLE AT [WWW.WSDOT.WA.GOV/COMMERCIALVEHICLE](http://WWW.WSDOT.WA.GOV/COMMERCIALVEHICLE)
- FORM 560-002 ATTACHED
- LOAD MUST BE REDUCED TO PRACTICAL MINIMUM SIZE AND WEIGHT CONSISTENT WITH WAC 468-38-050



### READ THIS BEFORE SIGNING

The undersigned permittee acknowledges that he or she has read and understands the permit and the associated attachments in their entirety and agrees to comply with these documents. The undersigned permittee acknowledges that the permit has been issued with the specific understanding that all applicable Washington State Laws, Administrative Codes, regulations and conditions will be complied with and that the information contained herein is true and correct. The undersigned permittee must contact local jurisdictions when not operating on state highways.

**As the permittee I acknowledge that I am responsible for verifying restrictions and overhead clearances prior to travel.**

SIGNED X \_\_\_\_\_

**PERMIT NOT VALID UNLESS SIGNED BY PERMITTEE**

**VIOLATION OF SPECIAL PERMITS - PENALTY :**

**For failure to obtain, misrepresentation, or violation of special permits, State law provides for a fine, confiscation and suspension of permit without refund.**

### Fee Breakdown

Fee	Amount
Unit # MTMBS11 SPECIAL MOTOR VEHICLE PERMIT	\$10.00
CREDIT CARD FEE	\$0.30



# Washington State Department of Transportation

## Pilot/Escort Vehicle Requirements

Route	From	To	Front Escort	Rear Escort
Entire Route	Origin	Destination	1 with pole	1

## Routing and Special Instructions

Origin: Mile Marker - WA-167 SB at 10.50

Miles	KM	Route	Directions	Distance	Distance (km)
4.01	6.45	WA-167 (MP: 10.333 to 6.454)	Head toward WA-512 W/WA-161 S/PUYALLUP/OLYMPIA	4.01	6.45
0.52	0.84	WA-161 Ramp	Merge onto WA-512 Ramp [WA-161 Ramp]	4.54	7.31
0.06	0.10	WA-512 Ramp	Continue straight on WA-512 [WA-161]	4.60	7.40
1.63	2.62	WA-512 (MP: 11.645 to 10.785)	Head toward MERIDIAN ST S	6.23	10.03
0.25	0.40	WA-512 Ramp	Turn left onto SOUTH MERIDIAN	6.48	10.43
0.10	0.16	SOUTH MERIDIAN	Turn left onto WA-161 Ramp [WA-512 Ramp]	6.58	10.59
0.32	0.51	WA-161 Ramp	Continue straight on WA-161 [WA-512]	6.89	11.09
0.81	1.30	WA-161 (MP: 10.787 to 11.121)	Arrive at destination.	7.70	12.39
Final Destination: Mile Marker - WA-512 EB at 11.19				7.70	12.39



## **Special Motor Vehicle Permit Regulations and Conditions**

**A signed permit must be carried in the power unit at all times.**

### **Pilot/Escort Vehicle Requirements**

A pilot/escort vehicle and operator must comply with the requirements of WAC 468-38-100 Escort vehicle requirements. Pilots/Escort vehicles are required when:

1. Vehicle(s) or load exceeds 11 feet in width; escort vehicles (both front and rear) are required on all two-lane highways.
2. Vehicle(s) or load exceeds 14 feet wide; one rear escort vehicle is required on multiple-lane highways.
3. Trailer length including load exceeds 105 ft., of a tractor/trailer combination, requires a rear escort vehicle on all two-lane highways.
4. Trailer length including load exceeds 125 ft., of a tractor/trailer combination, requires a rear escort vehicle on multiple-lane highways.
5. Rear overhang of a tractor/trailer or truck/trailer combination exceeds 1/3 of the trailer length including load, requires one rear escort vehicle on two-lane highways.
6. Rear overhang exceeds 20 feet on a single unit vehicle, requires one rear escort vehicle on two-lane highways.
7. Loads exceed 14 feet and 6 inches high, one escort vehicle is required in front equipped with a height pole. Manufactured housing requires front escort with height pole when exceeding 15 feet in height. The Department does not guarantee height clearances; therefore, on any route where the height is in question, a front escort vehicle equipped with a height pole should be used.
8. The vehicle(s) or load exceeds twelve feet in width on a multilane highway and has a height that requires a front pilot/escort vehicle: One rear pilot/escort vehicle is required.
9. In the opinion of the Department of Transportation, escort vehicles are necessary to protect the traveling public, for any overdimensional and/or overweight move, either across, upon, or along a highway. Holidays and Related Times on which Permit Movements are Prohibited (WAC 468-38-175) Overweight vehicles that cannot maintain the speed of the surrounding traffic flow, and all over dimensional vehicles/loads are prohibited on the holidays of New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, day after Thanksgiving Day, Christmas Day, and during the afternoon of the day preceding said holidays.

### **Nighttime Movements (WAC 468-38-075)**

A vehicle or vehicle combinations not exceeding the defined envelope of 12 feet wide, 14 feet 6 inches high and 105 feet long, including legal overhang(s), may move at night. A vehicle or vehicle combination which exceeds the defined envelope may also be permitted to move at night on state highways subject to Department preferred hours/routes of travel, and must have "Nighttime movement approved" stated on permits. All night moves must comply with published curfew restrictions. Night means one-half hour after sunset to one-half hour before sunrise. Vehicle and load must have proper lighting (49 CFR 393.11).

### **Winter Road Restrictions**

Movement by permit is prohibited in areas where any of the following signs are displayed: "TRACTION ADVISORY OVERSIZE VEHICLES PROHIBITED", VEHICLES OVER 10,000GVWR CHAINS REQUIRED", and "ALL VEHICLES CHAINS REQUIRED EXCEPT ALL-WHEEL DRIVE" except as specified in WAC 468-38-075.

### **Railroad Crossing Emergencies**

Call 1-888-877-7267

**Other Regulations** relating to the movement of permitted loads are printed in Chapter 468-38 WAC (Washington Administrative Code).

**THE USE OF COUNTY ROADS OR CITY STREETS** is subject to approval by the jurisdiction that maintains those roadways. This permit from the State of Washington does not authorize the use of roadways under local jurisdiction.

**Commuter Curfew Hours** (see page 2)

**Warning: Rules are subject to change. Holders of extended permits (monthly, annual) are subject to current rule. Rules, as described herein, should be periodically reviewed for updates to insure compliance.**

## Commuter Curfew Hours: (Monday through Friday only)

Oversize loads that are required to display "Oversize Load" signs are restricted from the following areas during the listed times (table).

- **Exception:** Vehicles that are over width only and do not exceed the width limits of the below (table).

Vicinity	SR	Direction	Mile Post	Location and Boundaries	Hours (M-F)	Width
Seattle-Everett	2	EB	0 - 2.42	I-5 to SR 204	3-7 PM	9'
		WB	2.42 - 0		6-9 AM	9'
	5	NB	127.48 - 155.94	SR 512 to SR 599	6-9 AM, 3-6 PM	10'
		SB	155.94 - 127.48		3-6 PM	10'
		NB	155.94 - 174.58	SR 599 to SR 523	6-9 AM, 3-6 PM	9'
		SB	174.58 - 155.94		6-9 AM, 3-6 PM	9'
		NB	174.58 - 199.11	SR 523 to SR 528	3-6 PM	10'
		SB	199.11 - 174.58		6-9 AM, 3-6 PM	10'
		NB	199.11 - 206.08	SR 528 to SR 531	4-6 PM	10'
		SB	206.08 - 199.11		7-9 AM, 4-6 PM	10'
	18	EB	.01 - 4.15	I-5 to SR 164	6-9 AM, 3-7 PM	10'
		WB	4.15 - .01		6-9 AM, 3-7 PM	10'
		EB	4.15 - 11.38	SR 164 to SR 516	6:30-8:30 AM, 3-7 PM	10'
		WB	11.38 - 4.15		6-9 AM, 3-7 PM	10'
	90	EB	2.54 - 9.93	I-5 to I-405	6-9 AM, 3-7 PM	10'
		WB	9.93 - 2.54		6-9 AM, 3-7 PM	10'
		EB	9.93 - 18.36	I-405 to Sunset I/C	3-7 PM	10'
		WB	18.36 - 9.93		6-9 AM, 3-7 PM	10'
	167	NB	5.98 - 14.33	SR 512 to SR 18	6-9 AM	10'
		SB	14.33 - 5.98		3-7 PM	10'
		NB	14.33 - 26.29	SR 18 to I-405	6-9 AM, 3-7 PM	10'
		SB	26.29 - 14.33		3-7 PM	10'
	405	NB	0 - 30.32	Entire Route	6-9 AM, 3-7 PM	10'
		SB	30.32 - 0		6-9 AM, 3-7 PM	10'
	518	EB	0 - 3.81	SR 509 to I-5	6-9 AM, 3-7 PM	10'
		WB	3.81 - 0		6-9 AM, 3-7 PM	10'
	522	EB	11.10 - 14.09	I-405 to SR 9	3-7 PM	10'
		WB	14.09 - 11.10		6-9 AM	10'
Tacoma	5	NB	118 - 127.48	Exit 118 to SR 512	6:30-8:30 AM, 4-6 PM	10'
		SB	127.48 - 118		6:30-8:30 AM, 4-6 PM	10'
	16	EB	10.28 - 0	I-5 to Olympic Drive	6-9 AM	10'
		WB	0 - 10.28		3-7 PM	10'
	512	EB	0 - 8.74	I-5 to SR 161	3-7 PM	10'
		WB	8.74 - 0		7-9 AM, 3-7 PM	10'
		EB	8.74 - 12.06	SR 161 to SR 167	3-7 PM	10'
Olympia	5	NB	99 - 109	Exit 99 to Exit 109	4-6 PM	10'
		SB	109 - 99		4-6 PM	10'
Vancouver	5	NB	0 - 7.48	Oregon to I-205	3-6 PM	10'
		SB	7.48 - 0		6-9 AM	10'
	205	NB	26.59 - 37.16	Oregon to I-5	4-7 PM	10'
		SB	37.16 - 26.59	I-5 to Oregon	6-9 AM	10'
Kelso	433	NB	.94 - 0	Lewis and Clark Bridge	6-9 AM	10'
		SB	0 - .94		6-9 AM	10'
Spokane	90	EB	272.66 - 295.73	Medical Lk. to Liberty Lk. Exit	6-9 AM, 3-7 PM	11'2"
		WB	296.64 - 272.96	Liberty Lk. to Medical Lk. Exit	6-9 AM, 3-7 PM	11'2"