



CITY OF PUYALLUP  
**Development & Permitting Services**  
 333 S. Meridian, Puyallup, WA 98371  
 (253) 864-4165  
[www.cityofpuyallup.org](http://www.cityofpuyallup.org)

**Permit No:**  
 PRSC20241750

## UTILITY SERVICE CONNECTION

Puyallup, WA

<b>Job Address</b>	Address: 1036 VALLEY AVE NW, PUYALLUP, WA 983711042 VALLEY AVE NW, PUYALLUP, WA 98371 Parcel # 04201630420420163077	<b>ISSUED</b> December 19, 2024
<b>Owner</b>	TROLSON NORMAN K 550 S MICHIGAN ST SEATTLE, WA 98354-0567	
<b>Applicant</b>	Contour Engineering LLC PO Box 949 GIG HARBOR, WA 98335 (253) 236-3151 patrick.hopper@contourengineeringllc.com	
<b>Contractor</b>	REANO CONSTRUCTION PO BOX 1035 BLACK DIAMOND, WA 98010 heidireano@gmail.com WA L&I #:	
<b>Description of Work</b>	Water & Sewer utility service connections for the Valley Avenue Yard Project. Associated with Civil Construction Permit #PRCCP 20231180. No plumbing fixtures being added/changed.	
<b>Permit Types</b>	Utility Service Connection	
<b>Expiration Date:</b>	June 17, 2025	
<b>Total ESU's</b>		

**Building Components:**

Quantity	Units	Description
1	EA	Utility Service Connection
1	QTY	SDC - Commercial/Industrial Plumbing Fixtures (water)
1	QTY	SDC - Commercial/Industrial Plumbing Fixtures (sewer)
		<b>Total Value of Work:</b>
		\$0.00

**Standard Conditions:**

1. Development Engineering standard right-of-way conditions:

Site-specific Conditions:

**Applicant/Contractor Responsibility:**

1. The issued permit and traffic control plan(s) are always required to be available at the job site and readily available to all City inspectors. The applicant shall be subject to a triple permit fee for failing to have a valid permit on site.
2. The applicant/contractor shall notify the City 24-48 business hours prior to starting work by requesting an inspection through the CityView portal. Inspections performed during a City of Puyallup business day (Monday - Friday 7:00 am – 3:30 pm) are

included in the permit fee. Inspections performed outside of the regular hours are charged to the permit holder at the current City of Puyallup Fee Schedule inspection rate with a three-hour minimum. Prior to scheduling weekend and night work, coordinate with a City Inspector by calling 253-435-3650 at least 48 business hours in advance of work.

3. Public notification shall comply with PMC Chapter 11.05.110. The applicant/contractor shall notify property owners of blocked driveways at least 24 hours in advance; public transportation agencies whose routes or stops are affected by the traffic control plan 24 hours in advance (Pierce County Transit Construction Coordinator: 253-581-8000); and place no parking signs adjacent to the work and safety zones at least 72 hours in advance of job start.

4. The applicant/contractor shall notify the City prior to site restoration, immediately after all work and restoration are complete, and when the site is ready for final inspection. The applicant/contractor shall request a final inspection through the CityView portal prior to the permit expiration date.

#### General Conditions:

1. Comply with all permit conditions and the Traffic Control Plans (TCP) issued by the City.

2. Follow the allowed work hours as listed on the issued permit or on each page of the TCP.

3. If a travel lane will be closed, the applicant/contractor shall call the Communications Center at 253-287-4456 prior to starting work on day of closure and again once the lane is reopened.

4. Spotter must be available to assist with pedestrians if needed.

5. Request all inspections through the CityView portal on the City website. Prior to scheduling weekend and night work, coordinate with a City Inspector by calling 253-435-3650 at least 48 business hours in advance of work.

6. All work in the public right-of-way shall comply with Puyallup Municipal Code Chapter 11. Furthermore, all traffic control shall comply with MUTCD standards. Besides the conditions stamped on the issued traffic control plan, right-of-way administrators, permit holders, and contractors shall abide by the following principles:

- Traffic control devices shall be 28-inch retro-reflective cones. Distance between cones equals speed limit in unit-feet.
- Advanced warning sign spacing shall be 100 feet when speed limit is 30 mph or less and 350 feet when speed limit is greater than 30 mph. Distance between signs is mandatory unless field conditions determine otherwise, at the discretion of the City Inspector.

- Taper length shall be calculated using MUTCD Section 6C.08.

- Travel lane widths must be always a minimum of 11 feet in all directions.

- Any and all flaggers and spotters shall always remain in radio contact.

- All aerial crossings at an intersection shall be a maximum of 3 minutes.

- When shifting traffic into a turn lane, use of double cones is required. Traffic device spacing shall be half distance for opposing traffic devices.

7. Open cut is not permitted without prior approval from the City. STEEL PLATE AHEAD and MOTORCYCLISTS USE EXTREME CAUTION advanced warning signs are required for steel plates installed in the public right-of-way.

8. Do not park vehicles on City sidewalk. Any public curb, gutter, or sidewalk broken now or during construction shall be removed and replaced per City Standards.

9. All vehicles, equipment, and personnel are prohibited at all times from occupying any portion of a railroad crossing. Railroad crossing signs and striping shall be visible at all times. Vehicle and pedestrian traffic shall not be queued on any railroad crossing. Furthermore, the City does not review, approve, authorize, or permit work in the BNSF Railway right-of-way. The applicant and permit holder are responsible to obtain the necessary permits from the jurisdictional agencies to complete this work. A BNSF Railway Company Pipeline or Wire Line permit may be required. The applicant or permit holder shall present a copy of the BNSF permit upon request of the City Inspector.

10. No disruption of signal timing allowed at signalized intersection unless the traffic control plan depicts a uniformed police officer at the intersection. For approved Traffic Control Plans that necessitate the use of police officer assistance, Puyallup police officers will be utilized. If a uniformed police officer is depicted, the applicant/contractor shall contact Jacquie Rutherford, Puyallup Police Department Project Coordinator, at 253-841-5436 or jrutherford@puyallupwa.gov to coordinate traffic support with a Puyallup uniformed police officer at least 24 hours of job start.

11. If the work zone is located within a quarter mile of MultiCare Good Samaritan Hospital, the permit holder shall notify MultiCare Good Samaritan Hospital by contacting Aaron Piche, Manager of Engineering Services, at aaron.piche@multicare.org with the proposed impacts and closure hours at least 48 hours in advance of job start. No emergency service vehicle travel routes shall be blocked or rerouted. In a safe manner, flaggers shall prioritize travel for emergency service vehicles.

12. Work within WSDOT's jurisdiction requires a traffic control plan stamped with WSDOT's approval. If you have not received WSDOT approval, please email your plans to olympicregionutilities@wsdot.wa.gov prior to applying with the City of Puyallup. On or before the Wednesday prior to work commencement or traffic control, the applicant shall notify the WSDOT Area 1 Maintenance office of work on a state route (SR) at (360) 357-2600 or at orfeedback@wsdot.wa.gov. The applicant shall abide by the Traffic Management Center (TMC) requirements.

13. Puyallup construction restriction zones and routes shall be in effect during special events in downtown Puyallup or at the Washington State Fair. During these events, no work is allowed in the public right-of-way as defined by the Puyallup "Construction Restriction Zone & Routes Map."

14. Work and traffic control at each permitted location shall be asynchronous with other issued permits held by this permit holder, even if the work is related. Advanced inspection scheduling with the City Inspector is required for multiple permits and locations to ensure adequate inspections. Inspection scheduling shall be at the discretion of the City Inspector. Working without advanced notice to the City is strictly prohibited and may result in penalties or stop work orders.

15. A 10" diameter core drill is allowed for potholing. For pothole windows larger than 10" in diameter or trenching completed in existing roadway, the contractor shall restore the pavement by installing the trench patch and then grinding/overlaying. All roadway restoration and street patches shall comply with City Standard Detail 01.01.20. Restoration limits and requirements shall be at the discretion of the City.

Permit is valid 180 days from date of issuance. Permit validity is subject to all adhering to all applicable codes, ordinances and standards, and conditions of this permit.

#### Indemnification / Hold Harmless

The Permittee shall defend, indemnify and hold the Public Entity, its officers, officials, employees and volunteers harmless from any and all claims, injuries, damages, losses or suits including attorney fees, arising out of or in connection with activities or operations performed by the Permittee or on the Permittee's behalf out of issuance of this Permit, except for injuries and damages caused by the sole negligence of the Public Entity.

**I certify that I am the owner of this property or the owner's authorized agent, including an appropriately licensed contractor. I have read and examined this application and furnished true and correct information. I will comply with all provisions of law and ordinances governing this type of construction work, whether specific herein or not. By submitting this application, I give the jurisdiction permission to enter the property to perform inspections. The granting of this permit does not presume or give authority to violate or cancel the provisions of any other state or local law regulating construction or the performance of construction. I understand that failure to comply with the above may result in revocation of the permit.**

**Applicant:**  
Contour Engineering LLC