

TEMPORARY TRAFFIC CONTROL PLAN

PRFUP20250118




City of Puyallup Development & Permitting Services ISSUED PERMIT	
Building	Planning
Engineering	Public Works
Fire	Traffic

The applicant/contractor shall contact Meghan Genge, Puyallup Police Department Support Specialist, at 253-841-5436 or mgenge@puyallupwa.gov to coordinate traffic support with a Puyallup uniformed police officer at least 24 hours of job start.

ROAD WORK ALLOWED:
Monday - Thursday
10AM - 1PM
Call communications center at 253-287-4456 on day of work. Request a job start inspection through the CityView portal.

The City-issued permit packet shall be posted at the job site and available to inspectors at all times.



Notes:

- All signs and spacing to conform to the MUTCD and City of Puyallup standards.
- All sidewalks, driveways, exits and egresses shall be completely clear unless otherwise indicated.
- Channelizing devices are 28" traffic cones. Use traffic drums (barrels) with steady burning Type C lights on all State State Routes and Hwys.
- Sign size can be a minimum of 36" x 36" and shall not obstruct pedestrian access.
- Crew is required to leave a minimum of 11' for traveling lane width.
- Alert affected residents and businesses.
- ~~Work to take place between 9 a.m. and 4 p.m. unless otherwise specified. All work for arterials and major roadways will be from 9 a.m. to 3 p.m.~~
- Work area will be approx. 90' NCL of 23rd Av SE & 4' WCL of Shaw Av E.

$$L = \frac{W \cdot S^2}{60}$$

MPH	"X"
60/65	1000'
45/55	500'
35/40	350'
25/30	100'

CHANNELIZATION DEVICE SPACING
DISTANCE BETWEEN CONES EQUALS SPEED LIMIT IN UNITS OF FEET

LEGEND	
	28" TRAFFIC CONE
	VALVE LOCATION
	TRAFFIC FLOW
	UNIFORMED POLICE OFFICER
	FLAGGER
	WORK VEHICLE/ FLASHING LIGHTS
	SIGN LOCATION
	RIGHT OF WAY ROW
	CHEVRON ARROW BOARD

PSE PUGET SOUND ENERGY
Designer: Stephen R Gadke
425-424-6431
stephen.gadke@pse.com
Project Address: 23rd Av SE & Shaw Av E Puyallup, WA

Puget Sound Energy
Traffic Control Supervisor:
Stephen R Gadke
Card No. 012522
Exp. 7/31/2025
stephen.gadke@pse.com
(425) 424-6431
Stephen R Gadke

01/16/25	REV
	0
Job #	
887039286	
Page	1 OF 1