
## Meridian Firs Apartments Deck Repair



CASEY + DeCHANT ARCHITECTS, LLC

LDECHANT@CASEYDECHANTARCH.COM


TOMOSOLUTIONS4STRUCTURES.COM

SOLUTIONS 4 STRUCTURES, INC.

11605 135TH ST. CT. E.

PUYALLUP, WA 983742

(253) 584-5207 CELL 253-677-0364



Scope of Work

**Project Team** 

**ENGINEER:** 

PROVIDE 42" HIGH PHYSICAL BARRIER AT SLIDING GLASS DOOR

MERIDIAN FIRS LLC

TACOMA, WA 98411

PUYALLUP, WA 98371

LARRY DeCHANT

(253) 314-9822

(253) 475-2405 DEARTH@DMCIMAIL.COM

PO BOX 456

C/O DMCI PO BOX 111088

TO PREVENT TENANT ACCESS TO EXTERIOR DURING REMOVE CORNER OF EXISTING CONCRETE PATIOS AS NEEDED

POUR NEW CONCRETE FOOTINGS PER DETAILS AT NEW POST LOCATIONS WHERE CALLED OUT. ADD NEW BEAM & POSTS PER DETAILS WHERE CALLED OUT.

NO REPLACEMENT OF DOORS, WINDOWS, CONC. PATIOS, WALKS PROPOSED OR SCHEDULED.

<u>NTERIOR WORK</u> 1. NO INTERIOR WORK PROPOSED

**Drawing Notes** 

FOLLOW THE CONSTRUCTION DETAILS IN THE ATTACHED CONSTRUCTION DOCUMENT. HIDDEN OR UNKNOWN DEFECTS ARE NOT ADDRESSED IN THIS DOCUMENT.

CONTRACTOR IS RESPONSIBLE FOR DETERMINING QUANTITIES BY USING THE CONSTRUCTION DOCUMENTS, CONTRACTOR SITE OBSERVATIONS AND FIELD MEASUREMENTS.

PROVIDE DEMOLITION OF EXISTING MATERIALS AS REQUIRED TO COMPLETE THE SCOPE OF WORK AND AS OUTLINED IN THE CONSTRUCTION DOCUMENTS. LEGALLY DISPOSE OF ALL

INFORMATION SHOWN IN CONSTRUCTION DOCUMENTS IS SUBJECT TO THE REVIEW AND APPROVAL OF THE JURISDICTION AND MAY BE AMENDED.  $\sim$ 

OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES THAT INCUR DUE TO THE CONTRACTORS FAILURE TO LOCATE EXACTLY AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES. 


## **Owner/Contractor Coordination Notes**


THE FOLLOWING NOTES SHALL SERVE AS A GUIDE TO THE CONTRACTOR TO VERIFY E THE ITEMS OUTLINED BELOW ARE NOT INTENDED TO BE AN EXHAUSTIVE ANALYSIS OF A POSSIBLE AREAS OF CONCERN OR CONFLICT, BUT RATHER TO SERVE AS A BEGINNING

POINT IN IDENTIFYING COMMONLY OVERLOOKED AREAS IN THE CONSTRUCTION PROCESS REVIEW SPECIFICATION, MANUFACTURER'S PRODUCT LITERATURE, AND GENERAL NOTE

- SEALANT PRESSURE TREATED LUMBER METAL STRUCTURAL HANGERS, CLIPS, STRAPS, ETC. MEMBRANE FLASHING
  WEATHER RESISTANT BARRIER
- REVIEW LOCAL & STATE JURISDICTIONAL REQUIREMENTS FOR COMPLETE INSTALLATIONS OF THE FOLLOWING: A. CONCRETE FOOTINGS STRUCTURAL INSPECTIONS
- IF SPECIAL STRUCTURAL INSPECTIONS ARE REQUIRED BY IBC AND/OR THE CITY OF
- DRAWINGS PREPARED BY OTHERS ARE CONSIDERED ADDITIVE TO THE ARCHITECTUR DRAWINGS SUBMITTED

City of Puyallup Building **REVIEWED FOR COMPLIANCE SKinnear** 02/12/2025 2:00:15 PM





CODE COMPLIANCE: 2021 INTERNATIONAL EXIST BLDG CODE

0419032096

2923 S. MERIDIAN ST (BLDG F)


R-2 OCCUPANCY MULTI-FAMILY 2 STORY APARTMENTS

**Project Statistics** 

NUMBER OF DECKS: 6 DECKS

SITE ADDRESS:

PARCEL NUMBER:





SEE ENLARGED SITE

MAP THIS SHEET

**Enlarged Site Map**  $\sim$ EXISTING CONDITIONS AT DECKS: - NO DECK REPAIR/REPLACEMENT OR 

**Photos of Existing Conditions** 

Casey + DeChant Architects, LLC Architecture And Planning

Approval of submitted plans is not an

approval of omissions or oversights by

this office or non compliance with any

responsible for making sure that the

building complies with all applicable

codes and regulations of the local

The approved construction plans,

in a visible and readily accessible

Full sized legible color plans are

required to be provided by the

permitee on site for inspection.

documents, and all engineering must be posted on the job at all inspections

 $\Rightarrow \frac{\text{Site Map}}{\text{SCALE 1"} = 50'}$ 

applicable regulations of local

government. The contractor is

government.

IMPORTANT RAILING NOTE: THE CONTRACTOR SHALL EXAMINE AND DETERMINE THE CONDITION OF EXISTING 2x2 PICKETS AND REPLACE DAMAGED PICKETS WITH NEW OF LIKE KIND AND ATTACHMENT METHOD.

## **General Work Notes**

- CONTRACTOR TO PROVIDE SUPPORT FOR EXISTING STRUCTURES TO REMAIN DURING CONSTRUCTION IF
- DIMENSIONS SHOWN ARE APPROXIMATE. FIELD VERIFY.
- 3. ALL WOOD FRAMING IS PRESSURE TREATED.
- ALL NOTES ARE TYPICAL AND APPLY TO MULTIPLE LOCATIONS, EVEN THOSE NOT IDENTIFIED BY THE NOTE.
- PER IBC SECTION 1015.4 OPENING LIMITATIONS: REQUIRED GUARDS SHALL NOT HAVE OPENINGS THAT ALLOW PASSAGE OF A SPHERE 4 INCHES (102 MM) IN DIAMETER FROM THE WALKING SURFACE TO THE REQUIRED GUARD HEIGHT.

/---NEW HORIZONTAL 1x6

CAP - PAINT TO

EXIST 6x8 P.T. BEAM

-EXISTING SLIDING

-EXISTING POST ON

SIMPSON ELEVATED POST

GLASS DOOR

EXISTING GRADE

-EXISTING PATIO

EXIST. 6x8 P.T. BEAM

- NEW MARINE GRADE PLYWOOD DECKING ON

EXISTING DECK FRAMING

@ 16" O.C. W/ 10d @

6" O.C. AT SUPPORTED

PANEL EDGES & 12"

-EXIST. 6x6 P.T. WOOD

HORIZONTAL 1x6 CEDAR

COLUMN BELOW

- EXIST. RAILING TO REMAIN WITH NEW

OVER EXISTING 2x2


PICKETS

O.C. IN FIELD

- EXISTING SLIDING GLASS DOOR

CEDAR OVER EXISTING

2x2 PICKETS WITH TOP



0

Repair

**Deck** 

Typical Deck Plan

SCALE: 1/4" = 1' - 0"

EXISTING TOP RAILING

CAP TO REMAIN -

EXISTING

CANTILEVERED

DECK FRAMING-

**Typical Deck Elevation** 

6'-9" (APPROX.)

SCALE: 1/4" = 1' - 0"

BEAM TO COLUMN BRACKET