


Call before you dig. It's the law.  
Dial 811 or call 1-800-424-5555.



PRROW20241361

Prior to final or expiration of PRROW20241361, whichever comes first, the right-of-way user shall obtain a new right-of-way permit for quarterly monitoring well sampling and well decommissioning.

**LEGEND:**


- MW-10 MONITORING WELL LOCATION
- MW-5 OFF-SITE MONITORING WELL (INSTALLED BY GEI IN 2006)
- MW-1 DECOMMISSION MONITORING WELL LOCATION
- OW-1 OBSERVATION WELL LOCATION
- OWS OIL WATER SEPARATOR
- APPROXIMATE EXCAVATION LIMITS (1990)
- APPROXIMATE EXCAVATION LIMITS (2010)
- APPROXIMATE UST SHORING BASIN INSTALLED IN 1990
- GROUNDWATER MTCA SITE BOUNDARY
- SOIL MTCA SITE BOUNDARY
- PROPOSED SOIL BORING
- PROPOSED MONITORING WELL

A 10" diameter core drill is allowed for potholing. For pothole windows larger than 10" in diameter or trenching completed in existing roadway, the contractor shall restore the pavement by installing the trench patch and then grinding/overlaying. All roadway restoration and street patches shall comply with City Standard Detail 01.01.20. Restoration limits and requirements shall be at the discretion of the City.

The City of Puyallup does not authorize or permit boring or monitoring well work on private property. The permit holder shall be responsible to obtain the necessary permissions or permits from all property owners or jurisdictional agencies prior to starting work.

Facilities located in a pedestrian access route, shall have a slip resistant surface, no vertical discontinuities exceeding ¼" maximum unless beveled between ¼" and ½", or any horizontal surface openings more than ½".

\*Figure modified from Arcadis, Site Plan with Analytical Results August 1, 2019



1687 114th Avenue Southeast, Suite 100  
Bellevue, Washington  
Phone: (425) 869-9448 Fax: (425) 869-1190

For:



FORMER BP FACILITY NO. 11082  
401 SOUTH MERIDIAN  
PUYALLUP, WASHINGTON

Job Number:

203723078

Drawn By:

AS

Checked By:

MP

Approved By:

EL

Date:

MARCH 2024

SITE PLAN WITH PROPOSED  
INVESTIGATION LOCATIONS

Figure:

6

In accordance with Puyallup Municipal Code Chapter 11.05.190, right-of-way user's facilities, including monitoring wells, installed in the public right-of-way shall be decommissioned per Washington Administrative Code chapter 173-160, Minimum Standards for Construction and Maintenance of Wells, and removed within 180 days of installation. If necessary, the City shall invoke Puyallup Municipal Code Chapter 11.05.190 to remove the facilities at the expense of the right-of-way user.