



CITY OF PUYALLUP
Development & Permitting Services
333 S. Meridian, Puyallup, WA 98371
(253) 864-4165
www.cityofpuyallup.org

Permit No:
PRCTI20250324

COMMERCIAL - TENANT IMPROVEMENT/REMODEL

Puyallup, WA

Job Address	Address: 1015 39TH AVE SE, PUYALLUP, WA 98374 Parcel # 0419034038	ISSUED May 05, 2025
Owner BCC PUYALLUP LLC 9675 SE 36TH ST STE 115 MERCER ISLAND, WA 98188		
Applicant Michael Chen 500 Union Street, Suite 410 Seattle, WA 98101 (206) 582-2573 mchen@mcknze.com		
Contractor JTM CONSTRUCTION 5900 AIRPORT WAY SOUTH, #110 SEATTLE, WA 98108 (206) 702-8193 WA L&I #:		
Plumbing Contractor JTM CONSTRUCTION 5900 AIRPORT WAY SOUTH, #110 SEATTLE, WA 98108 (206) 702-8193 WA L&I #:		
Description of Work Commercial tenant improvement to existing 50,767 sf space - COP ~ PUBLIC SAFETY BUILDING		
Permit Types	Commercial - Tenant Improvement/Remodel	
Expiration Date: November 01, 2025		
Total ESU's		
REQUESTING REQUIRED INSPECTIONS A list of required inspections can be found on the permitting portal. Log in to your portal account, click on my items, and expand My Building Permit application, My Engineering Permit application, or My Fire Permit application depending on your permit type. Then locate your permit number and click on "request inspection". This will pull up a list of inspection types associated with your permit. Click on the desired inspection type and then click Next Step to begin the inspection request process.		

Standard Conditions:

1. * Final approval by the Building Official is required prior to use or occupancy.* Work shall not proceed until the inspector has approved the stages of construction.* Surface storm water shall be diverted from the building site and shall not drain onto adjacent properties.* I hereby acknowledge that I have read this Permit/Application, that the information given is correct; that I am the owner or the duly authorized agent of the owner; that plans submitted herewith are in compliance with all applicable city, county and state laws and that all construction will proceed in accordance with said laws. This permit shall expire if work is not commenced with 180 days or if the work is suspended for a period of 180 days. Permits expire two years from issuance. * By leaving the contractor information section blank, I hereby certify further that contractors (general or subcontractors) will not be hired to perform any work in association with this permit. I also certify that if I do choose to hire a contractor (general or subcontractor) I will only hire those contractors that are licensed by the State of Washington. If you are a property owner, contractor or permittee and you are paying for someone to perform the work, they must have a valid contractor registration and the person(s) installing plumbing inside a structure must meet the plumbing certification requirements. If you have any questions

regarding these regulations, you may contact the Washington State Department of Labor and Industries or you can find more information on-line at: <http://www.lni.wa.gov/TradesLicensing/Contractors/HireCon/default.asp>

- 2. • Comply with 2021 IFC and 2021 IBC
- Total coverage required in the city of puyallup
- L&I Final required prior to Fire Final
- Exit lighting test required, contractor to provide light meter
- Emergency radio test required comply with IFC section 510. Fire final approval upon completed test results
- Separate permits required for Fire Alarm, Fire Sprinkler, and DAS
- RTU’S will be required to be tested for shut down with Fire Alarm
- Smoke and Fire dampeners will be tested with Fire Alarm. Access doors are required for maintenance and visual inspection.
- Fire extinguishers required per code to be installed at time of Fire Final.
- In existing buildings all required service and maintenance to be completed prior to inspection for the Fire Alarm, and Fire Sprinkler Systems.
- A Knox box is required at the front entry on the exterior of the building if equipped with a Fire Alarm System or Fire Sprinkler System.
- PIV must have a Knox lock or approved lock with an extra key provided in Knox box
- Existing buildings will need to contact central pierce fire & rescue and update the key in the Knox box
- All above items to be completed prior to fire final. Fire final required before building final

Schedule your inspection online through the city of puyallup online permit system. This is a request for inspection only. A date and time will be selected by Inspector depending on availability. Email morning of inspection between 7am – 8am for scheduled date and time. Fire Inspections are Monday – Thursday there will be no inspections on Fridays. David Drake ddrake@puyallupwa.gov

Permit is valid 180 days from date of issuance. Permit validity is subject to all adhering to all applicable codes, ordinances and standards, and conditions of this permit.

Conditions

The items listed in the table below are outstanding conditions that need to be resolved prior to occupancy and/or final inspection.

Condition Category	Condition	Department	Condition Status
--------------------	-----------	------------	------------------

Prior to Completion	<p>A 1" fire service is required to supply the structure's fire sprinkler system. The applicant shall coordinate water service connection with the City prior to starting site work by scheduling an inspection through the CityView portal.</p> <p>Per City Design Standard Section 302.3, a double detector check valve assembly (DDCVA) backflow device is required on the fire service line to any building which is equipped with a closed fire sprinkler protection system. The DDCVA shall be located inside the building or in a vault at or near the property line and shall be installed in accordance with City Standard Detail 03.10.01-1 and 03.10.01-2.</p> <p>Upon approval of the installation by the city inspector, the backflow device shall be tested by a Washington State certified backflow assembly tester, and the test report results shall be submitted to the City prior to occupancy of the building.</p>	Engineering Division	Open
Prior to Issuance	Contractor needs to have a valid City of Puyallup business license endorsement with Washington State Department of Revenue.	Development & Permitting Services	Resolved
Prior to Issuance	Must provide Contractor doing the work to be named on permit. Contractor must be registered with Washington State Labor and Industries AND have a valid City of Puyallup business license endorsement with Washington State Department of Revenue.	Development & Permitting Services	Resolved
Prior to Issuance	<p>PRCTI20250324 shall not be issued until associated civil application PRCCP20250372 is approved.</p> <p>TI issuance has been approved before civil issuance - see docs and images</p>	Development & Permitting Services	Resolved

I certify that I am the owner of this property or the owner's authorized agent, including an appropriately licensed contractor. I have read and examined this application and furnished true and correct information. I will comply with all provisions of law and ordinances governing this type of construction work, whether specific herein or not. By submitting this application, I give the jurisdiction permission to enter the property to perform inspections. The granting of this permit does not presume or give authority to violate or cancel the provisions of any other state or local law regulating construction or the performance of construction. I understand that

Applicant:
Michael Chen

failure to comply with the above may result in revocation of the permit.