

PRCTI20250011



CLIENT'S NAME: BARNES & NOBLE

REVISION

2

ISSUE DATE: 05.19.2025

Project:	Barnes & Noble PUYYALUP, WA	Store No:	3507
Dwg. Date:	05.16.2025	Project No:	33247

☐ Architect Clarification ☐ MEP Clarification
☐ Building Department Comments ☐ Landlord Comments ☒ Owner's Changes
☐ Field Condition
☐ Other :

	Reference Document	Comments
1	A-000	Updated Rev. 2 Drawing Index column.
2	A-001	Updated Occupancy Load.
3	A-001A	No changes.
4	A-002	Updated Responsibility Schedule.
5	A-003	Added EM 2 on stockroom entry. Added NIC in (E) mall electrical room & (E) mall sprinkler room. Moved Manager's Office and updated Break Room.
6	DM-101	Added NIC in (E) mall electrical room & (E) mall sprinkler room. Added Demolition Keynotes nos. 16 and 17.
7	A-101	Relocated Lightstat, Server and Music to Storage 102 and updated shelving units as req'd. Updated detail no. 2/A101. Moved double door in Stockroom. Updated location of fire extinguishers. Relocated Café signage. Relocated plan tube holder in stock room. Added NIC in (E) mall electrical room & (E) mall sprinkler room. Added furred wall in Sales Area, Restrooms and Break Room. Added wall tag no. 3 updated keynote & dimensions. Moved Manager's Office and updated Break Room. Added Keynote no. C29 & C30.
8	A-111	Relocated cashwrap unit & updated cashwrap dimensions accordingly. Relocated Café signage and fire extinguishers. Relocated Lightstat, Server and Music to Storage 102 and updated shelving units as req'd. Updated CPU location. Added note regarding aisle width. Added NIC in (E) mall electrical room & (E) mall sprinkler room. Updated Break Room layout and moved Manager's Office. Relocated faucet in Janitor Closet.

9	A-121A	Removed HB-R lights from plan & schedule. Updated lighting dimensions as req'd. Updated RCP above Café area and lighting in Café Seating Area. Renamed BOH emergency lights. Renamed details call-out from 8/A-420 to 3/A-121B. Updated Light Fixture Schedule. Renamed the sheet from A-121 to A-121A and added NIC in (E) mall electrical room & (E) mall sprinkler room. Updated ceiling and lighting layout in Break Room, Manager's Office and updated dimensions. Added keynote no. 11.
10	A-121B	Created a new sheet and renamed all details as req'd.
11	A-131	Added NIC in (E) mall electrical room & (E) mall sprinkler room. Updated finishes in Sales Area, Break Room, Manager's Office and Stock Room due to design changes.
12	A-151	Removed J-Box from Receiving Table & Safe. Updated duplex locations in Cafe Seating Area. Updated CPU location. Relocated Lightstat, Server and Music to Storage 102. Added duplex for Nook fixture. Added NIC in (E) mall electrical room & (E) mall sprinkler room.
13	A-200	Updated hand dryer height to 40" in elevation no. 4. Added dim for blocking and updated note. Added call-out no. 21/A-201 & 26/A-201 to Restroom Plan. Updated Janitor Closet Plan and elevation nos. 10, 12 & 13.
14	A-201	Updated hand dryer height from to 40" in detail no. 20. Updated details nos. 22 & 25. Added detail no. 26.
15	A-210	Updated Vestibule Plan, Elevations, Section and Details.
16	A-220	No changes.
17	A-221	Updated Cafe Wall type details and added 1'-0" wide enclosure. Updated details tag, annotations & dimensions.
18	A-222A	Updated Café & Café Workroom Supply Plumbing Plan including dimensions. Updated plumbing legend & notes & drawing title name.
19	A-222B	Added floor sink in Café Workroom and removed floor sink in Café sales.
20	A-222C	Updated schematic diagram and notes below photo titles.
21	A-223	Updated Electrical Plan, Elevation and Legend/
22	A-224	Updated Equipment Plan and Schedules.
23	A-225	Updated Finish Plan, Countertop Plan and details.
24	A-226A	Updated Café Elevations.
25	A-226B	Updated Café Workroom Elevations.
26	A-227	Updated dimensions and drawing title.
27	A-228	No changes.

28	A-300	No changes.
29	A-301	Added notes to Storefront Plan and Elevation.
30	A-302	No changes.
31	A-303	No changes.
32	A-400A	Updated HB light fixture's height to 8'-0" and Cashwrap elevation.
33	A-400B	Updated HB light fixture's height to 8'-0".
34	A-410	Added notes and updated details nos. 1 & 2. Added wall type no. 3 and renamed wall type to no. 4.
35	A-412	Updated Break Room Plan and Elevations and Office dimensions.
36	A-413	Updated Cashwrap Plan and Elevation and Receiving Table Elevation. Added elevation no. 9.
37	A-414	No changes.
38	A-500	Removed detail no. 3 and updated Door Schedule.
39	A-510	Added finish note.
40	ESK-000	No changes.
41	1	No changes.
42	S-001	No changes.
43	S-101	No changes.
44	S-102	No changes.
45	S-500	No changes.
46	S-551	No changes.
47	E-101	Added lighting dimensions. Adjusted wiring and circuiting for lighting above Café Sitting area. Added High Bay lighting. Added emergency lights with circuiting. Increased size of current limiter for s/w track lighting. Replaced track lighting details with the latest per prototype. Relocated and rewired Breakroom's lighting and Manager Office's lighting per new layout.

48	E-102	Updated keynote #P1. Eliminated keynote #P3. Modified original keynote #P4 to new key notes #P4A and #P4B. Added/updated key notes #P4A and #P4B to the millwork located at the perimeter. Eliminated original keynote #P6. Eliminated keynote #P6 from all the exterior storefront signs in plan. Added keynote #P34. Added keynote #P34 to all drivers in millwork. Added key notes #P35A and #P35B. Added these key notes to the Millwork located in the middle of the Sales area. Added keynote #P38. This keynote is added to all the receptacles in the Café Bar Counters and the Café Bench Seating areas. Added keynote #P37. Added GFCI labels to all receptacles in Café Seating area and wired them to j-boxes around the perimeter. Added keynote #P36. Added quad for back-up server in Storage Room #102. Replaced EAS detail with the latest prototype. Added outlets for Nook and info. Shifted power for receiving CPU. Added keynote P-38 for Grab & Go self-service refrigerated case.
49	E-103	Added Typical Receiving Table Elevation Detail. Replaced previous Server Room detail with the latest prototype. Relocated Music Receptacle. Relocated and rewired Breakroom's receptacles and Manager Office's receptacles per new layout. Updated notes per the latest prototype.
50	E-104	Relocated thermostats to the new Lightstat location.
51	E-105	Adjusted "Café Equipment Power Schedule" to the latest updates. Updated Food Service and Café Equipment Schedules. Equipment labeled before as item #120B is now labeled as item #129. Equipment labeled before as item #132 is now labeled as item #124. Updated quantity of items per the latest prototype. Updated specification for 3-compart. sink. Eliminated one (1) CO1. Relocated receptacle for item #119.
52	E-201	Updated mounting heights of light fixtures "HB". Updated Lighting Fixture Schedule to include the remote emergency light "EM2". Added Driver symbol in Electrical Symbol Legend.
53	E-202	No changes.
54	E-202.1	Updated panel schedules to eliminate three (3) circuits previously used for power in millwork. Updated electrical loads per this revision as required. Added circuit breaker #A-6 for Back-up Server. Added circuit breaker #B-34 for Café Counter Outlets. Added Nook and info circuits to panels. Adjusted / increased lighting loads to match the latest RCP. Decreased load for kitchen conv. outlets. Updated panel "K" schedule per the latest prototype.
55	E-203	Updated lighting contactors to eliminate three (3) circuits previously used for power in millwork.
56	E-301	No changes.
57	E-302	No changes.

58	M-100	No changes.
59	M-101	No changes.
60	M-102	Slightly relocated six (6) supply diffusers above Café Sitting area. Slightly duct branch from RTU-3 to avoid light fixtures “HB”. Updated air distribution in Breakroom and Manager Office’s areas per new layout. Relocated thermostats to the new Lightstat location.
61	M-201	No changes.
62	M-301	No changes.
63	M-302	No changes.
64	M-303	No changes.
65	P-101A	Updated Food Service and Café Equipment Schedules. Updated specification for 3-compart. sink. Adjusted sanitary lines for slightly relocated toilet room fixtures. Adjusted sanitary line for relocated mop sink.
66	P-101B	Updated Food Service and Café Equipment Schedules. Updated specification for 3-compart. sink. Eliminated indirect waste for hand sink item #2. Hand sink in Café area is now identified with keynote #2.
67	P-102A	Updated Food Service and Café Equipment Schedules. Updated specification for 3-compart. sink. Updated keynote #13 to indicate mounting height. Added coded notes #20 and #21. Rerouted water lines inside the low wall below the café counter. Updated coded notes #5 and #9 to indicate routing below counter. Adjusted water lines for slightly relocated toilet room fixtures. Adjusted water lines for mop sink and water heater connections.
68	P-102B	Updated Food Service and Café Equipment Schedules. Updated specification for 3-compart. sink. Eliminated second CW and HW lines for 3-compart. sink. Updated keynote #13 to indicate mounting height. Added coded notes #20 and #21. Rerouted water lines inside the low wall below the café counter. Updated coded notes #5 and #9 to indicate routing below counter. Rerouted water lines inside the low wall below the café counter. Hand sink in Café area is now identified with keynote #2. Added ¾” RHW around the recirculated HW loop. Updated water distribution per the latest prototype.
69	P-102C	Created/added sheet for Café Plumbing Riser Schematic per the latest prototype.
70	P-201	Updated specification for 3-compart. sink. Hand sink in Café area is now identified with keynote #2 in the Grease Interceptor detail.