

# City of Puyallup Application for Building Permit

PRCTI20250537

333 S. Meridian Puyallup, WA 98371 Tel: (253) 864-4165

permitcenter@puyallupwa.gov

| Parcel No:           | Site Address:                          |                        |
|----------------------|--|------------------------|
| Owner Name:          | Tel:                                   |                        |
| Owner Address:       | City:                                  | Zip:                   |
| Contractor Name:     | Tel:                                   |                        |
| Contractor Address:  | City:                                  | Zip:                   |
| WA State License:    | Exp Date:                              | City Business License: |
| Contact Name:        | Email:                                 |                        |
| Contact Tel:         | Fax:                                   |                        |
| Lender Name:         | Address:                               | Tel:                   |
| Don't at Danishtian  |  |                        |
| Project Description: | li i i i i i i i i i i i i i i i i i i |                        |

If the project disturbs one acre or more, the applicant must apply for a NPDES Construction stormwater general permit from the Department of Ecology. For additional information visit DOE website <a href="https://www.ecy.wa.gov/programs/wq/stormwater/construction">www.ecy.wa.gov/programs/wq/stormwater/construction</a>

#### **Building Permit Information**

| COMMERCIAL OR RESIDENTIAL      | TYPE OF CONSTRUCTION    |    |
|--------------------------------|-------------------------|----|
| OCCUPANCY TYPE                 | FIRST FLOOR SQ. FT.     |    |
| OCCUPANCY LOAD                 | SECOND FLOOR SQ. FT.    |    |
| # OF DWELLING UNITS            | BASEMENT SQ. FT.        |    |
| # OF BEDROOMS                  | GARAGE SQ. FT.          |    |
| # OF BATHROOMS                 | COVERED PORCH SQ. FT.   |    |
| BUILDING HEIGHT                | PATIO SQ. FT.           |    |
| ZONING                         | DECK SQ. FT.            |    |
| LOT SIZE SQ. FT.               | HEAT TYPE               |    |
| LOT COVERAGE: (%)              | CHANGE OF USE?          |    |
| IMPERVIOUS SURFACE SQ. FT.     | AIR CONDITIONED?        |    |
| PROJECT DISTURBED AREA SQ. FT. | FIRE SPRINKLERS?        |    |
| SEWER OR SEPTIC                | LOCATED IN FLOOD PLAIN? |    |
| WATER PURVEYOR                 | VALUATION               | \$ |

I HEREBY CERTIFY THAT I HAVE READ AND EXAMINED THIS APPLICATION AND KNOW THE SAME TO BE TRUE AND CORRECT. ALL PROVISIONS OF LAWS AND ORDINANCES GOVERNING THIS TYPE OF WORK WILL BE COMPLIED WITH WHETHER SPECIFIED HEREIN OR NOT.

BY LEAVING THE CONTRACTOR INFORMATION SECTION BLANK, I HEREBY CERTIFY FURTHER THAT CONTRACTORS (GENERAL OR SUBCONTRACTORS) WILL NOT BE HIRED TO PERFORM ANY WORK IN ASSOCIATION WITH THIS PERMIT. I ALSO CERTIFY THAT IF I DO CHOOSE TO HIRE A CONTRACTOR (GENERAL OR SUBCONTRACTOR) I WILL ONLY HIRE THOSE CONTRACTORS THAT ARE LICENSED BY THE STATE OF WASHINGTON.

| SIGNATURE OWNER / AUTHORIZED AGENT | PRINT NAME | DATE        |
|------------------------------------|------------|-------------|
|                                    |            | REV 5/23 RC |

# **MECHANICAL**

| Quantity<br>Scheduled | Description  | Permit Rate<br>Per Unit | <b>Total Price</b> |
|-----------------------|--|-------------------------|--------------------|
| 1                     | Permit Issuance  | 40.00                   | 40.00              |
|                       | Supplemental Permit  | 9.60                    |                    |
|                       | AC Unit – Stand Alone  | 19.55                   |                    |
|                       | Install Furnace / Burner up to 100,000 BTU                   | 19.55                   |                    |
|                       | Install Furnace / Burner over 100,000 BTU                    | 24.00                   |                    |
|                       | Install / Relocate Floor Furnace & Vent                      | 19.55                   |                    |
|                       | Install / Relocate Recessed Wall Space Heater                | 19.55                   |                    |
|                       | Appliance Vent – Separate                                    | 9.60                    |                    |
|                       | Repair Heating / Cooling Unit                                | 18.11                   |                    |
|                       | Heat Pump/Boiler / Compress. 3 HP; up to 6 Tons; 100,000     | 19.55                   |                    |
|                       | Heat Pump/Boiler / Compress. 3-15 HP or 500,000 BTU          | 35.95                   |                    |
|                       | Heat Pump/Boiler / Compress 15-30 HP or 1,000,000 BTU        | 49.28                   |                    |
|                       | Heat Pump/Boiler / Compress 30-50 HP or 1,750,000 BTU        | 73.30                   |                    |
|                       | Heat Pump/Boiler / Compress over 50 HP or over 1,750,000     | 122.48                  |                    |
|                       | Separate Air Handling Unit to 10,000 CFM                     | 14.10                   |                    |
|                       | Separate Air Handling Unit over 10,000 CFM                   | 23.92                   |                    |
|                       | Stationary Evaporative Cooler                                | 14.10                   |                    |
|                       | Exhaust Vent Fan with Single Duct (Bath Fan)                 | 14.10                   |                    |
|                       | Vent System Apart from Heating or AC                         | 14.10                   |                    |
|                       | Mechanical Exhaust Hood / Duct (Range Hood) - Residential    | 14.10                   |                    |
|                       | Mechanical Exhaust Hood w/Make-up Air - Commercial           | 35.95                   |                    |
|                       | Commercial / Industrial Incinerator                          | 24.00                   |                    |
|                       | Gas Piping: (1 - 4 outlets) (5 or more outlets / per outlet) | 6.30<br>1.30            |                    |
|                       | (5 of more odders / per odders)                              | 1.30                    |                    |
|                       | Unclassified Appliance or Equipment (Fireplace, etc.)        | 14.10                   |                    |
|                       | Mechanical Duct Work: (1 – 5 Diffusers)                      | 14.10                   |                    |
|                       | (6 – 10 Diffusers)<br>(11 or more Diffusers)                 | 19.55<br>24.00          |                    |
|                       |  | TOTAL:                  |                    |

### **PLUMBING**

| Quantity<br>Scheduled | Description                                     | Rate Per<br>Unit | Total    | Quantity<br>Scheduled | Description   | Rate Per<br>Unit | Total |
|-----------------------|---|------------------|----------|-----------------------|---|------------------|-------|
| 1                     | Permit Issuance                                 | 40.00            | 40.00    |                       | GREASE TRAP/INTERC  | EPTOR            |       |
| R                     | ESIDENTIAL (1 & 2 DW                            | ELLINGS          | )        |                       | Grease Trap   | 13.00            |       |
|                       | 1 Bathroom                                      | 160.00           |          |                       | Grease Interceptor  | 13.00            |       |
|                       | 2 Bathroom                                      | 200.00           |          |                       | BACK FLOW DEVI  | CE               |       |
|                       | 3 Bathroom                                      | 240.00           |          |                       | Per Unit  | 26.00            |       |
|                       | Alterations each fixture                        | 13.00            |          |                       | MEDICAL GAS SYST  | ГЕМ              |       |
|                       | Water Heater                                    | 13.00            |          |                       | Medical Gas Piping System                                     | 80.00            |       |
|                       | ***COMMERCIAL                                   | ***              |          |                       | Surgical Vacuum System  | 80.00            |       |
|                       | New Const. each fixture                         | 13.00            |          |                       | Gas Piping: (1 - 4 outlets)<br>(5 or more outlets/per outlet) | 8.50<br>2.00     |       |
|                       | Alterations <b>each fixture</b>                 | 13.00            |          |                       | Dental Chair or Unit  | 40.25            |       |
|                       | Drinking Fountain, Water<br>Cooler, Ice Machine | 40.25            |          |                       | OTHER (NOT LIST   | ED)              |       |
|                       | Sump,Sewage Ejector Pump                        | 13.00            |          |                       |   |                  |       |
|                       | Garbage Disposal                                | 13.00            |          |                       |   |                  |       |
|                       | Water Heater                                    | 13.00            |          |                       |   |                  |       |
|                       | SUB   | -TOTAL:          | <u> </u> |                       | SUB-  | TOTAL:           |       |
|                       |   |                  |          | •                     | TOTAL:  |                  |       |

#### \*\*\*COMMERCIAL PROJECTS: Please complete "System Development Calculation Sheet" \*\*\*

A water availability/approval letter shall be submitted with this application for any property located outside the city's water service area.

Fruitland Mutual Water Co. - (253) 848-5519 / Valley Water Co. - (253) 841-9698 / Tacoma Water Co. - (253) 502-8600

# **Plan Submittal Checklist for Single Family Residence**

|              | A site plan, drawn to scale on minimum $8\frac{1}{2}$ " x 11". Details to include setbacks, easements, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals. Plans ( <b>Engineer or Architect Stamped</b> on all sheets)   |
|--------------|--|
|              | Foundation Plan: footing size, wall height, section & reinforcing.   |
|              | ☐ Floor plan with room use identified ☐ Floor framing plan for each floor (post & beam or joist w/ size & spacing) ☐ Ceiling/roof framing plan or truss layout w/ reactions from truss manufacturer ☐ Truss layout with hanger and reactions for girder/carrier trusses ☐ Truss drawings for TJI's or BCI's ☐ Truss specifications packet <a href="Engineer Stamped">Engineer Stamped</a>  |
|              | Window & door sizes, header sizes, U-values  |
|              | ☐ Complete building sections - special sections (show floor, wall & ceiling height, insulation R-value of floors, walls & ceilings. Show sections through stairs - headroom)   |
|              | Constructions details (i.e. structural members, insulation, sheathing, siding, roofing, bracing, dimensions, etc.)   |
|              | Exterior porches & decks (resistance to decay including support footings)  |
|              | ☐ Special equipment (fireplace, woodstove, hydro-massage tub, etc.)  |
|              | Location of all smoke detectors  |
|              | Handrail/guardrail details for stairs, landings, decks   |
|              | —  |
|              | Energy Worksheets: <a href="http://www.energy.wsu.edu/BuildingEfficiency/EnergyCode.aspx">http://www.energy.wsu.edu/BuildingEfficiency/EnergyCode.aspx</a>   |
| ч            | Engineering plans/calculations for special conditions – <b>Engineer stamped</b> Basement & retaining walls 4 feet and higher  Beams supporting combined roof & floor loads  Beams supporting other beams or girder trusses  Shear walls when bracing not provided as required.   |
|              | If less than 2,000 square feet of new + replaced hard surface: submit a temporary sediment and erosion control plan per the 2014 update to the 2012 Stormwater Management Manual for Western Washington  |
|              | If greater than 2,000 square feet of new + replaced hard surface: submit a Stormwater site plan, report and temporary sediment   |
| _            | and erosion control plan and report that satisfy the 2014 update to the 2012 Stormwater Management Manual for Western Washington and City standards  |
|              | Plan Review Fee  |
|              |  |
|              |  |
|              |  |
|              | Dian Culomittal Chaplelist for Commonwiel Dusie sta  |
|              | Plan Submittal Checklist for Commercial Projects   |
|              | Plan Submittal Checklist for Commercial Projects   |
|              | Site plan, drawn to scale on minimum $8\frac{1}{2}$ " x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets) Set of structural calculations – Engineer Stamped  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets) Set of structural calculations – Engineer Stamped Specifications – as applicable. Driveways, sidewalks, parking, and accessible routes   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets) Set of structural calculations – Engineer Stamped Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes Exterior elevations  Complete building sections - special sections Building code summary  Proposed use  Construction Type  Occupancy Group Classification  Allowable Area  Actual Area Dimension yard width on site plan where used for allowable area increase.   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations   Complete building sections - special sections  Building code summary   Proposed use   Construction Type   Occupancy Group Classification   Allowable Area   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets) Set of structural calculations – Engineer Stamped Specifications – as applicable. Driveways, sidewalks, parking, and accessible routes Exterior elevations  Complete building sections - special sections Building code summary  Proposed use  Construction Type  Occupancy Group Classification  Allowable Area  Actual Area  Dimension yard width on site plan where used for allowable area increase. Occupant load calculations and exiting, including exit width calculations   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets) Set of structural calculations – Engineer Stamped Specifications – as applicable. Driveways, sidewalks, parking, and accessible routes Exterior elevations  Complete building sections - special sections Building code summary  Proposed use  Construction Type  Occupancy Group Classification  Allowable Area  Actual Area  Dimension yard width on site plan where used for allowable area increase. Occupant load calculations and exiting, including exit width calculations Energy worksheets including envelope calculations, HVAC, and lighting budget Foundation plan including footing sizes, wall heights, cross-sections and reinforcing  Floor plan with room use identified for each floor  Floor framing plan each floor (slab, post & beam or joist)  Ceiling/roof framing plan or truss layout with girder truss   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations  Complete building sections - special sections  Building code summary  Proposed use  Construction Type  Occupancy Group Classification  Allowable Area  Actual Area  Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing  Floor plan with room use identified for each floor  Floor framing plan each floor (slab, post & beam or joist)  Ceiling/roof framing plan or truss layout with girder truss reactions   |
| 000000000000 | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations   Complete building sections - special sections  Building code summary   Proposed use   Construction Type   Occupancy Group Classification   Allowable Area   Actual Area   Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing  Floor plan with room use identified for each floor  Floor framing plan each floor (slab, post & beam or joist)   Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations   Complete building sections - special sections  Building code summary   Proposed use   Construction Type   Occupancy Group Classification   Allowable Area   Actual Area     Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing   Floor plan with room use identified for each floor   Floor framing plan each floor (slab, post & beam or joist)   Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped) on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations   Complete building sections - special sections  Building code summary   Proposed use   Construction Type   Occupancy Group Classification   Allowable Area   Actual Area     Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing   Floor plan with room use identified for each floor   Floor framing plan each floor (slab, post & beam or joist)   Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations — Complete building sections - special sections  Building code summary — Proposed use — Construction Type — Occupancy Group Classification — Allowable Area — Actual Area — Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing — Floor plan with room use identified for each floor — Floor framing plan each floor (slab, post & beam or joist) — Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations — Complete building sections - special sections  Building code summary — Proposed use — Construction Type — Occupancy Group Classification — Allowable Area — Actual Area — Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing — Floor plan with room use identified for each floor — Floor framing plan each floor (slab, post & beam or joist) — Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations Complete building sections - special sections  Building code summary Proposed use Construction Type Occupancy Group Classification Allowable Area Actual Area Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing Floor plan with room use identified for each floor Floor framing plan each floor (slab, post & beam or joist) Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations Complete building sections - special sections  Building code summary Proposed use Construction Type Occupancy Group Classification Allowable Area Actual Area  Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing Floor plan with room use identified for each floor Floor framing plan each floor (slab, post & beam or joist) Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)  |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations Complete building sections - special sections  Building code summary Proposed use Construction Type Occupancy Group Classification Allowable Area Actual Area  Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing Floor plan with room use identified for each floor Floor framing plan each floor (slab, post & beam or joist) Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)  Plumbing plans including layout and fixture count - Plumbing Fixture Worksheet is required with plumbing plans  Special equipment (kitchen, HVAC, Boiler, fireplace, woodstove, etc.)   |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations   Complete building sections - special sections  Building code summary   Proposed use   Construction Type   Occupancy Group Classification   Allowable Area   Actual Area   Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing   Floor plan with room use identified for each floor   Floor framing plan each floor (slab, post & beam or joist)   Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)  Plumbing plans including layout and fixture count - Plumbing Fixture Worksheet is required with plumbing plans  Special equipment (kitchen, HVAC, Boiler, fireplace, woodstove, etc.)  Mechanical plans including layout, location and make/model of equipment |
|              | Site plan, drawn to scale on minimum 8½" x 11". Details to include setbacks, easements, soil reports, other structures & features, adjacent right-of-way, drive access, septic and/or utility lines, and contours of slopes over 15% grade at 2-foot intervals, Fire Department access and hydrants, and names of adjacent streets.  Complete sets of plans including building, plumbing, and mechanical. (Engineer or Architect Stamped on all sheets)  Set of structural calculations – Engineer Stamped  Specifications – as applicable.  Driveways, sidewalks, parking, and accessible routes  Exterior elevations Complete building sections - special sections  Building code summary Proposed use Construction Type Occupancy Group Classification Allowable Area Actual Area  Dimension yard width on site plan where used for allowable area increase.  Occupant load calculations and exiting, including exit width calculations  Energy worksheets including envelope calculations, HVAC, and lighting budget  Foundation plan including footing sizes, wall heights, cross-sections and reinforcing Floor plan with room use identified for each floor Floor framing plan each floor (slab, post & beam or joist) Ceiling/roof framing plan or truss layout with girder truss reactions  Window & door sizes, header sizes, and U-Values  Construction details (i.e. structural members, insulation, sheathing, roofing, diaphragms, shear walls)  Handrail / guardrail / stair details (with headroom) for stairs and landings  Smoke detectors, fire alarm, sprinkler system details (if required)  Engineering for special conditions (truss, basement, retaining walls, shear walls, lateral bracing, load transfer etc.)  Plumbing plans including layout and fixture count - Plumbing Fixture Worksheet is required with plumbing plans  Special equipment (kitchen, HVAC, Boiler, fireplace, woodstove, etc.)   |