
LEGEND

ITEM # MODEL # DESCRIPTION

1 TEBCCT-200-CWUV 200 GAL BATCH COOK/CHILL TANK, CWTO, ULTRAVIOLET

		REVISIONS										
ZONE	REV	DESCRIPTION	DATE	REVISED BY								
	Α	RELEASED FOR APPROVAL	3/14/2025	T. AFFELDT								

PRMH20250723



TUCS DRAWING APPROVAL

APPROVED BY:_____DATE:___


TUCS EQUIPMENT INC. MUST RECEIVE FINAL APPROVAL OF THIS DRAWING PRIOR TO FABRICATION. APPROVAL OF THIS DRAWING CERTIFIES THAT THE SPECIFIED EQUIPMENT HAS BEEN REVIEWED AND ALL OF THE INFORMATION CONTAINED WITHIN HAS BEEN APPROVED AND ACCEPTED BY PURCHASER

TITLE: PUYALLUP - QUOTE	24092 REV 8	UNLESS OTHERWISE SPECIFIED:	MODEL NUMBER	REV
FLOOR PLAN		DIMENSIONS ARE IN INCHES AND ARE USED FOR REFERENCE ONLY.	FLOOR PLAN	A
DATE: 3/14/2025	DRAWN BY: T. AFFELDT	ON-SITE VERIFICATION MAY BE REQUIRED. DO NOT SCALE.	EQUIPMENT INC.	SHEET: 1 OF 3

LEGEND REVISIONS ZONE REV DESCRIPTION ** ELECTRICAL WATER Α RELEASE FOR APPROVAL OVERFLOW BALL VALVE DRAIN (NPT) TOTAL TO FROM WATER VOLTS PHASE PLUG IN **AMPS KETTLES** KETTLES * ¾" NPT * ½" NPT 1½" DC (3.3)208 1½" DC

* DIRECT CONNECTION TO DRAIN NOT REQUIRED, PLACEMENT NEAR FLOOR SINK SUGGESTED.

TEBCCT-200-CWUV CHILLED WATER TANK & PUMP



TUCS DRAWING APPROVAL

APPROVED BY:

TUCS EQUIPMENT INC. MUST RECEIVE FINAL APPROVAL OF THIS DRAWING PRIOR TO FABRICATION. APPROVAL OF THIS DRAWING CERTIFIES THAT THE SPECIFIED EQUIPMENT HAS BEEN REVIEWED AND ALL OF THE INFORMATION CONTAINED WITHIN HAS BEEN APPROVED AND ACCEPTED BY PURCHASER

TITLE: PUYALLUP - QUOTE 24092 REV 8 CHILLED WATER TAKE OFF DIAGRAM DRAWN BY: T. AFFELDT DATE: 3/14/2025

CHILLED WATER DIAGRAM

MODEL NUMBER

DATE

3/14/2025

REVISED BY

T. AFFELDT

PRMH20250723

EQUIPMENT

SHEET: 2 OF 3

REV

^{**} ELECTRICAL SUPPLY AND CONTROLS PROVIDED THROUGH COOK/CHILLER CONTROL PANEL.

	8			7				6		1		5	.	4		3	2			1	
						LI	EGEND										REVISIO	NS			
	COMPR	ESSED AIR		ELECT	RICAL		EWON	S.	TEAM		WATER		REFRIGERATION		ZONE	REV	DESCRIPTION		DATE	REVISED BY	
	CFM PSI	CONNECT QUICK	AMPS	VOLTS	PHASE	PLUG	IN CAT 5 OR				TABLE DRAI	IN	LIQUID SUCTION TOTAL			А	RELEASED FOR APPROVAL		3/14/2025	T. AFFELDT	
	10 90	SIZE DISCONNECT 1/4" YES	17.1	208	3	NO	WIRELESS	(NPT) 1"	RETURN (NPT	- ' .	NPT) (DC ³ / ₄ " * 2'	·)	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			В	X REFRIGERATION CONNECTIONS W. AND ADDED NOTE 4	AS 2X	4/7/2025	T. AFFELDT	
	LEGEND NOTES: * DIRECT CONNEC	TION TO DRAIN NOT I	REQUIRED,	PLACEMEN	NT NEAR FL	LOOR S	INK SUGGESTE	D.	·	·		·	B					,	P	RMH20250723	3 D
	STE 2. INC 3. SEE \(\triangle 4. 4X \)	LEXIBLE CONNECTION AM OUT, AND POT LUDES DIAL UP ALA SHEET 2 FOR CHILL REFRIGERATION CO IDENSING UNITS.	ABLE WAT ARM AND I LED WATE	TER. LOCKING (R TAKE OI	COVER. FF DETAIL	LS.					33.0 30.0							REFRIGERATION (4X) 7%" LIQUID (4X) 13%" SUCTION			
С	0.42	Ø3.00 DETAIL A	- 0.38	3	SINGLE	DOLL	38.4 38.4 _Y W/TWO	SHELVI	ING RACK	ζS.		25	SHELVING RAN QTY. 4 51.5 RACK DOLLY QTY. 2	35.0			131.4	Page 1	58.1		С
																	3/4 HP BLOWER FOR AGITATION TANK MOUNT SHOWN CAN BE REMOTE OR WALL MOUNTE	ED			
В		1½" NPT	SUPPLY IN 3/4" NPT JLATED HILLED VATER ANK		OVERFLI 3/4" NPT	ow							HMI PENDANT — 98.7 OPEN L HEIGH	Г 80.7	(58.8) 4.	4.0			2" (PIF BY	WATER IN DRAIN MIXING VALVE ASSEMBLY DC OVERFLOW PING TO DRAIN OTHERS) DRAIN	В
	TO KETTLES _/ 1½" NPT		ALL VALVE D ' NPT	PRAIN	DETAIL A		1" NPT — CONDENSA RETURN	TE	11.1		47.0				6.8 -	<u>-</u>	120.0				
	TH	CS DRAV	۸/۱ ۱ ۱/	GAD	PRC) \/	ΔΙ			T	ITI E. DI I	VAI	LUP - QUOTE 240	02 DEV/ 0			UNLESS OTHERWISE SPECIFIED:		MODEL NUMBE	R REV	
A	APPRO	OVED BY:			DATE:		~\L						CHILL TANK, 200 GA				DIMENSIONS ARE IN INCHES AND ARE USED FOR REFERENCE ONLY.		CCT-200-C		A
OF THIS DRAWING PRIOR TO FABRICATION. APPROVAL OF THIS DRAWING CERTIFIES THAT THE SPECIFIED EQUIPMENT HAS BEEN REVIEWED AND ALL OF THE INFORMATION CONTAINED WITHIN HAS BEEN APPROVED AND ACCEPTED BY PURCHASER										DA	ATE: 3/14,	/202	25	DRAWN BY: T	. AFFELI	DΤ	ON-SITE VERIFICATION MAY BE REQUIRED. DO NOT SCALE.	1	EQUIPME	SHEET: 3 OF 3	- 1
	8			7				6				5_	†	4		3	2			1	