Roelin Radus

RATING SUMMARY – Western Washington

Name of wetland (or ID #): Kyally School - Sitts & WIN Date of site visit: 2/16/15
Rated by Wall was Trained by Ecology? Yes No Date of training ZOLY
HGM Class used for rating Depression Wetland has multiple HGM classes? Y N
NOTE: Form is not complete without the figures requested (figures can be combined). Source of base aerial photo/map
OVERALL WETLAND CATEGORY (based on functions or special characteristics)

1. Category of wetland based on FUNCTIONS

Category I — Total score = 23 - 27		
Category II - Total score = 20 - 22		
Category III – Total score = 16 - 19		
Category IV - Total score = 9 - 15		

FUNCTION	Improving Water Quality	Hydrologic	Habitat	
		Circle the ap	propriate ratings	
Site Potential	H (M) L	H M L	H (M) L	
Landscape Potential	H M L	H M L	H M (L)	
Value	H M L	H M L /	H M L	TOTAL
Score Based on Ratings	6	6	4	16

Score for each function based on three ratings (order of ratings is not important) 9 = H,H,H 8 = H,H,M 7 = H,H,L 7 = H,M,M

6 = M,M,M 5 = H,L,L

6 = H,M,L

- 5 = M,M,L
- 4 = M,L,L3 = L,L,L
- 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY
Estuarine	I II
Wetland of High Conservation Value	I
Bog	I
Mature Forest	I
Old Growth Forest	I
Coastal Lagoon	I II
Interdunal	I II III IV
None of the above	X

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

]	For questions 1-7, the criteria described must apply to the entire unit being rated.				
1	If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.				
1.	1. Are the water levels in the entire unit usually controlled by tides except during floods?				
	NO – go to 2 YES – the wetland class is Tidal Fringe – go to 1.1				
2	1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?				
	NO – Saltwater Tidal Fringe (Estuarine) If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an Estuarine wetland and is not scored. This method cannot be used to score functions for estuarine wetlands.				
2.	The entire wetland unit is flat and precipitation is the only source ($>90\%$) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.				
	NO – go to 3 YES – The wetland class is Flats If your wetland can be classified as a Flats wetland, use the form for Depressional wetlands.				
3.	Does the entire wetland unit meet all of the following criteria? The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size; At least 30% of the open water area is deeper than 6.6 ft (2 m).				
	NO – go to 4 YES – The wetland class is Lake Fringe (Lacustrine Fringe)				
4.	Does the entire wetland unit meet all of the following criteria? The wetland is on a slope (slope can be very gradual), The water flows through the wetland in one direction (unidirectional) and usually comes from				

NO – go to 5

YES – The wetland class is Slope

NOTE: Surface water does not pond in these type of wetlands except occasionally in very sr

seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,

___The water leaves the wetland without being impounded.

___The overbank flooding occurs at least once every 2 years.

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

	deep).
5.	Does the entire wetland unit meet all of the following criteria?
	The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that
	stream or river,

Wetland name or nu	mber
--------------------	------

NO - go to 6

YES - The wetland class is Riverine

NOTE: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? This means that any outlet, if present, is higher than the interior of the wetland.

NO - go to 7

- YES The wetland class is Depressional
- 7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO - go to 8

YES - The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality			
D 1.0. Does the site have the potential to improve water quality?			
D 1.1. Characteristics of surface water outflows from the wetland:			
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet). points $\frac{2}{3}$			
Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet. points = 2	7		
Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1	2		
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	Ø		
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):			
Wetland has persistent, ungrazed, plants > 95% of area points = 5			
Wetland has persistent, ungrazed, plants > ½ of area points = ③			
Wetland has persistent, ungrazed plants $> \frac{1}{10}$ of area points = 1	3		
Wetland has persistent, ungrazed plants $< \frac{1}{10}$ of area points = 0			
D 1.4. Characteristics of seasonal ponding or inundation:			
This is the area that is ponded for at least 2 months. See description in manual.			
Area seasonally ponded is > ½ total area of wetland points =4			
Area seasonally ponded is > 1/4 total area of wetland points = 2	U		
Area seasonally ponded is < ¼ total area of wetland points = 0	1		
Total for D 1 Add the points in the boxes above	10		
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the first	age		
D 2.0. Does the landscape have the potential to support the water quality function of the site?			
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	-		
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No \bigcirc	Ø		
D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No $\neq 0$	Ø		
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3? Source Yes = 1 No = 0	Ø		
Total for D 2 Add the points in the boxes above	11		
Rating of Landscape Potential If score is:3 or 4 = HX1 or 2 EM0 = L Record the rating on the	irst page		
D 3.0. Is the water quality improvement provided by the site valuable to society?			
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the $303(d)$ list?	d		
100 1 110 (0)	φ		
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes €1 No = 0	1		
	Ø		
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes 1 No = 0 D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES)	Ø		

DEPRESSIONAL AND FLATS WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream degradation		
D 4.0. Does the site have the potential to reduce flooding and erosion?		
D 4.1. Characteristics of surface water outflows from the wetland:		
Wetland is a depression or flat depression with no surface water leaving it (no outlet) points 4 Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outletpoints = Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch points = 1 Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 0	4	
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the outlet. For wetlands	14	
with no outlet, measure from the surface of permanent water or if dry, the deepest part. Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7		
Marks of ponding are 3 ft or more above the surface or bottom of outlet points = 7 Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet points = 5		
Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet points \$\(\frac{3}{3}\)		
The wetland is a "headwater" wetland points = 3		
Wetland is flat but has small depressions on the surface that trap water points = 1	15	
Marks of ponding less than 0.5 ft (6 in)	31011402500	
D 4.3. Contribution of the wetland to storage in the watershed: Estimate the ratio of the area of upstream basin		
contributing surface water to the wetland to the area of the wetland unit itself.		
The area of the basin is less than 10 times the area of the unit points = 5		
The area of the basin is 10 to 100 times the area of the unit		
The area of the basin is more than 100 times the area of the unit	13	
Entire wetland is in the Flats class points = 5		
Total for D 4 Add the points in the boxes above	10	
Rating of Site Potential If score is: 12-16 = H 6-11 = M 0-5 = L Record the rating on the	ne first page	
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?	and Gree	
D 5.1. Does the wetland receive stormwater discharges? Yes \neq 1 No = 0		
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1 No €0	10	
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residential at	1	
>1 residence/ac, urban, commercial, agriculture, etc.)? Yes =1 No = 0		
Total for D 5 Add the points in the boxes above	2	
Rating of Landscape Potential If score is: $_3 = H$ $1 \text{ or } 2 \neq M$ $0 = L$ Record the rating on the	ne first page	
D 6.0. Are the hydrologic functions provided by the site valuable to society?		
D 6.1. The unit is in a landscape that has flooding problems. Choose the description that best matches conditions around the wetland unit being rated. Do not add points. Choose the highest score if more than one condition is met. The wetland captures surface water that would otherwise flow down-gradient into areas where flooding has damaged human or natural resources (e.g., houses or salmon redds):		
 Flooding occurs in a sub-basin that is immediately down-gradient of unit. 		
• Surface flooding problems are in a sub-basin farther down-gradient. points = 1		
Flooding from groundwater is an issue in the sub-basin. points = 1		
The existing or potential outflow from the wetland is so constrained by human or natural conditions that the		
water stored by the wetland cannot reach areas that flood. <i>Explain why</i> points = 0	1	
There are no problems with flooding downstream of the wetland. points = 0	V	
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	Ø	
Total for D 6 Add the points in the boxes above	1	
Rating of Value If score is: 2-4 = H 1=M 0 = L / Record the rating on the	e first page	

These questions apply to wetlands of all HGM classes. HABITAT FUNCTIONS - Indicators that site functions to provide important habitat H 1.0. Does the site have the potential to provide habitat? H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac. Add the number of structures checked. Aquatic bed 4 structures or more: points = 4 **Emergent** 3 structures: points € 2 Scrub-shrub (areas where shrubs have > 30% cover) 2 structures: points = 1 Forested (areas where trees have > 30% cover) 1 structure: points = 0 If the unit has a Forested class, check if: The Forested class has 3 out of 5 strata (canopy, sub-canopy, shrubs, herbaceous, moss/ground-cover) that each cover 20% within the Forested polygon H 1.2. Hydroperiods Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland or ¼ ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated 4 or more types present: points = 3 ★ Seasonally flooded or inundated 3 types present: points = 2 Occasionally flooded or inundated 2 types present: points €1) 1 type present: points = 0 ___Permanently flowing stream or river in, or adjacent to, the wetland Seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland 2 points Freshwater tidal wetland 2 points H 1.3. Richness of plant species Count the number of plant species in the wetland that cover at least 10 ft². Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canadian thistle If you counted: > 19 species points = 25 - 19 species points = 1) < 5 species points = 0H 1.4. Interspersion of habitats Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Low = 1 point Moderate = 2 points All three diagrams in this row are HIGH = 3points

Wetland name or number	5
H 1.5. Special habitat features:	
Check the habitat features that are present in the wetland. The number of checks is the number of points.	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).	
Standing snags (dbh > 4 in) within the wetland	
Undercut banks are present for at least 6.6 ft (2 m) and/or overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree	
slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered	
where wood is exposed)	_
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are	_
permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of	
Strata) Total for H 1 Add the points in the boxes above	7
	+
	tne Jirst page
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	
Calculate: % undisturbed habitat + [(% moderate and low intensity land uses)/2] = $\frac{<10\%}{\%}$ %	
If total accessible habitat is:	
$> \frac{1}{3}$ (33.3%) of 1 km Polygon points = 3	
20-33% of 1 km Polygon points = 2	
10-19% of 1 km Polygon points = 1	COS.
< 10% of 1 km Polygon points = 0	0
H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	
Calculate: % undisturbed habitat + [(% moderate and low intensity land uses)/2] =%	
Undisturbed habitat > 50% of Polygon points = 3	
Undisturbed habitat 10-50% and in 1-3 patches points = 2	
Undisturbed habitat 10-50% and > 3 patches points €1)	1
Undisturbed habitat < 10% of 1 km Polygon points = 0	1
H 2.3. Land use intensity in 1 km Polygon: If	
> 50% of 1 km Polygon is high intensity land use points = (- 2)	-7
≤ 50% of 1 km Polygon is high intensity points = 0	
Total for H 2 Add the points in the boxes above	-1
Rating of Landscape Potential If score is:4-6 = H1-3 = M<1=L Record the rating on ti	he first page
H 3.0. Is the habitat provided by the site valuable to society?	
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? Choose only the highest score	
that applies to the wetland being rated.	
Site meets ANY of the following criteria: points = 2	
— It has 3 or more priority habitats within 100 m (see next page)	
 It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists) 	
It is mapped as a location for an individual WDFW priority species	
 It is a Wetland of High Conservation Value as determined by the Department of Natural Resources 	
It has been categorized as an important habitat site in a local or regional comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan	
Site has 1 or 2 priority habitats (listed on next page) within 100 m points = 1	~

Site does not meet any of the criteria above

Rating of Value If score is: ___2 = H ___1 = M ___0 = L

Record the rating on the first page

points € 0

					•	
MAti	and	name	or	num	hor	
VVCU	ıanu	Hallic	O1	Hum	DCI	

WDFW Priority Habitats

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. http://wdfw.wa.gov/publications/00165/wdfw00165.pdf or access the list from here: http://wdfw.wa.gov/conservation/phs/list/)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: *NOTE:* This question is independent of the land use between the wetland unit and the priority habitat.

- **Aspen Stands:** Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various species of native fish and wildlife (full descriptions in WDFW PHS report).
- **Herbaceous Balds:** Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- **Oregon White Oak:** Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- Instream: The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- **Talus:** Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

Note: All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Wetl	and Type	Category
Charl	off and aritaria that and to the mathed Circle the area.	
	off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
3C 1.0). Estuarine wetlands	
	Does the wetland meet the following criteria for Estuarine wetlands? — The dominant water regime is tidal,	
	— Vegetated, and	
	— With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 No= Not an estuarine wetland	
5644		
SC 1.1	. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2	. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
	 The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. (If non-native species are Spartina, see page 25) At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un- 	Cat. I
	mowed grassland. — The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. Yes = Category I No = Category II	Cat. II
Market States		
). Wetlands of High Conservation Value (WHCV)	
SC 2.1	. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	Cat. I
sc 2 2	Conservation Value? Yes – Go to SC 2.2 No – Go to SC 2.3 Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	Cat.
3C 2.2	Yes = Category I No = Not a WHCV	
SC 2.3	Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland?	
	http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
	Yes - Contact WNHP/WDNR and go to SC 2.4 No = Not a WHCV	
SC 2.4	. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
	their website? Yes = Category I No = Not a WHCV	
SC 3.0). Bogs	
	Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
	below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1	Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
	more of the first 32 in of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2	Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
	over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Is not a bog	
כר ז ז	Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
JC J.J	cover of plant species listed in Table 4? Yes = Is a Category I bog No - Go to SC 3.4	
	NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
	measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	
	plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4	Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
	western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
	species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
	Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA Department of Fish and Wildlife's forests as priority habitats? <i>If you answer YES you will still need to rate the wetland based on its functions.</i>	
 Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more. Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the 	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	
Yes = Category I No = Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon? — The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks — The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom) Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
SC 5.1. Does the wetland meet all of the following three conditions? — The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100). — At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	Cat. II
mowed grassland.	
— The wetland is larger than $^{1}/_{10}$ ac (4350 ft ²)	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
 Long Beach Peninsula: Lands west of SR 103 	
— Grayland-Westport: Lands west of SR 105	Cat I
 Ocean Shores-Copalis: Lands west of SR 115 and SR 109 Yes – Go to SC 6.1 No = not an interdunal wetland for rating 	
103 Go to 32 0.1 110 - Hot an intervalian wetland for fating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M for the three aspects of function)? Yes = Category I No – Go to SC 6.2	Cat. II
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	Cat. IV
Category of wetland based on Special Characteristics	
If you answered No for all types, enter "Not Applicable" on Summary Form	

Wetland name or number	
	This page left blank intentionally