

OVERALL SITE PLAN - CARPORTS


SCALE: 1" = 50'





**City of Puyallup** Building **REVIEWED FOR COMPLIANCE** 

1:28:18 PM



City of Puyallup **Development** Engineering **APPROVED** 

> conditions. ycharitou 07/18/2025 3:30:24 PM


See permit



No proposed footings, posts, or supports shall be constructed on or above any existing public utility connections without first relocating the utility services or protecting it in place.

Call before you dig. It's the law. Dial 811 or call 1-800-424-5555.

SKinnear 07/07/2025



Separate Electrical Permit is required with the Washington State Department of Labor & Industries.

Approval of submitted plans is not an

regulations of local government. The

codes and regulations of the local

The approved construction plans,

documents, and all engineering must be

posted on the job at all inspections in a

Full sized legible color plans are required to be provided by the permitee on site for

visible and readily accessible location.

government.

inspection.

contractor is responsible for making sure

that the building complies with all applicable

https://lni.wa.gov/licensing-permits/electricable RUCTURAL ENGINEER: /electrical-permits-fees-and-inspections

or call for Licensing Information: 1-800-647-0982

#### **TEAM INFORMATION:**

approval of omissions or oversights by this office or non compliance with any applicable WNER'S:

ASH DEVELOPMENT, LLC PUYALLUP, WA c/io: GREG HELLE 253-318-5711

#### greg.helle@absherco.com

SYNTHESIS 9, LLC TACOMA, WA c/o: BRETT LINDSAY 253-468-4117

blindsay@synthesis9.com

### **CIVIL ENGINEER:**

AHBL, INC. TACOMA, WA c/o: TODD SAWIN 253-383-2422 tsawin@AHBL.com

SITTS & HILL TACOMA, WA c/o: CALEB TIMMER 253-474-9449

City of Puyallup evelopment & Permitting Services ISSUED PERMIT Building Public Works Engineering Fire Traffic

#### **TABLE OF CONTENTS** City of Puyallup

**Planning ARCHITECTURAL** Division

**APPROVED** See permit

conditions. JHulseLew 07/21/2025 8:04:33 AM

AS1.0 SITE PLAN & PROJECT INFORMATION

#### **STRUCTURAL** \*\* NOT TO SCALE

**GENERAL NOTES & TYPICAL SECTION** TYPICAL DETAILS & ELEVATIONS

4-STALL TYPE 1 FOUNDATION & FRAMING PLANS (#11)

4-STALL TYPE 2 FOUNDATION & FRAMING PLAN (#1)

4-STALL TYPE 3 FOUNDATION & FRAMING PLAN (#3, 8, 13, 15, 16)

4-STALL TYPE 4 FOUNDATION & FRAMING PLAN (#14)

S7.0 4-STALL W/ LONG SPAN FOUNDATION & FRAMING PLAN (#2)

5-STALL FOUNDATION & FRAMING PLAN

6-STALL TYPE 1 FOUNDATION & FRAMING PLAN (#4)

6-STALL TYPE 2 FOUNDATION & FRAMING PLAN (#6)

6-STALL W/ LONG SPAN FOUNDATION & FRAMING PLAN (#7, 11, 17)

9-STALL W/ LONG SPAN TYPE 1 FOUNDATION & FRAMING PLAN (#9, 10)

S13.0 9-STALL W/ LONG SPAN TYPE 2 FOUNDATION & FRAMING PLAN (#12)

S14.0 8-STALL FOUNDATION & FRAMING PLAN (#5)

#### **CIVIL**

SEE APPROVED CIVIL PLANS FOR GRADING, UTILITIES & TEMPORARY EROSION CONTROL PLANS

#### **BUILDING SUMMARY**

**DESCRIPTION: CARPORT** APPLICABLE BUILDING CODE: 2021 IBC FIRE SPRINKLERS: NO FIRE ALARM SYSTEM AND SMOKE ALARM: NO OCCUPANCY: U TYPE OF CONSTRUCTION: VB

OCCUPANT LOAD: FUNCTION OF SPACE: ACCESSORY STORAGE OCCUPANT LOAD FACTOR: 200 (GROSS)

OCCUPANT LOAD : 1087/200= 5 PROPOSED GROSS AREA: 1,087 sq ft PROPOSED HEIGHT:

**BASE ALLOWABLE BUILDING AREAS, HEIGHT AND STORIES:** ALLOWABLE AREA PER FLOOR: 13,500 sq ft ALLOWABLE MAXIMUM HEIGHT: 40 ft

#### PROJECT SCOPE

**ALLOWABLE STORIES: 2** 

INSTALL 1 OF 17 PRE-MANUFACTURED CARPORTS

#### **APPLICABLE CODES:**

**INTERNATIONAL BUILDING CODE (2021)** ANSI 117.1 (2017) **INTERNATIONAL MECHANICAL CODE (2021) INTERNATIONAL FIRE CODE (2021)** INTERNATIONAL ELECTRICAL CODE (2021) **UNIFORM PLUMBING CODE (2021)** WASHINGTON STATE ENERGY CODE (2021) PORT ORCHARD LAND USE CODE WASTEWATER AND SURFACE WATER MANAGEMENT - CHAPTER 12.08 PUBLIC WORKS DESIGN MANUAL

WASHINGTON STATE AMENDMENTS

25 07 REVISIONS SITE PLAN & Carport No.5 PROJECT INFO PROJECT #:

SYNTHESIS 9, LLC

523 N. D ST. TACOMA, WA 98403

REUSE OF DOCUMENTS

PRCP20250695

CROSSING

PUYALLUP 1

AST TOW CARP E PIONEER

REVISIONS

RESPONSE TO 1st COMMENTS 25/07/01

AS1.0

FACADE AREA WITH 1-HR ADD (5/8" TYPE 'X') /<del>///</del>F.S.L.

FIRE SEPARATION DIAGRAM SCALE: 1" = 20'

### **BUILDING CODE:**

2021 EDITION OF THE INTERNATIONAL BUILDING CODE (IBC) SHALL BE USED AND SUPPLEMENTED WITH (ASCE) 7-16.

#### **BUILDING CODE REFERENCES:**

ALL CODE REFERENCES HEREAFTER SHALL CORRESPOND TO THE FOLLOWING EDITIONS. U.N.O.:

CODE EDITION MATERIAL

CONCRETE BUILDING CODE REQUIREMENTS FOR STRUCTURAL CONCRETE AND COMMENTARY, (ACI 318)-19. 2004 ACI DETAILING MANUAL (ACI SP-66). REINFORCING 15TH EDITION OF (AISC) STEEL CONSTRUCTION STEEL

MANUAL.

STRUCTURAL WELDING CODE - STEEL, (AWS) WELDING

D1.1-20.

LIGHT GAGE STEEL 2016 (AISI) NORTH AMERICAN SPECIFICATION

FOR THE DESIGN OF COLD-FORMED STEEL STRUCTURAL MEMBERS WITH SUPPLEMENT 2.

#### LOADS:

RISK CATEGORY = II

#### DESIGN DATA:

ROOF DEAD LOAD AT CARPORTS

DL ROOFING AND TRIM 1.03 PSF DL FOR PURLINS SELF WEIGHT 25 PSF ROOF SNOW LOAD

#### WIND:

THE WIND LOADS ARE DETERMINED IN ACCORDANCE WITH ASCE 7-16:

BASIC WIND SPEED V: 110 MPH **EXPOSURE CATEGORY:** WIND IMPORTANCE FACTOR: 1.0

#### **SEISMIC:**

IMPORTANCE FACTOR le = 1.0LATITUDE = 47.213645; LONGITUDE = -122.365315Ss = 1.308, S1 = 0.451, SEISMIC SITE CLASS = DSds = 1.047, Sd1 = 0.834, SEISMIC DESIGN CATEGORY = DRW = 1.25 STEEL ORDINARY CANTILEVERED COLUMNS CS = 0.838

#### **FOUNDATION:**

GROUND TO BE SW, SP, SM, SC GM & GC PER IBC TABLE 1806.2 ALLOWABLE SOIL: BEARING CAPACITY (DL+LL): 2,000 PSF

CONTRACTOR SHALL VERIFY SOIL CONDITION PRIOR TO PROCEEDING WITH CONSTRUCTION

### **CONCRETE:**

MINIMUM COMPRESSIVE STRENGTH OF CONCRETE SHALL BE 3,000 PSI TO COMPLY WITH EXPOSURE REQUIREMENT OF IBC TABLE 1904.1. STRUCTURAL DESIGN IS BASED ON f'c OF 2,500 PSI. PER IBC 1705.3, NO SPECIAL INSPECTION IS REQUIRED.

ALL CONCRETE CONSTRUCTION SHALL CONFORM TO ACI. MAXIMUM WATER/CEMENT RATIO (W/C) SHALL BE 0.55. PROVIDE AIR ENTRAINMENT (5%  $\pm$  1%) IN CONCRETE EXPOSED TO FREEZE-THAW ACTION.

#### STRUCTURAL STEEL:

STRUCTURAL STEEL MATERIALS, FABRICATION AND ERECTION SHALL CONFORM TO CURRENT AISC STEEL CONSTRUCTION MANUAL IN ACCORDANCE TO IBC CHAPTER 22. PAINT ALL STRUCTURAL STEEL EXPOSED TO WEATHER UNLESS NOTED OTHERWISE ON DRAWINGS.

MATERIAL SPECIFICATION. UNLESS NOTED OTHERWISE:

STRUCTURAL SHAPES: ASTM A992 GRADE 50 BARS AND PLATES: ASTM A36 STRUCTURAL TUBING/HSS: ASTM A500, GRADE B (FY = 46 KSI)

ASTM A307

ASTM F436 FLAT; BEVELED WASHERS: ASTM F959 DIRECT-TENSION WASHERS:

FILLER METAL: E70XX ELECTRODES, ALL WELDS SHALL BE SINGLE PASS 3/16" UNLESS NOTED

OTHERWISE COLD FORMED SHAPES: ASTM A653, FY = 50 KSIROOF METAL DECK: ASTM A792. FY = 80 KSI

#### **SCREW FASTENERS:**

SELF DRILLING AND SELF-TAPPING SCREWS SHALL BE #12-14 TEK SCREWS OR APPROVED EQUAL AND SHALL CONFORM TO ASTM A545 OR SAEJ78. SAEJ93 OR ANSI/ASMEB18.6.4.

#### ROOFING:

1 3/8" PROFILE x 26 GA ROOF DECK (V-LINE 32) OR EQUIVALENT WITH #12-14 TEK SCREWS AT 9" O.C. UNLESS NOTED OTHERWISE OR (4) SCREWS PER 32" WIDE PANEL @ EACH SUPPORT

ROOFING IS V-LINE 32 - 26 GA

GAUGE	WT.	S+	<u> </u> +	S-	-
	(IBS/FT2)	(IN3/FT)	(IN4/FT)	(IN3/FT)	(IN4/FT)
26	0.91	0.0847	0.0619	0.0833	0.0619

#### PURLINS:

ALL PURLINS ARE ASTM A653 CEE 10 X 3 1/2 X 12 GAUGE UNLESS NOTED OTHERWISE. WITH THE FOLLOWING MINIMUM GROSS PROPERTIES:

GAUGE	DEPTH	FLANGE	LIP	SX	IX	Fy
	(IN)	(IN)	(IN)	(IN3)	(IN4)	(KSI)
12	10.00	3.5	1.0	5.63	28.148	50

#### GENERAL:

THE STRUCTURAL CONSTRUCTION DOCUMENTS REPRESENT THE FINISHED STRUCTURE. THEY DO NOT INDICATE THE METHOD OF CONSTRUCTION. THE CONTRACTOR SHALL PROVIDE ALL MEASURES NECESSARY TO PROTECT THE STRUCTURE DURING CONSTRUCTION. SUCH MEASURES SHALL INCLUDE, BUT ARE NOT LIMITED TO BRACING AND SHORING FOR LOADS DUE TO CONSTRUCTION EQUIPMENT, ETC. THE STRUCTURAL ENGINEER SHALL NOT BE RESPONSIBLE FOR THE CONTRACTOR'S MEANS, METHODS, TECHNIQUES, SEQUENCES OR PROCEDURE OF CONSTRUCTION, OR THE SAFETY PRECAUTIONS AND THE PROGRAMS INCIDENT THERETO (NOR SHALL OBSERVATION VISITS TO THE SITE INCLUDE INSPECTION OF THESE ITEMS).

CONSTRUCTION MATERIALS SHALL BE SPREAD OUT IF PLACED ON FRAMED CONSTRUCTION. LOAD SHALL NOT EXCEED THE DESIGN LIVE LOAD PER SQUARE

WHERE REFERENCE IS MADE TO VARIOUS TEST STANDARDS OR MATERIALS. SUCH STANDARDS SHALL BE THE LATEST EDITION AND/OR ADDENDA.

ESTABLISH AND VERIFY ALL OPENINGS AND INSERTS FOR MECHANICAL, PLUMBING AND ELECTRICAL WITH APPROPRIATE TRADES, DRAWINGS AND SUBCONTRACTORS PRIOR TO CONSTRUCTION.

OPTIONS ARE FOR CONTRACTOR'S CONVENIENCE. IF AN OPTION IS CHOSEN, CONTRACTOR SHALL BE RESPONSIBLE FOR ALL NECESSARY CHANGES AND SHALL COORDINATE ALL DETAILS.

NOTES AND DETAILS ON DRAWINGS SHALL TAKE PRECEDENCE OVER GENERAL STRUCTURAL NOTES AND TYPICAL DETAILS. WHERE NO DETAILS ARE SHOWN, CONSTRUCTION SHALL CONFORM TO SIMILAR WORK ON THE PROJECT.


CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFICATION OF ALL DIMENSIONS WITH OWNER PRIOR TO START OF CONSTRUCTION. RESOLVE ANY DISCREPANCY WITH THE OWNER.

TYPICAL DETAILS MAY NOT NECESSARILY BE CUT ON PLANS, BUT APPLY, U.N.O.

WHERE DISCREPANCIES OCCUR BETWEEN PLANS, DETAILS, GENERAL STRUCTURAL NOTES AND/OR SPECIFICATIONS, THE GREATER REQUIREMENTS SHALL GOVERN.


ANY ENGINEERING DESIGN, PROVIDED BY OTHERS AND SUBMITTED FOR REVIEW, SHALL BEAR THE SEAL OF A REGISTERED ENGINEER RECOGNIZED BY THE BUILDING

CODE JURISDICTION OF THIS PROJECT.



TYPE:

DATE:





EAST TOWN CROSSING CARPORTS

PIONEER WAY E PUYALLUP, WA 9837

GENERAL STRUCTURAL NOTES AND TYPICAL SECTION





P.O. BOX 2389 BUCKLEY, WASHINGTON 98321




http://www.sittshill.com/

sitts&hill
CIVIL   STRUCTURAL   SURVEY
4815 CENTER STREET   TACOMA, WA. 98409
PHONE: (253) 474-9449 FAX: (253) 474-0153








### NOTES:

- 1. #12-14 TEK SCREWS PER DETAIL 4
- 2. DECKING PER PLAN
- 3. STEEL BEAM PER PLAN
- 4. PURLIN PER PLAN
- 5. 5"x8 1/2"x1/4" A36 STEEL PLATE
- (4) 9/16" x 11/16" SLOTTED HOLES WITH 1/2" DIAMETER BOLTS
- 7. (4) 1/2" DIAMETER BOLTS
- 8. EXTRA PURLIN PER PLANS ATTACH DECKING TO EACH PURLIN AND ATTACH PURLINS TOGETHER WITH (2) #12 SCREWS AT 24" O.C.





(D)

## NOTES:

- 1. SEE STRUCTURAL NOTES ON SHEET S1.0
- 2. VERIFY ALL DIMENSIONS PRIOR TO PROCEEDING WITH CONSTRUCTION
- BAY DIMENSIONS ARE MAXIMUMS IT IS STRUCTURALLY ACCEPTABLE TO USE SMALLER DIMENSIONS
- 4. PROVIDE HEIGHT PER TABLE
- SEE TABLE BELOW FOR SHEET SHOWING ASSOCIATED STALL CONFIGURATION:

>	CONFIGURATION	SHEET #	CLR. HEIGHT
(	4-STALL TYPE 1	S3.0	7'-2"
	4-STALL TYPE 2	S4.0	7'-2"
\_	4-STALL TYPE 3	S5.0	7'-2"
(	4-STALL TYPE 4	S6.0	7'-2"
	4-STALL LONG SPAN	S7.0	8'-2"
\-\	5-STALL	S8.0	7'-2"
(	6-STALL TYPE 1	S9.0	7'-2"
	6-STALL TYPE 2	S10.0	7'-2"
	6-STALL LONG SPAN	S11.0	7'-2"
(	9-STALL LONG TYPE 1	S12.0	8'-2"
>	9-STALL LONG TYPE 2	S13.0	7'-2"
	8-STALL	S14.0	7'-2"
	\ \ \ \ \ \ \	\ \ \	\ \ \ \
			ノヘーノヘーノ

AS REV. ON DRAWING: SUBJECT OF REVISION: COORDINATION

1 1/2" 👸

3/16

SECTION A-A

BEAM TO COLUMN CONNECTION

1 1/2" CLEAR

1 1/2"

### NOTES:

- 1. 3/8"x4"x24" STEEL CAP PLATE WITH (4) 5/8" DIAMETER BOLTS WITH NUTS AND WASHERS
- 2. 1/4"x6"x9" STIFFENER PLATE EACH SIDE OF COLUMN
- (4) STANDARD DIÁMETER HOLES
- METAL DECKING PER PLAN
- 5. STEEL BEAM PER DETAIL 5



- 3/16"x2"x4" SHIM PĹATE
- 8. 1/4" x4" x6 1/4" TALL STEEL PLATE -CENTERED ON POST
- 9. 1/4" STEEL PLATE TO COLUMN

# 8'-11 1/2" AT 15'-0"WIDTH 4'-1 1/4" AT 17'-0" WIDTH 1'-9" 3'-7 1/4" AT 15'-0"WIDTH -W8 BEAM PER PLAN -SEE DETAIL 03 FOR BOLT LOCATIONS

9'-11 1/2" AT 17'-0" WIDTH

DATE:

05/20/25

NOTES:

2'-8"

TYPE:

1. METAL DECK PER PLAN AND GSN

2. #12-14 TEK SCREWS AT 9" O.C.

PER PANEL MINIMÙM

MAX. - PROVIDE (4) SCREWS


REVISION #:

**ROOF SCREW PATTERN** 

#### W8 RAFTER LAYOUT (05) SCALE: N.T.S.


#### NOTES:

- 1. ASPHALT OR CONCRETE AS OCCURS
- 2. SUBGRADE PER GSN
- 3. STEEL COLUMN PER PLAN
- 4. CONCRETE FOOTING
- 5. PROVIDE MIN. (6) #4 BARS E.W. TOP AND BOTTOM - PLÀCÉ (1) BAR WITHIN 1 1/2" OF EACH SIDE OF THE COLUMN, EACH WAY TYPICAL.
- 6. 4'-6" SQUARE TYPICAL. 4'-9" SQUARE LONG SPAN
- UNDERGROUND R-TANK BY OTHERS AT 6-STALL PER SHEET S9.0. PROVIDE MINIMUM 12" CLEARANCE FROM BOTTOM OF FOOTING TO TOP OF R-TANK SYSTEM.



City of Puyallup velopment & Permitting Services ISSUED PERMIT

PRCP20250695



ALTERNATE COLUMN FOOTING  $\bigcirc 06$ SCALE: N.T.S.

EAST TOWN CROSSING CARPORTS

SCALE: N.T.S.

TYPICAL DETAILS

AND ELEVATION

PIONEER WAY E PUYALLUP, WA 9837

CARPORTS OF WASHINGTON P.O. BOX 2389

BUCKLEY, WASHINGTON 98321

3" CLEAR



	Oll		αι	11111
CIVIL	I STRUC	TURAL	SURVE	Υ
4815 CENTER	STREET	1 1	TACOMA, WA	. 98409
PHONE: (253)	474-9449	1	FAX: (253) 47	4-0153
	http://www	sittshill.c	com/	

APPROVAL	S		SHEET NO.
DESIGNED	JPR		
DRAWN _	JPR	-	52.0
CHECKED	CJT		PROJECT NO.
DATE	05/20/2025	_	
SCALE	AS NOTED		20,822

-PURLIN PER PLAN -HSS COLUMN PER PLAN -MATIVE SOIL OR -ASPHALT TYPICAL STRUCTURAL FILL

TYPICAL ELEVATION

