


1 FREEZER PLAN
A355

1/4" = 1'-0"



2 COOLER PLANS
A355

1/4" = 1'-0"

GENERAL NOTES FOR COOLERS & FREEZERS	
1.	PROVIDE ALL ACCESSORIES FOR COMPLETE INSTALLATION.
2.	COOLER WALLS TO BE 4" THICK (NOM).
3.	FREEZER WALLS TO BE 6" THICK (NOM).
4.	COOLER FLOORS TO BE 1/2" QUARRY TILE.
5.	SPACERS UNDER AND BEHIND COOLERS AND FREEZERS SHALL BE PROVIDED BY THE GENERAL CONTRACTOR.
6.	SEE SPECIFICATION SECTION 11 4124 FOR COOLER/FREEZER SPECIFICATIONS.
7.	THE INTERIOR HEIGHT OF ALL WALK-INS IS 9'-6" AFF.
DOOR NOTES FOR COOLERS & FREEZERS	
180	5' x 8' (NOM) WALK-IN COOLER DOOR W/ 36" KICKPLATE BOTH SIDES.
181	5' x 8' (NOM) WALK-IN FREEZER DOOR W/ 36" KICKPLATE BOTH SIDES.
182	5' x 8' (NOM) WALK-IN COOLER DOOR W/ 36" KICKPLATE BOTH SIDES.
183	5' x 8' (NOM) WALK-IN COOLER DOOR W/ 36" KICKPLATE BOTH SIDES.
DRAWING SYMBOLS	
WALL FINISHES:	
1	STUCCO GALVANIZED
2	STUCCO ALUMINUM
3	STUCCO WHITE ENAMEL
4	EXISTING COOLER/FREEZER PANEL
5	RELOCATED EXISTING COOLER/FREEZER PANEL
CEILING FINISHES:	
1	STUCCO GALVANIZED
2	STUCCO ALUMINUM
3	STUCCO WHITE ENAMEL
4	EXISTING COOLER/FREEZER CEILING PANEL
V	PRESSURE RELIEF VENT, MANUFACTURER TO VERIFY QUANTITY.
F	FLUSH MOUNTED ELECTRICAL J-BOX
T	DIAL THERMOMETER

Approval of submitted plans is not an approval of omissions or oversights by this office or non compliance with any applicable regulations of local government. The contractor is responsible for making sure that the building complies with all applicable codes and regulations of the local government.

The approved construction plans, documents, and all engineering must be posted on the job at all inspections in a visible and readily accessible location.

Full sized legible color plans are required to be provided by the permittee on site for inspection.

Separate Electrical Permit is required with the Washington State Department of Labor & Industries.
<https://lni.wa.gov/licensing-permits/electrical/electrical-permits-fees-and-inspections>
or call for Licensing Information: 1-800-647-0982

City of Puyallup


Building

REVIEWED

FOR

COMPLIANCE

SKinnear
07/14/2025
11:11:34 AM



City of Puyallup

Development & Permitting Services

ISSUED PERMIT

Building

Planning


Engineering

Public Works

Fire

Traffic

PRMH20250744



T-0342 PUYALLUP, WA



DATE ISSUED	ISSUE AND REVISIONS	COMPLETE CONSTRUCTION			
17 DEC 2010	12-17-10 BR-3.0	A191885-000-1			
DRAWN BY	DLA.11				
MB					
CHECKED BY					
DC, JAL, MN					
ARCHITECT'S PROJECT NO.	01-4730-02				

PUYALLUP, WA
3310 S MERIDIAN
PUYALLUP, WA 98373

T-0342
MR2010_11
PROJECT CODE
T270342LL

FREEZER & COOLER
PLANS

A355