
MINIMUM LANE CLOSURE TAPER LENGTH = L (feet) Posted Speed (mph) WIDTH 25 30 35 45 50 55 60 65 70 (feet) 10 270 450 500 105 150 205 550 115 165 225 295 495 550 605 660 11 12 540 540 600 125 180 245 660 720 780 840

| | MINIMUM SHOULDER TAPER LENGTH = L/3 (feet) | | | | | | | | | | | |
|--|--|----|----|----|-----|-----|-----|-----|-----|-----|--|--|
| SHOULDER WIDTH | - Cotton Opena (p.i.) | | | | | | | | | | | |
| (feet) | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | | |
| 8' | 40 | 40 | 60 | 90 | 120 | 130 | 150 | 160 | 170 | 190 | | |
| 10' 40 60 90 90 150 170 190 200 220 24 | | | | | | | 240 | | | | | |
| USE A 3 DEVICES TAPER FOR SHOULDERS LESS THEN 8' | | | | | | | | | | | | |

| BUFFER DATA | | | | | | | | | | | |
|---|------------------|-----|---|--------|-----|-------|---|---------------------|-----|--------|-----|
| LONGITUDINAL BUFFER SPACE = B | | | | | | | | | | | |
| SPEED (MPH) 25 30 35 40 45 50 55 60 65 70 | | | | | | | | | | | |
| LENGTH (feet) 155 200 250 305 360 425 495 570 645 | | | | | 645 | 730 | | | | | |
| TRANSPORTABLE ATTENUATOR ROLL AHEAD DISTANCE = R | | | | | | | | | | | |
| | VEHICI 0 TO 2 | | | | | I | | VEHICLE > 22,000 | | ЭНТ | |
| < 45 MPH | 45-55 | MPH | > | 55 MPH | · < | 45 MP | н | 45-55 N | 1PH | > 55 I | MPH |
| 100' | 12 | 23' | | 172' | | 74' | | 100' | | 150 |)' |
| PROTECTIVE VEHICLE (WORK VEHICLE) = R | | | | | | | | | | | |
| NO SPECIFIED DISTANCE REQUIRED | | | | | | | | | | | |



| SIGN SPACING | S = X (1) | |
|-----------------------------------|----------------|------------|
| FREEWAYS & EXPRESSWAYS | 55 / 70 MPH | 1500' ± |
| RURAL HIGHWAYS | 60 / 65 MPH | 800' ± |
| RURAL ROADS | 45 / 55 MPH | 500' ± |
| RURAL ROADS & URBAN ARTERIALS | 35 / 40 MPH | 350'± |
| RURAL ROADS & URBAN ARTERIALS | 25 / 30 MPH | 200' ± (2) |
| RESIDENTIAL & BUSINESS DISTRICTS | | |
| URBAN STREETS | 25 MPH OR LESS | 100' ± (2) |
| (1) ALL SPACING MAY BE ADJUSTED T | | TERCHANGE |

(2) THIS SPACING MAY BE REDUCED IN URBAN AREAS TO FIT ROADWAY CONDITIONS.

CHANNELIZATION DEVICE

At least 72 hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

Portable changeable message signs shall be posted at least 72 hours in advance of work start date notifying travelers of impending road work and traffic impacts.

Add a note on all TCP pages (or revise the first note on TCD00) stating that all TCPs and work shall comply with the final or most recently adopted Washington State Department of Transportation Maintenance of Traffic agreement for the SR 167/SR 161 to SR 410 - Rebuild Interchange Project. Furthermore, add a note that consecutive off-ramps or consecutive on-ramps shall not be closed concurrently unless approved by the WSDOT Engineer.

ATKINSON June 03 2025 KTM

NOTES:

- SEE RFP SECTION 2.22.4.3 FOR ALLOWABLE WORK HOURS.
- ALL SIGNS SHALL BE 48" X 48", UNLESS OTHERWISE SHOWN, ALL SIGNS SHALL BE BLACK ON ORANGE, UNLESS OTHERWISE SHOWN.
- EXTEND CHANNELIZING DEVICE TAPER ACROSS SHOULDER.
- PCMS SHALL HAVE 4'CLEARANCE TO TRAVELED WAY: PCMS SHALL NOT BE PLACED IN GORE.
- NO ENCROACHMENT ON TRAVELED LANE, IF ENCROACHMENT IS NECESSARY, LANE SHALL BE CLOSED USING AN APPROVED PLAN.
- USE TRANSVERSE DEVICES IN CLOSED LANE EVERY 500'.
- DOWNSTREAM TAPER OPTIONAL ACROSS RIGHT AND/OR LEFT LANE. DOWNSTREAM TAPER DEVICE SPACING IS 20'.
- WHERE ADVANCE SIGNING EXTENDS BEYOND AN ON-RAMP SIGNAGE SHALL BE PROVIDED ON THE ON-RAMP IN ADDITION TO MAINLINE SR167, SR410, & SR512.
- WHEN A LANE CLOSURE TAPER IS IN THE VICINITY OF AN ON RAMP FROM THE OPPOSITE SIDE OF THE HIGHWAY SEE THE TAPER LOCATION DETAILS TABLE ON THIS SHEET.
- IF FEASIBLE, AVOID PLACING LANE CLOSURE OR LANE SHIFT TAPERS WITHIN OR IMMEDIATELY FOLLOWING HORIZONTAL CURVES.
- TRANSPORTABLE ATTENUATORS MAY BE OMITTED WHEN NOT PROTECTING ACTIVE WORK AREA.
- CONTRACTOR SHALL MAINTAIN PEDESTRIAN AND BICYCLE ACCESS DURING CONSTRUCTION AS REQUIRED IN SECTION 2.22.4.4.5 OF THE RFP.

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector. Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

The City of Puyallup does not authorize

or permit work or traffic control in the

Washington State Department of

Transportation's right-of-way.

LEGEND

- SIGN LOCATION TEMPORARY MOUNT
- SIGN LOCATION TEMPORARY MOUNT \bowtie (CLASS "B") 5' MOUNTING HEIGHT
- TRAFFIC SAFETY DRUMS \otimes
 - TYPE 3 BARRICADE
 - TRAVEL DIRECTION OF OPEN LANE
 - TRANSPORTABLE ATTENUATOR


WORK AREA

+++

On or before the Wednesday prior to work commencement or traffic control, the applicant shall notify the WSDOT Area 1 Maintenance office of work on a state route (SR) at (360) 357-2600 or at orfeedback@wsdot.wa.gov. The applicant shall complete the Traffic Management Center (TMC) requirements.

Puyallup construction restriction zones and routes shall be in effect during special events in downtown Puyallup or at the Washington State Fair. No work is allowed in the public right-of-way as defined by the Puvallup "Construction Restriction Zone & Routes Map.

| FILE NAME | c:\pw_workdir\jacobs-americ | cas\d0247120\XE3476_PS_TCD00.dgn | | | | | |
|--------------|-----------------------------|-----------------------------------|----------|----|---------------|---------|------------------|
| TIME | 4:59:20 PM | | | | REGION NO. | STATE | FED.AID PROJ.NO. |
| DATE | 5/14/2025 | | | | - | WASH | |
| PLOTTED BY | graham robinson | | | | ו ו | WASH | 0167(059) |
| DESIGNED BY | G. ROBINSON | | | | JOB N | UMBER | |
| ENTERED BY | G. ROBINSON | REV 1 - RELEASED FOR CONSTRUCTION | 05/30/25 | | 1 | | |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 04/11/25 | | CONTR | ACT NO. | LOCATION NO. |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 02/24/25 | | XE: | 3476 | |
| REGIONAL ADM | I S ROARK | REVISION | DATE | BV | 1 | | |





SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

TRAFFIC CONTROL DETAIL - NOTES

SHEET

PLAN REF N TCD00

On or before the Wednesday prior to work commencement or traffic control, the applicant shall notify the WSDOT Area 1 Maintenance office of work on a state route (SR) at (360) 357-2600 or at orfeedback@wsdot.wa.gov. The applicant shall complete the Traffic Management Center (TMC) requirements.

The City of Puyallup does not authorize or

right-of-way or outside Puyallup city limits.

State Department of Transportation's

permit work or traffic control in the Washington

Portable changeable message signs shall be posted at least 72 hours in advance of work start date notifying travelers of impending road work and traffic impacts.

Puyallup construction restriction zones and routes shall be in effect during special events in downtown Puyallup or at the Washington State Fair. No work is allowed in the public right-of-way as defined by the Puyallup "Construction Restriction Zone & Routes Map."

| PC | MS |
|----------|---------|
| 1 | 2 |
| SHOULDER | WORKERS |
| CLOSED | 1 MILE |
| AHEAD | AHEAD |
| 2.0 SEC | 2.0 SEC |


LOCATE AS SHOWN

start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric ROAD Johnson, by emailing him the road closure dates and times at SHOULDER SHOULDER WORK EJohnson@puyallupwa.gov and by calling him at 253-344-6269. CLOSED AHEAD W20-1 W20-301 100' L/3 1 MILE +/- $\delta \otimes \otimes \otimes \otimes \otimes$ NOT FOR REVIEW

ATKINSON April 14 2025 KTW RELEASED FOR CONSTRUCTION

At least 72-hour advanced notice to the City is required prior to

setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable



SECTION VIEW A-A EXISTING PAVEMENT MARKING A

LEGEND

SIGN LOCATION - TEMPORARY MOUNT (CLASS "B")

N $\otimes \blacksquare$ TRAFFIC SAFETY DRUM

TRAVEL DIRECTION OF OPEN LANE

PCMS PORTABLE CHANGEABLE MESSAGE SIGN

TRANSPORTABLE ATTENUATOR

WORK AREA

LEFT SHOULDER CLOSURE

NOT TO SCALE

NOTES:

SEE TCD00 FOR ADDITIONAL TABLES AND LEGENDS.

WHEN TRAFFIC SAFETY DRUMS ARE TO BE PLACED SUCH THAT THEY IMPACT AN ON OR OFF-RAMP, SEE RAMP DETAILS TABLE ON TODOO FOR DETAILS ON MAINTAINING OR CLOSING THE IMPACT NOT. FOR, REVIEW

IN AREAS WITH SHOULDERS NOT WIDE ENOUGH FOR A TRANSPORTABLE ATTENUATOR NO WORK AREA CAN BE PROVIDED.

THIS PLAN IS APPLICABLE TO CLOSE THE LEFT SHOULDER ON TWO LANE MEDIAN SEPARATED HIGHWAYS WITHIN PROJECT LIMITS INCLUDING SR167, SR512, AND SR410, THIS PLAN MAY ALSO BE USED TO CLOSE THE LEFT SHOULDER FOR RAMPS BETWEEN SR167, SR512, SR410, AND MERIDIAN AVE.

| FILE NAME | c:\pw_workdir\jacobs-americ | cas\d0247120\XE3476_PS_TCD0 | 1.dgn | | | | | |
|--------------|-----------------------------|-----------------------------|--------------|----------|----|---------------|---------|------------------|
| TIME | 10:35:23 AM | | | | | REGION NO. | STATE | FED.AID PROJ.NO. |
| DATE | 4/2/2025 | | | | | | WASH | |
| PLOTTED BY | graham robinson | | | | | '' | WASH | 0167(059) |
| DESIGNED BY | G. ROBINSON | | | | | JOB N | UMBER | |
| ENTERED BY | G. ROBINSON | | | | | 1 | | |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR | CONSTRUCTION | 04/11/25 | | CONTR | ACT NO. | LOCATION NO. |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY RE | VIEW | 02/24/25 | | XE: | 3476 | |
| REGIONAL ADM | . S. ROARK | REVISIO | N | DATE | BY | | | |



SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

TRAFFIC CONTROL DETAIL LEFT SHOULDER CLOSURE SHEET

PLAN REF NO TCD01

At least 72-hour advanced notice to the City is required prior to

start date with Michael, notify the City's Public Works Streets

Johnson, by emailing him the road closure dates and times at

EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable

Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric

ATKINSON April 14 2025 KTW

RELEASED FOR CONSTRUCTION

On or before the Wednesday prior to work commencement or traffic control, the applicant shall notify the WSDOT Area 1 Maintenance office of work on a state route (SR) at (360) 357-2600 or at orfeedback@wsdot.wa.gov. The applicant shall complete the Traffic

Portable changeable message signs shall be posted at least 72 hours in advance of work start date notifying travelers of impending road work and traffic impacts.

Management Center (TMC) requirements.

The City of Puyallup does not authorize or

right-of-way or outside Puyallup city limits.

State Department of Transportation's

permit work or traffic control in the Washington

Puyallup construction restriction zones and routes shall be in effect during special events in downtown Puyallup or at the Washington State Fair. No work is allowed in the public right-of-way as defined by the Puyallup "Construction Restriction Zone & Routes Map."

| PC | MS |
|----------|---------|
| 1 | 2 |
| SHOULDER | WORKERS |
| CLOSED | 1 MILE |
| AHEAD | AHEAD |
| 2.0 SEC | 2.0 SEC |

LOCATE AS SHOWN

LEGEND

TRAFFIC SAFETY DRUM

WORK AREA

N

 $\otimes \blacksquare$

PCMS


SIGN LOCATION - TEMPORARY MOUNT (CLASS "B")

TRAVEL DIRECTION OF OPEN LANE

TRANSPORTABLE ATTENUATOR

PORTABLE CHANGEABLE MESSAGE SIGN

⊢2' MIN 1 MILE +/-100' L/3 _R ROAD SHOULDER **SHOULDER** WORK CLOSED AHEAD W20-1 W20-301 W21-5 NOT FOR REVIEW



SECTION VIEW A-A

△ EXISTING PAVEMENT MARKING


NOTES:

- SEE TCD00 FOR ADDITIONAL TABLES AND LEGENDS.
- WHEN TRAFFIC SAFETY DRUMS ARE TO BE PLACED SUCH THAT THE IMPACT AN ON OR OFF-RAMP, SEE RAMP DETAILS TABLE ON TODOO FOR DETAILS ON MAINTAINING OR CLOSING THE IMPACT NOT. FOR, REVIEW
- IN AREAS WITH SHOULDERS NOT WIDE ENOUGH FOR A TRANSPORTABLE ATTENUATOR NO WORK AREA CAN BE PROVIDED.
- THIS PLAN IS APPLICABLE TO CLOSE THE RIGHT SHOULDER ON TWO LANE MEDIAN SEPARATED HIGHWAYS WITHIN PROJECT LIMITS INCLUDING SR167, SR512, AND SR410, THIS PLAN MAY ALSO BE USED TO CLOSE THE RIGHT SHOULDER FOR RAMPS BETWEEN SR167, SR512, SR410, AND MERIDIAN AVE.

RIGHT SHOULDER CLOSURE

NOT TO SCALE

| FILE NAME | c:\pw_workdir\jacobs-americ | 2.dgn | | | | | | | |
|--------------|-----------------------------|------------------------|--------------|----------|----|---------------|---------|-----------------|----|
| TIME | 10:37:07 AM | | | | | REGION NO. | STATE | FED.AID PROJ.NO | Ο. |
| DATE | 4/2/2025 | | | | | | WASH | I | |
| PLOTTED BY | graham robinson | | | | | 10 | WASH | 0167(059) | |
| DESIGNED BY | G. ROBINSON | | | | | JOB N | UMBER | I | |
| ENTERED BY | G. ROBINSON | | | | | 1 | | I | |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR C | CONSTRUCTION | 04/11/25 | | CONTR | ACT NO. | LOCATION NO. | |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY RE | VIEW | 02/24/25 | | XE: | 3476 | I | |
| REGIONAL ADM | . S. ROARK | REVISION | J | DATE | BY | ĺ | | 1 | |



SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

TRAFFIC CONTROL DETAIL RIGHT SHOULDER CLOSURE SHEET

PLAN REF NO TCD02

April 14 2025 KTW

RELEASED FOR CONSTRUCTION

At least 72-hour advanced notice to the City is required prior to

start date with Michael, notify the City's Public Works Streets

Johnson, by emailing him the road closure dates and times at

EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable

Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric

On or before the Wednesday prior to work commencement or traffic control, the applicant shall notify the WSDOT Area 1 Maintenance office of work on a state route (SR) at (360) 357-2600 or at orfeedback@wsdot.wa.gov. The applicant shall complete the Traffic Management Center (TMC) requirements.

The City of Puyallup does not authorize or

right-of-way or outside Puyallup city limits.

State Department of Transportation's

permit work or traffic control in the Washington

Portable changeable message signs shall be posted at least 72 hours in advance of work start date notifying travelers of impending road work and traffic impacts.

Puyallup construction restriction zones and routes shall be in effect during special events in downtown Puyallup or at the Washington State Fair. No work is allowed in the public right-of-way as defined by the Puyallup "Construction Restriction Zone & Routes Map."

| PC | MS | | | | |
|---------|---------|--|--|--|--|
| 1 | 2 | | | | |
| LEFT | 1 | | | | |
| LANE | MILE | | | | |
| CLOSED | AHEAD | | | | |
| 2.0 SEC | 2.0 SEC | | | | |

LOCATE AS SHOWN

-|

SECTION VIEW A-A EXISTING PAVEMENT MARKING A

OPEN LANES-

LEGEND

SIGN LOCATION - TEMPORARY MOUNT (CLASS "B")

- TRAVEL DIRECTION OF OPEN LANE

TA - PROTECTIVE VEHICLE. ATTENUATOR OPTIONAL FOR SPEEDS 40MPH OR UNDER

PORTABLE CHANGEABLE MESSAGE SIGN

WORK AREA

PCMS

SINGLE LEFT LANE CLOSURE

NOT TO SCALE

NOTES:

- 1. SEE TCD00 FOR ADDITIONAL TABLES AND LEGENDS
- 2. WHEN TRAFFIC SAFETY DRUMS ARE TO BE PLACED SUCH THAT THEY IMPACT AN ON OR OFF-RAMP, SEE RAMP DETAILS TABLE ON TODO, FOR DETAILS ON MAINTAINING OR CLOSING THE IMPACTNOT...F.O.R., REVIEW
- 3. THIS PLAN IS APPLICABLE TO CLOSE THE LEFT SHOULDER ON TWO LANE MEDIAN SEPARATED HIGHWAYS WITHIN PROJECT LIMITS INCLUDING SR167, SR512, AND SR410. THIS PLAN MAY ALSO BE USED TO CLOSE THE LEFT SHOULDER FOR RAMPS BETWEEN SR167, SR512, SR410, AND MERIDIAN AVE.
- 4. IF FEASIBLE, AVOID PLACING LANE CLOSURE OR LANE SHIFT TAPERS WITHIN OR IMMEDIATELY FOLLOWING HORIZONTAL CURVES.
- CONTRACTORS SHALL USE AN APPROVED PLAN TO CLOSE OR MAINTAIN ANY RAMPS IMPACTED BY LANE CLOSURES.

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD03.dgn FILE NAME TIME 10:40:25 AM EGION NO. FED.AID PROJ.NO. DATE 4/2/2025 10 WASH 0167(059) PLOTTED BY graham robinson JOB NUMBER DESIGNED BY G. ROBINSON G. ROBINSON ENTERED BY CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 04/11/25 CONTRACT NO LOCATION NO. REV A - PRELIMINARY REVIEW PROJ. ENGR. T. SLIMAK 02/24/25 XE3476 REGIONAL ADM. S. ROARK REVISION DATE





SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

TRAFFIC CONTROL DETAIL SINGLE LEFT LANE CLOSURE

SHEET OF SHEETS

PLAN REF NO

TCD03

On or before the Wednesday prior to work commencement or traffic control, the applicant shall notify the WSDOT Area 1 Maintenance office of work on a state route (SR) at (360) 357-2600 or at orfeedback@wsdot.wa.gov. The applicant shall complete the Traffic Management Center (TMC) requirements.


At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

Portable changeable message signs shall be posted at least 72 hours in advance of work start date notifying travelers of impending road work and traffic impacts.

Puyallup construction restriction zones and routes shall be in effect during special events in downtown Puyallup or at the Washington State Fair. No work is allowed in the public right-of-way as defined by the Puyallup "Construction Restriction Zone & Routes Map."

| PC | MS |
|---------|---------|
| 1 | 2 |
| RIGHT | 1 |
| LANE | MILE |
| CLOSED | AHEAD |
| 2.0 SEC | 2.0 SEC |

LOCATE AS SHOWN



OPEN LANES

MIN 2'

SECTION VIEW A-A

△ EXISTING PAVEMENT MARKING

LEGEND

SIGN LOCATION - TEMPORARY MOUNT (CLASS "B")

TRAVEL DIRECTION OF OPEN LANE

TA - PROTECTIVE VEHICLE. ATTENUATOR OPTIONAL FOR SPEEDS 40MPH OR UNDER

PORTABLE CHANGEABLE MESSAGE SIGN

WORK AREA

SINGLE RIGHT LANE CLOSURE

NOT TO SCALE

TO SOALL

RET D. MILL
STOR WASHINGTON

SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

PLAN REF NO

SHEET

TRAFFIC CONTROL DETAIL SINGLE RIGHT LANE CLOSURE

| PROJ.NO. | ROB |
|------------|-----|
| 167(059) | |
| CATION NO. | |

| FILE NAME | c \pw_workdir\jacobs-americ | as\du24/120\XE34/6_PS_TCD04.dgn | | | | | |
|--------------|-----------------------------|-----------------------------------|----------|----|---------------|---------|------------------|
| TIME | 11:08:20 AM | | | | REGION NO. | STATE | FED.AID PROJ.NO. |
| DATE | 4/2/2025 | | | | 10 | WASH | |
| PLOTTED BY | graham robinson | | | | ן יי ן | WASH | 0167(059) |
| DESIGNED BY | G. ROBINSON | | | | JOB N | UMBER | |
| ENTERED BY | G. ROBINSON | | | | | | |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 04/11/25 | | CONTR | ACT NO. | LOCATION NO. |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 02/24/25 | | XE3 | 3476 | |
| REGIONAL ADM | . S. ROARK | REVISION | DATE | BY | | | |

Washington State
Department of Transportation

ATKINSON / Jacobs

SEE TCD00 FOR ADDITIONAL TABLES AND LEGENDS

OR IMMEDIATELY FOLLOWING HORIZONTAL CURVES.

RAMPS IMPACTED BY LANE CLOSURES.

WHEN TRAFFIC SAFETY DRUMS ARE TO BE PLACED SUCH THAT THEY IMPACT AN ON OR OFF-RAMP, SEE RAMP DETAILS TABLE ON TODOO FOR DETAILS ON MAINTAINING OR CLOSING THE IMPACTNOT...F.O.R., REVIEW

THIS PLAN IS APPLICABLE TO CLOSE THE RIGHT SHOULDER ON TWO LANE

MEDIAN SEPARATED HIGHWAYS WITHIN PROJECT LIMITS INCLUDING SR167,


SR512, AND SR410, THIS PLAN MAY ALSO BE USED TO CLOSE THE RIGHT

SHOULDER FOR RAMPS BETWEEN SR167, SR512, SR410, AND MERIDIAN AVE.

IF FEASIBLE, AVOID PLACING LANE CLOSURE OR LANE SHIFT TAPERS WITHIN

CONTRACTORS SHALL USE AN APPROVED PLAN TO CLOSE OR MAINTAIN ANY

NOTES:




At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

GENERAL NOTES:

- SEE TCD00 FOR TEMPORARY TRAFFIC CONTROL NOTES, ALLOWABLE CLOSURE HOURS, CHANNELIZATION DEVICE SPACING TABLE, BUFFER TABLE, LANE CLOSURE LENGTH TABLE, SHOULDER CLOSURE LENGTH TABLE, TMA ROLL AHEAD TABLE, AND SIGN SPACING TABLE.
- 2. SEE TC510 FOR DETOUR ROUTE DETAILS.
- 3. PCMS MAY BE USED TO SUPPLEMENT SIGN. SIGN AND/OR PCMS TO BE INSTALLED A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.

| LEGEND | | | | | | | |
|------------|--|--|--|--|--|--|--|
| И | SIGN LOCATION - TEMPORARY MOUNT (CLASS "B") | | | | | | |
| ⊠ | SIGN LOCATION - TEMPORARY MOUNT (CLASS "B") 5' MOUNTING HEIGHT | | | | | | |
| ⊗ <u> </u> | TRAFFIC SAFETY DRUMS | | | | | | |
| +++ | TYPE 3 BARRICADE | | | | | | |
| | TRANSPORTABLE ATTENUATOR | | | | | | |
| | WORK AREA | | | | | | |



| FILE NAME | c:\pw_workdir\jacobs-americ | as\d0247120\XE3476_PS_TC110.dgn | | | | | | Γ |
|--------------|-----------------------------|-----------------------------------|----------|----|---------------|---------|------------------|------|
| TIME | 5:16:20 PM | | | | REGION NO. | STATE | FED.AID PROJ.NO. | 1 |
| DATE | 5/14/2025 | | | | | WASH | | ı |
| PLOTTED BY | graham robinson | | | | 10 | WASH | 0167(059) | ı |
| DESIGNED BY | G. ROBINSON | | | | JOB NUMBER | | | ı |
| ENTERED BY | G. ROBINSON | | | | | | | d |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 05/30/25 | | CONTR | ACT NO. | LOCATION NO. | 1 |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 04/07/25 | | XE: | 3476 | | ı |
| REGIONAL ADM | . S. ROARK | REVISION | DATE | BY | | | | 2025 |




SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE PLAN REF NO

SHEET

PRROW20251151

RAMP CLOSURE E MAIN AVE TO WB 410 ON-RAMP



1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

NOTES:

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD101.dgn FILE NAME TIME 5:01:07 PM EGION NO. FED.AID PROJ.NO. DATE 5/14/2025 10 WASH 0167(059) PLOTTED BY graham robinson DESIGNED BY G. ROBINSON ENTERED BY G. ROBINSON CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 05/30/25 CONTRACT NO LOCATION NO. REV A - PRELIMINARY REVIEW PROJ. ENGR. T. SLIMAK 04/07/25 XE3476 REGIONAL ADM. S. ROARK REVISION DATE BY

DETAIL C - MAINTAINING OFF-RAMP
DURING RIGHT TWO LANES CLOSURE



| 7 | |
|--|--|
| Washington State Department of Transportation | |
| ATKINSON / Jacobs | |

NUMBER OF CLOSED LANES MAY VARY SHIFT DRUMS TO THE RIGHT AND NARROW WORK ZONE TO ACCOMODATE RAMP CLOSURE DURING A SINGLE LANE CLOSURE.

PCMS MAY BE USED TO SUPPLEMENT SIGN. SIGN AND/OR PCMS TO BE INSTALLED

SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.


SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

PLAN REF N

TCD101

SHEET

RAMP DETAIL NB 167 TO EB 410 OFF-RAMP



MINIMUM TANGENT OF RIGHT DETAILS BUFFER

DETAIL A - MAINTAINING OFF-RAMP DURING RIGHT SHOULDER CLOSURE NOTES:

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

4 FOR CLOSU 172' EXIT DETAIL B - MAINTAINING OFF-RAMP **DURING SINGLE RIGHT LANE CLOSURE** NOTES:

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

DETAIL C - CLOSING OFF-RAMP DURING RIGHT LANE CLOSURE NOT TO SCALE

NOTES

- SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.
- NUMBER OF CLOSED LANES MAY VARY SHIFT DRUMS TO THE RIGHT AND NARROW WORK ZONE TO ACCOMODATE RAMP CLOSURE DURING A SINGLE LANE CLOSURE.
- PCMS MAY BE USED TO SUPPLEMENT SIGN. SIGN AND/OR PCMS TO BE INSTALLED A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.

Washington State Department of Transportation ATKINSON / Jacobs

SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets

Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric

RAMP DETAIL SB 167 TO EB 410 OFF-RAMP


| FILE NAME | c:\pw_workdir\jacobs-americ | as\d0247120\XE3476_PS_TCD102.dgn | | | | | |
|--------------|-----------------------------|-----------------------------------|----------|----|---------------|--------|------------------|
| TIME | 5:02:28 PM | | | | REGION NO. | STATE | FED.AID PROJ.NO. |
| DATE | 5/14/2025 | | | | <u> </u> | WASH | |
| PLOTTED BY | graham robinson | | | | ן יי ן | WASH | 0167(059) |
| DESIGNED BY | G. ROBINSON | | | | JOB NU | MBER | |
| ENTERED BY | G. ROBINSON | | | | 1 | | |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 05/30/25 | | CONTRA | CT NO. | LOCATION NO. |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 04/07/25 | | XE3 | 476 | |
| REGIONAL ADM | ı. S. ROARK | REVISION | DATE | BY | | | |


Trine 03 5052 kg/m VLKIN2ON

PLAN REF NO TCD102

SHEET

PRROW20251151







- SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.
- PCMS MAY BE USED TO SUPPLEMENT SIGN. SIGN AND/OR PCMS TO BE INSTALLED A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD104.dgn

FILE NAME





SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

PCMS MAY BE USED TO SUPPLEMENT SIGN. SIGN AND/OR PCMS TO BE INSTALLED A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.

> At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

DETAIL B - MAINTAINING ON-RAMP

DURING SINGLE RIGHT LANE CLOSURE

NOT TO SCALE


ATKINSON June 03 2025 KTW RELEASED FOR CONSTRUCTION



NOTES:



| TIME | 5:05:50 PM | | | REG | GION STATE | FED.AID PROJ.NO. | MERT D. MILL | | ~ | SR 167 | PLAN REF NO |
|--------------|-----------------|-----------------------------------|----------|-----|--------------|------------------|---------------------------|-----------|----------------------|--------------------------|-------------|
| DATE | 5/14/2025 | | | 10 | 10 WASH | | OF WASHING | | | | TCD104 |
| PLOTTED BY | graham robinson | | | " | " WASII | 0167(059) | 1 2 22 | | 41 | SR 161 TO SR 410 | 1100104 |
| DESIGNED BY | G. ROBINSON | | | JC | JOB NUMBER | | A Miller | Wasi | hington State | REBUILD INTERCHANGE | SHEET |
| ENTERED BY | G. ROBINSON | | | | | | | Departmen | nt of Transportation | REBUILD INTERCHANGE | OHEE! |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 05/30/25 | CC | CONTRACT NO. | LOCATION NO. | 7 E C 1 S TE RE | | | | OF |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 04/07/25 | | XE3476 | | STONAL ES | ATKINS | SON / Jacobs | RAMP DETAIL | SHEETS |
| REGIONAL ADM | vi. S. ROARK | REVISION | DATE | BY | | | 2025.06.03 10.41:35-0700* | CONSTRUC | OTTON/ Jacobs | WB 410 TO SB 167 ON-RAMP | SHEETS |



1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD105.dgn

REV 0 - RELEASED FOR CONSTRUCTION

REVISION

REV A - PRELIMINARY REVIEW

FILE NAME TIME

PLOTTED BY

DESIGNED BY

PROJ. ENGR.

DATE

5:06:50 PM

graham robinson

G. ROBINSON


5/14/2025

T. SLIMAK

ENTERED BY G. ROBINSON

CHECKED BY R. MILLER

REGIONAL ADM. S. ROARK



EGION NO.

05/30/25

04/07/25

DATE

10 WASH

CONTRACT NO

XE3476

0167(059)

LOCATION NO.

EXIT WB SR410 TO NE EXIT OPEN TCD04 FOR END OF CLOSURE DETAI MAINTAIN 14FT MIN LANE 570' +/-BUFFER DETAIL B - MAINTAINING OFF-RAMP DURING SINGLE RIGHT LANE CLOSURE NOTES:

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.




PLAN REF NO

TCD105

SHEET

PRROW20251151





SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

RAMP DETAIL WB 410 TO NB 167 OFF-RAMP

WB SR410 TO NE TCD03 FOR END OF LEFT CLOSURE DETAILS SEE DETAIL B - MAINTAINING OFF-RAMP **DURING SINGLE LEFT LANE CLOSURE** NOTES:

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

DETAIL C - CLOSING OFF-RAMP DURING DOUBLE LEFT LANE CLOSURE NOT TO SCALE WB SR410 TO NB MERGE TAPER WB SR410 SIGN SPACING MIN TANGENT SIGN SPACING SIGN SPACING EXIT ALL TRAFFIC MUST EXIT NOTES:

SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

2. NUMBER OF CLOSED LANES MAY VARY SHIFT DRUMS TO THE LEFT AND NARROW WORK ZONE TO ACCOMODATE RAMP CLOSURE DURING A SINGLE LEFT LANE CLOSURE.

PCMS MAY BE USED TO SUPPLEMENT SIGN. SIGN AND/OR PCMS TO BE NSTALLED A 3. MINIMUM OF 7 DAYS PRIOR TO CLOSURE.

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD106.dgn FILE NAME TIME 9:34:28 AM EGION NO. FED.AID PROJ.NO. 5/27/2025 DATE 10 WASH 0167(059) PLOTTED BY graham robinson DESIGNED BY G. ROBINSON ENTERED BY G. ROBINSON CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 05/30/25 CONTRACT NO LOCATION NO. PROJ. ENGR. REV A - PRELIMINARY REVIEW T. SLIMAK 04/07/25 XE3476 REGIONAL ADM. S. ROARK REVISION DATE BY



| 7/2 |
|---|
| 41 |
| Washington State Department of Transportation |
| |
| ATKINSON / Jacobs |
| |

SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector,

start date with Michael, notify the City's Public Works Streets

Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable

Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric

RAMP DETAIL WB 410 TO SB 167 OFF-RAMP

Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.


PRROW20251151



PLAN REF NO

TCD106

SHEET



1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

BETAIL C - CLOSING OFF-RAMP

DURING SINGLE RIGHT LANE CLOSURE

NOT TO SCALE


SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

NOTES:

- NUMBER OF CLOSED LANES MAY VARY SHIFT DRUMS TO THE RIGHT AND NARROW WORK ZONE TO ACCOMODATE RAMP CLOSURE DURING A SINGLE RIGHT LANE CLOSURE.
- 3. PCMS MAY BE USED TO SUPPLEMENT SIGN SIGN AND/OR PCMS TO BE INSTALLED A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.

| FILE NAME | c:\pw_workdir\jacobs-americ | as\d0247120\XE3476_PS_TCD107.dgn | | | | | |
|---------------|-----------------------------|-----------------------------------|----------|----|---------------|-------|------------------|
| TIME | 5:09:04 PM | | | | REGION NO. | STATE | FED.AID PROJ.NO. |
| DATE | 5/14/2025 | | | | 10 | WASH | |
| PLOTTED BY | graham robinson | | | | 10 | WASH | 0167(059) |
| DESIGNED BY | G. ROBINSON | | | | JOB NUMBER | | |
| ENTERED BY | G. ROBINSON | | | | | | |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 05/30/25 | | CONTRACT NO. | | LOCATION NO. |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 04/07/25 | | XE | 3476 | |
| REGIONAL ADM. | . S. ROARK | REVISION | DATE | BY | | | |





1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

ATKINSON

June 03 2025 KTW

RELEASED FOR CONSTRUCTION

PLAN REF NO


SHEET

| SR 167 | |
|---------------------|--|
| SR 161 TO SR 410 | |
| REBUILD INTERCHANGE | |

RAMP DETAIL NB 167 TO WB 512 OFF-RAMP

Washington State
Department of Transportation

ATKINSON / Jacobs



SEE TCD166 FOR RAMP CLOSURE DETAILS

SEE TCD166 FOR RAMP CLOSURE

SEE T

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

ATKINSON

June 03 2025 KTW

RELEASED FOR CONSTRUCTION

TCD108

PRROW20251151


| FILE NAME | c:\pw_workdir\jacobs-americ | | | Г | | | | |
|--------------|-----------------------------|-----------------------------------|----------|----|---------------|---------|------------------|---|
| TIME | 5:10:54 PM | | | | REGION NO. | STATE | FED.AID PROJ.NO. | 1 |
| DATE | 5/14/2025 | | | | | WASH | | ı |
| PLOTTED BY | graham robinson | | | | " | WASH | 0167(059) | 1 |
| DESIGNED BY | G. ROBINSON | | | | JOB N | UMBER | | L |
| ENTERED BY | G. ROBINSON | | | | | | | 1 |
| CHECKED BY | R. MILLER | REV 0 - RELEASED FOR CONSTRUCTION | 05/30/25 | | CONTR | ACT NO. | LOCATION NO. | 1 |
| PROJ. ENGR. | T. SLIMAK | REV A - PRELIMINARY REVIEW | 04/07/25 | | XE: | 3476 | | |
| REGIONAL ADM | . S. ROARK | REVISION | DATE | BY | 1 | | | 1 |



| Washington State Department of Transportation |
|--|
| ATKINSON / Jacobs |

| SR 167 | | | | | | | |
|---------------------|--|--|--|--|--|--|--|
| SR 161 TO SR 410 | | | | | | | |
| REBUILD INTERCHANGE | | | | | | | |

| RAMP DETAIL | | | | | | | | | | |
|-------------|-----|----|----|-----|----------|--|--|--|--|--|
| SB | 167 | TO | WB | 512 | OFF-RAMP | | | | | |




1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

FG BUFFER SEE TCD04 FOR START OF RIGHT LANE DETAIL C - MAINTAINING ON-RAMP DURING DOUBLE RIGHT LANE CLOSURE NOTES:

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD109.dgn FILE NAME FED.AID PROJ.NO. TIME 5:12:06 PM EGION NO. DATE 5/14/2025 10 WASH 0167(059) PLOTTED BY graham robinson DESIGNED BY G. ROBINSON ENTERED BY G. ROBINSON CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 05/30/25 CONTRACT NO LOCATION NO. REV A - PRELIMINARY REVIEW PROJ. ENGR. T. SLIMAK 04/07/25 XE3476 REGIONAL ADM. S. ROARK DATE REVISION BY






1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric

PRROW20251151



Washington State Department of Transportation

ATKINSON / Jacobs

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.


SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE PLAN REF NO

TCD109

SHEET

RAMP DETAIL

EB 512 TO NB 167 ON-RAMP



50'SHOULDER TAPER DETAIL B - MAINTAINING ON-RAMP **DURING SINGLE RIGHT LANE CLOSURE** NOT TO SCALE NOTES:

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

DETAIL C - CLOSING ON-RAMP **DURING SINGLE RIGHT LANE CLOSURE** NOTES:

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

Trine 03 5052 km VLKIN2ON

PRROW20251151

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD110.dgn FILE NAME FED.AID PROJ.NO. TIME 5:13:01 PM 5/14/2025 DATE 10 WASH PLOTTED BY 0167(059) graham robinson DESIGNED BY G. ROBINSON ENTERED BY G. ROBINSON CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 05/30/25 CONTRACT NO LOCATION NO. PROJ. ENGR. T. SLIMAK REGIONAL ADM. S. ROARK T. SLIMAK REV A - PRELIMINARY REVIEW 04/07/25 XE3476 REVISION DATE BY






| | S | R 1 | 67 | |
|------|-----|------|-----|-------|
| SR | 161 | то | SR | 410 |
| REBU | ILD | INTE | RCH | IANGE |

RAMP DETAIL **EB 512 TO SB 167 ON-RAMP** TCD110 SHEET


PLAN REF NO



1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

2.

DETAIL C - CLOSING OFF-RAMP
DURING SINGLE RIGHT LANE CLOSURE



c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD111.dgn FILE NAME FED.AID PROJ.NO. TIME 5:13:59 PM EGION NO. DATE 5/14/2025 10 WASH 0167(059) PLOTTED BY graham robinson DESIGNED BY G. ROBINSON ENTERED BY G. ROBINSON CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 05/30/25 CONTRACT NO LOCATION NO. PROJ. ENGR. REV A - PRELIMINARY REVIEW T. SLIMAK 04/07/25 XE3476 REGIONAL ADM. S. ROARK DATE REVISION BY

PCMS MAY BE USED TO SUPPLEMENT SIGN SIGN AND/OR PCMS TO BE

INSTALLED A MINIMUM OF 7 DAYS PRIOR TO CLOSURE.



NOTES:

At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

EB SR512 TO SB SR167 OFF-RAME

SEE TCD04 FOR END OF RIGHT LANE

PRROW20251151

FOR



EXIT OPEN

DETAIL B - MAINTAINING OFF-RAMP

DURING SINGLE RIGHT LANE CLOSURE

EB SR512

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

SR 167 SR 161 TO SR 410 REBUILD INTERCHANGE

June 03 2025 KTM

PLAN REF NO


TCD11

SHEET

RAMP DETAIL EB 512 TO NB 167 OFF-RAMP

DETAIL B - CLOSING OFF-RAMP **DURING SINGLE LEFT LANE CLOSURE**

NOT TO SCALE



At least 72-hour advanced notice to the City is required prior to setting up traffic control and starting work. First, notify City Inspector, Michael Rosenau, at 253-344-6753. Upon scheduling an agreeable start date with Michael, notify the City's Public Works Streets Supervisor, Scott Hill at 253-841-5409 and Public Affairs Officer, Eric Johnson, by emailing him the road closure dates and times at EJohnson@puyallupwa.gov and by calling him at 253-344-6269.

> PLAN REF NO TCD112 SR 161 TO SR 410

> > SHEET

SHEETS

Trine 03 5052 kg/m VLKIN2ON

RAMP DETAIL EB 512 TO SB 167 OFF-RAMP

SR 167

REBUILD INTERCHANGE

OF LEFT DETAILS START SURE I FOR EB SR512 TO NB SR167 OFF-RAMP S-OR CLO SEE DETAIL A - MAINTAINING OFF-RAMP

DURING LEFT SHOULDER CLOSURE

NOT TO SCALE

1. SEE TCD00 FOR ADDITIONAL NOTES AND LEGENDS.

NOTES:

The City of Puyallup does not authorize or

right-of-way or outside Puyallup city limits.

State Department of Transportation's

permit work or traffic control in the Washington

c:\pw_workdir\jacobs-americas\d0247120\XE3476_PS_TCD112.dgn FILE NAME FED.AID PROJ.NO. TIME 9:47:50 AM EGION NO. 5/27/2025 DATE 10 WASH 0167(059) PLOTTED BY graham robinson JOB NUMBER DESIGNED BY G. ROBINSON ENTERED BY G. ROBINSON CHECKED BY R. MILLER REV 0 - RELEASED FOR CONSTRUCTION 05/30/25 CONTRACT NO LOCATION NO. PROJ. ENGR. T. SLIMAK REGIONAL ADM. S. ROARK REV A - PRELIMINARY REVIEW 04/07/25 XE3476 DATE BY REVISION



| 7 |
|--|
| Washington State Department of Transportation |
| ATKINSON / Jacobs Jacobs Jacobs |

