



NE 1/4 NE 1/4 SEC. 35 & SE 1/4 SE 1/4 SEC. 26, TWP. 20 N., RGE. 4 E., W.M.



UTILITY PLAN



City of Puyallup Development & Permitting Services ISSUED PERMIT	
Building	Planning
Engineering	Public Works
Fire	Traffic

FOOTING DRAIN NOTE
PRSG20251040
LEANDER'S TRAIL
COVER SET FLUSH WITH FINAL GRADE.

- CLEANOUTS IN SOFT AREAS TO RECEIVE CONCRETE COLLARS.
- BENDS, WYES, ETC. (AS NECESSARY) TO BE DETERMINED BY CONTRACTOR.
- FOOTING DRAINS TO BE LAID FLAT OR WITH POSITIVE SLOPE TOWARDS CONNECTION TO PROPOSED STORM SYSTEM.
- CLEANOUTS SHALL BE PROVIDED EVERY 100' OR 135' IN DIRECTIONAL CHANGE.

EXISTING UTILITY NOTE
EXISTING UTILITIES ARE SHOWN IN THE APPROXIMATE LOCATION. THERE IS NO GUARANTEE THAT ALL UTILITY LINES ARE SHOWN, OR THAT THE LOCATION, SIZE AND MATERIAL IS ACCURATE. THE CONTRACTOR SHALL UNCOVER ALL INDICATED PIPING WHERE CROSSINGS, INTERFERENCES, OR CONNECTIONS OCCUR PRIOR TO TRENCHING OR EXCAVATION FOR ANY PIPE OR STRUCTURES. TO DETERMINE ACTUAL LOCATIONS, SIZE AND MATERIAL, THE CONTRACTOR SHALL MAKE THE APPROPRIATE PROVISION FOR PROTECTION OF SAID FACILITIES. THE CONTRACTOR SHALL NOTIFY ONE CALL AT 8-1-1 (WASHINGTON1.COM) AND ARRANGE FOR FIELD LOCATION OF EXISTING FACILITIES BEFORE CONSTRUCTION.

APPROVED

[Signature]

CITY OF PUYALLUP
DEVELOPMENT & PERMITTING SERVICES

DATE: 06/02/2025

NOTED: THIS APPROVAL IS VOID
OTHER 90 DAYS FROM APPROVAL
DATE.
THE CITY WILL NOT BE
RESPONSIBLE FOR ERRORS
OR OMISSIONS ON THESE
PLANS.
FIELD CONDITIONS MAY DEVIATE
FROM THOSE SHOWN ON THESE
PLANS.
THE CONTRACTOR SHALL MAKE THE
APPROPRIATE PROVISION FOR PROTECTION
OF SAID FACILITIES. THE CONTRACTOR
SHALL NOTIFY ONE CALL AT 8-1-1
(WASHINGTON1.COM) AND
ARRANGE FOR FIELD LOCATION OF
EXISTING FACILITIES BEFORE
CONSTRUCTION.

© 2025 ATWELL NW

PERSONA TRIANGLE
FACILITY SERVICES | LIGHTING | SIGNAGE

700 21st St SW
Watertown, SD 57201
Tel: 800.843.9888
www.personatriangle.com

Customer:
McDONALD'S
Location:
PUYALLUP, WA
File Name:
499550 - R9 - 2902 E PIONEER - PUYALLUP, WA

Project No.:
499550
Request No.:
83871
Prepared By:
VC/PG
Date:
11/7/25

This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electric Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.

This is an original document created by Persona Signs, LLC provided specifically to the client for the client's personal use. This document should not be shared, reproduced, disclosed or otherwise used without written permission from Persona Signs, LLC.

Customer Approval (Please Initial):

Approval Date: