

CITY OF PUYALLUP

Development & Permitting Services

333 S. Meridian, Puyallup, WA 98371 (253) 864-4165

www.cityofpuyallup.org

Permit No: PRFUP20220083

FRANCHISE UTILITY PERMIT

Puyallup, WA

Job Address Address: 1500 39TH AVE SE, PUYALLUP, WA 98374
Parcel # 0419101047

ISSUED
February 08, 2022

Owner

AIR PRODUCTS MANUF CORP 1500 39TH AVE SE ALLENTOWN, PA 18195-9642

Applicant

DOROTHY CHURCHILL C/O PSE 3130 S 38TH ST TACOMA, WA 98009 dorothy.churchill@pse.com

Contractor

PSE - POTELCO 3130 SOUTH 38TH ST TACOMA, WA 98409 sara.wattenberg@pse.com WA L&I #:

Description of Work

Replace 3 Transmission Poles - shown on design as:

#48 - 566926-155870 - 1500 39th Ave SE, Puyallup

#49 - 566926-155892 - 1500 39th Ave SE, Puyallup

#57 - 566916-156170 - 12696 39th Ave SE, Puyallup

Others shown are covered under submitted permits and per table some guy anchors will be upgraded and secondary lines zip tied as applicable

Permit Types Franchise Utility Permit

Expiration Date: May 09, 2022

Building Components:

Quantity	Units	Description	Unit Cost	Subtotal Cost
1	EA	Franchise Utility Permit	\$0.00	\$0.00
			Total Value of Work:	\$0.00

Standard Conditions:

- 1. APPLICANT/CONTRACTOR REQUIREMENTS:
- 1. PERMIT AND APPROVED TRAFFIC CONTROL PLAN ARE REQUIRED TO BE AVAILABLE AT JOB SITE. NOT HAVING A PERMIT ONSITE SHALL BE SUBJECT TO TRIPLE PERMIT FEE.
- 2. THE CITY SHALL BE NOTIFIED 24-48 HOURS PRIOR TO JOB START
- 3. THE CITY SHALL BE NOTIFIED WHEN ALL WORK AND RESTORATION IS COMPETE AND READY FOR FINAL INSPECTION. PRIOR TO RESTORATION, COORDINATE WITH AN INSPECTOR.

^{***} SITE SPECIFIC CONDITIONS ***

- ** ALL WORK TO BE DONE MONDAY THROUGH THURSDAY 9AM TO 2PM ONLY (EXCEPT AT POLE 57, SEE BELOW) **
- ** At pole #57 Monday has a late start time of 10:15AM due to late Shaw Rd Elementary start time **
- ** See permit PRFUP20220082 also for poles 48 & 49 (AKA poles 08 & 09) **

GENERAL CONDITIONS:

- 1. Follow approved Traffic Control Plan (TCP)
- 2. Follow allowed work hours (example) Monday through Friday 9am-3pm
- 3. If a lane will be closed, call Comm Center on day of closure prior to work start at 253-841-5431.
- 4. Spotter must be available to assist with pedestrians if needed.
- 5. To schedule inspection, go to: Secure.cityofpuyallup.org and select appropriate code.
- 6. Please utilize traffic control information below for TCP:
 - A. Distance between cones equals speed limit in unit feet.
 - B. Taper length equals width of offset times speed limit squared divided by 60.
 - $L = WS^2 / 60 W = lane width S = speed limit$
 - C. Sign spacing shall be 100 feet when speed limit is 30 MPH or less
 - D. Sign spacing shall be 350 feet when speed limit is greater than 30 MPH
 - E. Distance between signs is mandatory unless field conditions determine otherwise.
- 7. Do not open cut without prior approval.
- 8. Do not park vehicles on city sidewalk. Curb, gutter or sidewalk damaged shall be replaced.

Inspection time performed during a regular 8-hour day Monday through Friday 7:00 am - 5:00 pm is included in the permit fee. Inspection time performed outside of those hours are charged to the permit holder at a rate of \$130 per hour with a three-hour minimum.

INDEMNIFICATION / HOLD HARMLESS:

The Permittee shall defend, indemnify and hold the Public Entity, its officers, officials, employees and volunteers harmless from any and all claims, injuries, damages, losses or suits including attorney fees, arising out of or in connection with activities or operations performed by the Permittee or on the Permittee's behalf out of issuance of this Permit, except for injuries and damages caused by the sole negligence of the Public Entity.

However, should a court of competent jurisdiction determine that RCW 4.24.115 applies to this Permit, then the Permittee agrees to defend, indemnify and hold the Public Entity, its officers, officials, employees and volunteers harmless to the maximum extent permitted thereunder. It is further specifically and expressly understood that the indemnification provided herein constitutes the Permittee's waiver of immunity under Industrial Insurance, Title 51 RCW, solely for the purposes of this indemnification. This waiver has been mutually negotiated by the parties. The provisions of this section shall survive the expiration or termination of this Agreement.

2. Where a curb exists, the lateral offset for all vertical obstructions shall be a minimum of 1.5' from the face of the curb to the face of the vertical obstruction and a minimum of 3' at intersections.

Where no curb exists, the lateral offset for all vertical obstructions shall be a minimum of 4' measured from the face of the obstruction to the edge of pavement.

Permit is valid 90 days from date of issuance. Permit validity is subject to all adhering to all applicable codes, ordinances and standards, and conditions of this permit.

Indemnification / Hold Harmless

The Permittee shall defend, indemnify and hold the Public Entity, its officers, officials, employees and volunteers harmless from any and all claims, injuries, damages, losses or suits including attorney fees, arising out of or in connection with activities or operations performed by the Permittee or on the Permittee's behalf out of issuance of this Permit, except for injuries and damages caused by the sole negligence of the Public Entity.

I certify that I am the owner of this property or the owner's authorized agent, including an appropriately licensed contractor. I have read and examined this application and furnished true and correct information. I will comply with all

Applicant:DOROTHY CHURCHILL C/O PSE

provisions of law and ordinances governing this type of construction work, whether specific herein or not. By submitting this application, I give the jurisdiction permission to enter the property to perform inspections. The granting of this permit does not presume or give authority to violate or cancel the provisions of any other state or local law regulating construction or the performance of construction. I understand that failure to comply with the above may result in revocation of the permit.