
CONSTRUCTION NOTES

- 1. CALL UTILITY LOCATE AT 811 72 HOURS PRIOR TO TRENCHING OR DIGGING.
- THE EXISTENCE AND LOCATION OF ANY UNDER GROUND UTILITY PIPES OR DIGGING. STRUCTURE SHOWN ON THESE PLANS WERE OBTAINED BY FIELD INSPECTION AND A SEARCH OF THE AVAILABLE CITY OR COUNTY RECORDS. SINCE THE ACTUAL LOCATION AND NATURE OF THE UNDER GROUND FACILITIES MAY BE SOME WHAT DIFFERENT FROM THE SHOWN. THE CONTRACTOR IS REQUIRED TO VERIFY PRIOR TO EXCAVATION.
- 3. FOR UNDERGROUND ACTIVITY: TEST AND VENTILATE MANHOLE/UTILITY VAULT PRIOR TO ENTRY. PLACE WARNING DEVICES AND WORK AREA PROTECTION AS REQUIRED, AND USE EYE AND HEAD SAFETY PROTECTION PER FEDERAL WAY, STATE, AND LOCAL REGULATIONS.
- 4. ALL EXCAVATION ,TRENCHING, AND SHORING IS TO ADHERE TO THE CODE OF REGULATIONS(CFR)1926.650 SUBPART P.
 - a. PROVIDED ALL PITS WITH 1'X 1' SLOPE ART ONE END OF EXCAVATION FOR TECHNICIAN INGRESS/EGRESS.
 - b. EXCAVATED SPOILS ARE TO BE NO LESS THAN 24" FROM EDGE OF PIT OR TRENCH.
 - c. BARRICADE ALL OPEN PITS AND TRENCHING FOR PUBLIC SAFETY. ALL BARRICADE MUST BE EQUIPPED WITH FLASHING LIGHTS FOR NIGHT VISIBILITY.
 - d. FOR PITS GREATER THAN 4' IN DEPTH, USE APPROPRIATE SHORING FOR WALL STABILITY
- 5. TRENCH COVER IS TO BE 9" MINIMUM AND FREE OF ROCKS, DEBRIS, AND CLODS. THE TRENCH IS TO BE A MINIMUM OF 9" COVER IN DEVELOPED AREAS AND A MINIMUM OF 48" OF COVER IN UNDEVELOPED AREAS (ANY VARIANCE FROM THESE STANDARDS WILL BE SPECIFIED ON THE PLANS)
- 6. ALL ASPHALT/CONCRETE AND LANDSCAPING REMOVED, DISTURBED, OR DAMAGES AS A RESULT OF CONSTRUCTION SHALL BE RESTORED TO ORIGINAL CONDITION OR BETTER.
- 7. NORMAL / GUIDED-BORING METHOD RECOMMENDED WHEN BORING.
- 8. ADHERE TO AIRTIGHT GUIDELINES UNLESS OTHERWISE NOTED
- BOND BURIED/AERIAL FACILITIES AS A REQUIRED BY JURISDICTIONAL AGENCY(S).
- 10. AERIAL FACILITIES ARE TO BE TESTED PRIOR TO BEGINING WORK PER STATE AND LOCAL REGULATIONS.
- 11. ALL WORK AREA PROTECTION FOR TRAFFIC CONTROL IS TO BE WITH APPROVED WARNING DEVICES AND PLACED PER STATE DEPARTMENT OF TRANSPORTATION AND/OR PUBLIC WORKS ENGINEERING.DEPARTMENT STANDARDS AND SPECIFICATIONS.IF REQUIRED A TRAFFIC CONTROL PLAN SHALL BE SUBMITTED TO THE REQUESTING PERMITTING AGENCY PRIOR TO BEGINNING WORK. PERMITTING AGENCIES MUST BE NOTIFIED 48 HOURS IN ADVANCE OF CONSTRUCTION ACTIVITIES.
- 14. EXISTING PEDESTRIAN CROSSWALKS AND WALKING AREAS SHALL BE MAINTAINED AT ALL TIMES. AS NECESSARY TEMPORARY PEDESTRIAN CROSSWALKS AND WALKING AREAS SHALL BE PROVIDED AND MAINTAINED PER STATE DEPARTMENT OF TRANSPORTATION AND/OR PUBLIC WORKS ENGINEERING DEPARTMENT STANDARDS AND SPECIFICATIONS.
- 13. THE FOLLOWING FOOTAGES ARE ESTIMATES. FOOTAGES TO BE VERIFIED PRIOR TO CONSTRUCTIONS.



NARRATIVE: THIS PROJECT WILL PROVIDE CDFS SERVICE TO 302 33RD ST SE. PUSH COUNTS ON EXISTING 48 FIBER CABLE FROM POF MH-137 TO POLE-1 PASSING THROUGH EXISTING PED IN EXISTING CONDUIT. PUSH COUNTS ON EXISTING 48 FIBER CABLE FROM POLE-1 TO POLE-2 TO CUSTOMER MPOP IN EXISTING AERIAL ROUTE.

1	CUSTOMER INFORMATION	ENGINEE
. .	NAME: MASERGY COMMUNICATIONS	NAME: HA
	ADDRESS:302 33RD ST	PHONE: 5
	CITY, STATE:PUYALLUP,WA	. • ®
1	ZIP CODE:98372	
,	CLLI:PYLPWAVA00W	

ERING CONTACT CONTRACT ENGINEER AYDEN HERBISON 520-477-1046 COMPANY: CYIENT Century**Link** |662-620-6634


NAME: GRAHAM HOWARD

Century Link		EXCEPT AS MAY		OVIDED BY CONTRACT. THE OF CENTURY LINK BEING I				EMAIN	
	SECTION:	51							
	TOWNSHIP:	20N	SCALE:	1"=100'		REVISION	: 1		
	RANGE:	4E	JOB: A.2	2946263	DATE: 10/20)/2022	SH:	01 OF	04

LEGEND SHEET

SYMBOLOGY

BACK OF CURB **EDGE OF PAVEMENT** CENTERLINES MONUMENT LINE DRIVEWAY SIDEWALK PROPERTY LINE RIGHT OF WAY PUE NON-VEHICLE-ACCESS EASEMENT MATCHLINE RAILROAD CATV LINE **ELECTRIC** OVERHEAD ELECTRIC OVERHEAD T & E GAS IRRIGATION **SEWER** SITE TRIANGLE STORM DRAIN **TELEPHONE** JOINT TRENCH TELCO/ELEC **AERIAL UTILITY (FIBER OPTIC)** BURIED UTILITY (FIBER OPTIC) **ABN TELCO** WATER **FENCE** WALL CITY LIMITS COUNTY LINE TRAFFIC SIGNAL STREET LIGHT BORE **ASPHALT CUT & RESTORE TRENCH**



BUSH **IRRIGATION MANHOLE** CACTUS IRRIGATION VALVE **POWER POLE** CATV HANDHOLE

GAS VALVE

TEL MANHOLE EXISTING

TELCO HANDHOLE NEW

TELCO REPEATER NEW

TELCO REPEATER EXISTING

TELCO HANDHOLE EXISTING

TEL MANHOLE NEW

4'x4' BOREPIT

SAI EXISTING

RT EXISTING

COOLPED NEW

COOLPED EXISTING

SAI NEW

RT NEW

TELEPHONE POLE **CATV VAULT CATV ANCHOR** CATV PEDESTAL

TRAFFIC LIGHT POLE **GAS VAULT** TRAFFIC SIGNAL POST GAS METER

POWER / TELEPHONE ANCHOR

TRAFFIC SIGNAL J-BOX TEL PEDESTAL EXISTING TEL PEDESTAL NEW

 \oplus

+

48-TA 3048 **264-TA**

RT

0

STREET LIGHT **ELECTRIC SWITCHGEAR**

JUNCTION BOX **ELECTRIC VAULT**

JOINT POLE

GROUND TRANSFORMER AERIAL TRANSFORMER

ELECTRIC HANDHOLE **ELECTRIC MANHOLE**

POWER PED EXISTING POWER PED NEW

WATER METER WATER VALVE

FIRE HYDRANT

TRENCH FOOTAGE ASPHALT CUT FOOTAGE

XX' BORE FOOTAGE



City of Puyallup Development & Permitting Services ISSUED PERMIT				
Building	Planning			
Engineering	Public Works			
Fire	Traffic			

SLACK LOOP FOOTAGE

PROPOSED EQUIPMENT WILL BE BOLD

CUSTOMER INFORMATION NAME: MASERGY COMMUNICATIONS ADDRESS: 302 33RD ST CITY, STATE: PYLPWAVA00W, WA ZIP CODE:98372

CLLI:PYLPWAVA00W

ENGINEERING CONTACT NAME: HAYDEN HERBISON PHONE: 520-477-1046 Century **Link**

CONTRACT ENGINEER NAME: GRAHAM HOWARD COMPANY: CYIENT

(XX')

 $\langle XX' \rangle$

662-620-6634



ر ا	Century Link				
	SECTION: 51				

EXCEPT AS MAY BE OTHERWISE PROVIDED BY CONTRACT. THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF CENTURY LINK BEING ISSUED IN STRICT CONFIDENCE

TOWNSHIP: 20N RANGE: 4E

SCALE: 1"=100'

REVISION:

JOB: : A.2946263 DATE: 10/20/2022 SH: 02 OF

