



CITY OF PUYALLUP
Development & Permitting Services
 333 S. Meridian, Puyallup, WA 98371
 (253) 864-4165
www.cityofpuyallup.org

Permit No:
 PRCTI20221223

COMMERCIAL - TENANT IMPROVEMENT/REMODEL

Puyallup, WA

Job Address	Address: 1450 5TH ST SE, PUYALLUP, WA 98372 Parcel # 9810000643	ISSUED December 07, 2022
Owner	MULTICARE HEALTH SYSTEM PO BOX 5299 MS 737-4-FSAD TACOMA, WA 98415	
Applicant	Karsea Langlois 12345 Lake City Way NE #2108 Seattle, WA 98125 klanglois@insighthealthcarearchitecture.com	
Contractor	COLVOS CONSTRUCTION LLC - AJ SILVERS 711 COURT C TACOMA, WA 98402 ASILVERS@COLVOSCONSTRUCTION.COM WA L&I #:	
Plumbing Contractor	COLVOS CONSTRUCTION LLC - AJ SILVERS 711 COURT C TACOMA, WA 98402 ASILVERS@COLVOSCONSTRUCTION.COM WA L&I #:	
Description of Work	A 1455 SF Tenant Improvement to the third story of a medical office building. Work includes architectural, mechanical, plumbing, and electrical. There is no structural scope of work. - WOMEN'S CLINIC	
Permit Types	Commercial - Tenant Improvement/Remodel	
Expiration Date:	June 05, 2023	

Building Components:

Quantity	Units	Description	Unit Cost	Subtotal Cost
			Total Value of Work:	\$0.00

Standard Conditions:

1. * Final approval by the Building Official is required prior to use or occupancy.* Work shall not proceed until the inspector has approved the stages of construction.* Surface storm water shall be diverted from the building site and shall not drain onto adjacent properties.* I hereby acknowledge that I have read this Permit/Application, that the information given is correct; that I am the owner or the duly authorized agent of the owner; that plans submitted herewith are in compliance with all applicable city, county and state laws and that all construction will proceed in accordance with said laws. This permit shall expire if work is not commenced with 180 days or if the work is suspended for a period of 180 days. Permits expire two years from issuance. * By leaving the contractor information section blank, I hereby certify further that contractors (general or subcontractors) will not be hired to perform any work in association with this permit. I also certify that if I do choose to hire a contractor (general or subcontractor) I will only hire those contractors that are licensed by the State of Washington. If you are a property owner, contractor or permittee and you are paying for someone to perform the work, they must have a valid contractor registration and the person(s) installing plumbing inside a structure must meet the plumbing certification requirements. If you have any questions regarding these regulations, you may contact the Washington State Department of Labor and Industries or you can find more

information on-line at: <http://www.lni.wa.gov/TradesLicensing/Contractors/HireCon/default.asp>

2. • Comply with 2018 IFC and 2018 IBC
- Total coverage required in the city of puyallup
- L&I Final required prior to Fire Final
- Exit lighting test required, contractor to provide light meter
- Separate permits required for Fire Alarm and Fire Sprinkler
- RTU'S will be required to be tested for shut down
- Smoke and Fire dampeners will be tested with Fire Alarm. Access doors are required for maintenance and visual inspection.
- Fire extinguishers required per code
- A Knox box is required at the front entry on the exterior of the building if equipped with a Fire Alarm System or Fire Sprinkler System.
- Existing buildings will need to contact central pierce fire & rescue and update the key in the Knox box
- All above items to be completed prior to fire final. Fire final required before building final

Schedule your inspection online through the City of Puyallup online permit system. This is a request for inspection only. A date and time will be selected by Inspector depending on availability. Email prior to inspection for date and time. Fire Inspections are Monday – Thursday there will be no inspections on Fridays.

David Drake 253-864-4171 ddrake@puyallupwa.gov

3. Development Engineering standard commercial conditions:

- The builder/owner shall be responsible for keeping the existing right-of-way free of debris and dirt. Any violation of PMC chapter 21.14 pertaining to clearing, filling and grading, erosion and sediment control, and storm water discharges shall be prosecuted to the fullest extent of the law.- Any addition/expansion to the footprint of the building including decks and porches not originally shown on the approved set of plans must obtain proper permits prior to construction.
- Any code requirement that may have been overlooked in this plan review does not imply that the requirements have been waived.

Permit is valid 180 days from date of issuance. Permit validity is subject to all adhering to all applicable codes, ordinances and standards, and conditions of this permit.

I certify that I am the owner of this property or the owner's authorized agent, including an appropriately licensed contractor. I have read and examined this application and furnished true and correct information. I will comply with all provisions of law and ordinances governing this type of construction work, whether specific herein or not. By submitting this application, I give the jurisdiction permission to enter the property to perform inspections. The granting of this permit does not presume or give authority to violate or cancel the provisions of any other state or local law regulating construction or the performance of construction. I understand that failure to comply with the above may result in revocation of the permit.

Applicant:
Karsea Langlois