

Approval of submitted plans is not an approval of omissions or oversight by this office or noncompliance with any applicable regulations of local government. The contractor is responsible for making sure that the building complies with all applicable building codes and regulations of the local government.

City of Puyallup  
Development  
Engineering  
APPROVED


See permit  
conditions.

ycharitou  
12/08/2022  
1:22:32 PM



PRSG20221479

No work permitted in the public right-of-way without an issued right-of-way permit. The permit holder shall complete all work on private property and not impact the public right-of-way.



# H&R BLOCK

City of Puyallup Development & Permitting Services ISSUED PERMIT			
Building	Planning		
Engineering	Public Works		
Fire	Traffic		

City of Puyallup  
Building  
REVIEWED  
FOR  
COMPLIANCE

DLeahy  
12/08/2022  
7:04:41 AM



FULL SIZED LEDGIBLE **COLOR** PLANS  
ARE REQUIRED TO BE PROVIDED BY  
THE PERMITTEE ON SITE FOR ALL  
INSPECTIONS MIN. PLAN SIZE 11 X 17

PRSG20221797

EXISTING CONDITIONS



WEST ELEVATION

SCALE 3/32" = 1'-0"

EXISTING SQ. FT: N/A  
ALLOWED SQ. FT: 20.8  
PROPOSED SQ. FT: 20.76

PROPOSED CONDITIONS



GENERAL NOTES

NEW CUSTOM CHANNEL LETTERS ON R/W INSTALLED TO FRONT ELEVATION

CITY CODE & ALLOWANCES

1 SF PER LINEAL FOOT OF TENANT FRONTAGE (MUST BE ON FAÇADE FACING STREET, PEDESTRIAN WALKWAY OR HAVE CUSTOMER ENTRANCE)  
20.8 SF MAX ALLOWED

APPROVED PLAN  
CITY OF PUYALLUP  
PLANNING DIVISION

APPROVED BY: GClark

DATE: 12/08/2022


CASE NO.: PRSG20221797

CONDITIONS:



SIMULATED NIGHT VIEW

SCALE: NTS.



1 CUSTOM ILLUMINATED CHANNEL LETTERS (WHITE) - RACEWAY  
SCALE 1/2" = 1'-0"

City of Puyallup Development & Permitting Services ISSUED PERMIT			
Building	Planning		
Engineering	Public Works		
Fire	Traffic		

PRSG20221797

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs  
...bringing your image to light!  
16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020  
imagenational.com



NAMPA PLANT -  
UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

Cient: H&R BLOCK

Date: 12/2/22

File Location: HRB-18004-Puyallup, WA#2

Page No.

Site: Site # 18004  
4227 S Meridian, Ste C  
Puyallup, WA 98373

Designer: SO

Account Manager: RKP



H&R BLOCK

2 of 6

EXISTING CONDITIONS



D/F MONUMENT SIGN

NOT TO SCALE

PROPOSED CONDITIONS



FABRICATION SPECIFICATIONS


1	FACE	MATERIAL	WHITE POLYCARBONATE
		VINYL COLOR	PER COLOR KEY (V1)(V2)
		VINYL APPLICATION	1ST SURFACE

NOTES

- N
- MANUFACTURE & INSTALL (2) NEW FACES FOR EXISTING D/F MONUMENT SIGN. (TO INSTALL TOP HALF OF FACE)



COLOR KEY

V1	VINYL	ARLON 2500 GREEN 2586
V2	VINYL	3M BLACK VINYL
NOTE: THE COLORS DEPICTED ON THIS RENDERING REPRESENT COLOR INTENT ONLY AND MAY NOT MATCH ACTUAL COLORS ON FINISHED PRODUCT. PLEASE REFER TO COLOR CALL-OUTS AND SPECIFIED VENDOR SAMPLES FOR APPROVED COLOR SPECIFICATIONS.		



SIMULATED NIGHT VIEW

SCALE: N.T.S.



V1 V2 1

Not included in this Permit per PMC 20.60.025


2

REFACE EXISTING TENANT PANELS

SCALE 1/2" = 1'-0"

PRSG20221797






1 CUSTOM ILLUMINATED CHANNEL LETTERS (WHITE) - RACEWAY  
SCALE 1/2"=1'-0"

FABRICATION SPECIFICATIONS			
1	PAN CHANNEL	FACE	WHITE ACRYLIC 2447
		TRIM COLOR	PRE-PAINTED BLACK
		TRIM SIZE	1"
		RETURN COLOR	PER COLOR KEY (P2)
		RETURN DEPTH	5"
		BACKS	3MM ACM
	PAN CHANNEL	LED	(34) SLOAN LED PRISM 6500K
		FACE	WHITE ACRYLIC 2447
		TRIM COLOR	PER COLOR KEY (P1)
		TRIM SIZE	1"
		RETURN COLOR	PER COLOR KEY (P1)
		RETURN DEPTH	5"
2	RACEWAY	BACKS	3MM ACM
		LED	(9) SLOAN LED PRISM 6500K
		POWER SUPPLY	(1) 12V POWER SUPPLIES
		MATERIAL	EXTRUDED ALUMINUM
		COLOR	PER COLOR KEY (P3)

COLOR KEY			
V1	VINYL	ARLON 2500 - GREEN 2586	
P1	PAINT	MP#84430 SMOOTH SATIN FINISH	
P2	PAINT	MP#71270 SMOOTH SATIN FINISH	
P3	PAINT	SW9620 PRELUDE	
NOTE: THE COLORS DEPICTED ON THIS RENDERING REPRESENT COLOR INTENT ONLY AND MAY NOT MATCH ACTUAL COLORS ON FINISHED PRODUCT. PLEASE REFER TO COLOR CALL-OUTS AND SPECIFIED VENDOR SAMPLES FOR APPROVED COLOR SPECIFICATIONS.			

CUSTOM NOTES  
CUSTOM LETTER SET TO MEET CODE REQUIREMENTS  
CITY REQUIRES 3/8" X 4" LAG BOLTS INTO WOOD STUDS - 4' ON CENTER




TYPICAL SECTION DETAIL  
SCALE 3/4"=1'-0"

## INSTALL


- A. Non-Corrosive Securement Using Appropriate Mounting Hardware Painted to Match Background.
- B. Disconnect Switch at Left End of Raceway
- C. 1/4" Ø Drain Holes Required in Letter Returns & Retainers w/ Baffles as required.
- D. 1/2" (MFG) Plastic Pass-Through
- E. 20 amp 120 V. Circuits Required (Brought to within 6' of sign BY OTHERS)
- F. Raceway

### APPROVED FASTENER SCHEDULE

	3/8" - 1/2" LAG SCREW	FOR USE WITH WOOD OR EIFS WALL SYSTEMS. 1 1/2" MIN PENETRATION (EXCLUDING TIP)
	1/4" - 3/8" THREADED ROD	FOR USE WITH WOOD, CONCRETE, BLOCK OR EIFS WALL SYSTEMS
	3/8" RED HEAD L.D.T. (LARGE DIAMETER TAPCON)	FOR USE WITH CONCRETE, BLOCK, BRICK OR CONCRETE. EMBED A MIN. OF 2 1/2".
	3/8" DIA. HITL HIT ROD WITH HY150 MAX ADHESIVE	FOR USE WITH CONCRETE. EMBED A MIN. OF 2"
	3/8" DIA. HITL HIT ROD WITH HY20 ADHESIVE	FOR USE WITH MASONRY AND BRICK. EMBED A MIN. OF 3 3/8"
	3/8" DIA. HITL HIT ROD WITH HY20 ADHESIVE	FOR USE WITH CONCRETE, BLOCK. EMBED A MIN. OF 2"
	3/8" DIA. HITL HIT ROD WITH HY20 ADHESIVE	FOR USE WITH CONCRETE, MASONRY AND BRICK. EMBED A MIN. OF 3 3/8".
	3/8" DIA. LAG WITH 3/8" SHIELD & WASHER	FOR USE WITH CONCRETE, MASONRY AND BRICK. EMBED A MIN. OF 2"
	#10 (3'') HEX SCREW W/ FENDER WASHER IN PLASTIC WALL ANCHOR	USE WITH CONCRETE, MASONRY & BRICK. FOR USE WITH SMALL/LIGHTWEIGHT LETTERS & CABINETS



PRSG20221797



### LED LAYOUT

SCALE 3/4"=1'-0"

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

image national signs  
...bringing your image to light!

16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020  
imagenational.com



NAMPA PLANT -  
UL #433195-001

U.S. & P.R. - All signs conform to UL-48/2161 (labeled accordingly) & must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.

Client: H&R BLOCK

Site: Site # 18004  
4227 S Meridian, Ste C  
Puyallup, WA 98373

Date: 12/2/22

Designer: SO

Account Manager: RKP


File Location: HRB-18004-Puyallup, WA-R2



H&R BLOCK

Page No.

4 of 6





City of Puyallup Development & Permitting Services ISSUED PERMIT			
Building	Planning		
Engineering	Public Works		
Fire	Traffic		

REVISIONS

- 1) R1-MODIFY THE MONUMENT FACE TO TOP HALF
- 2) R2-PER CITY-CUSTOM LETTER SET TO MEET CODE
- 3)
- 4)

It is the intent and purpose of this color rendering to provide a basic color representation of your sign finish and color. However, digital media and printed colors will vary from actual paint finish and color. Existing painted surfaces will have a perceptible difference in shade and sheen from your sign finish. Providing a sample of the paint you wish to match or a Matthews paint color formula will minimize the differences.

<div>image national signs ...bringing your image to light!</div> <div>16265 Star Rd., Nampa, ID 83687 - toll free: 800.592.8058 - tele: 208.345.4020 imagenational.com</div>	<div> UNDERWRITERS LABORATORIES ELECTRIC SIGN</div> <div>NAMPA PLANT - UL #433195-001</div> <div>U.S. &amp; P.R. - All signs conform to UL-48/2161 (labeled accordingly) &amp; must comply with UL-41.1 install procedures. Canada - all signs must be CAS compliant. This sign(s) is intended to be installed in accordance with requirements of article 600 of the National Electrical Code and/or applicable local codes. This includes proper grounding and bonding of the sign.</div>	Client: H & R BLOCK		Date: 12/2/22	File Location: HRB-18004-Puyallup, WA R2	Page No.
		Site: Site # 18004 4227 S Meridian, Ste C Puyallup, WA 98373		Designer: SO	<div> <b>H&amp;R BLOCK</b></div>	5 of 6
				Account Manager: RKP		