



CITY OF PUYALLUP
Development & Permitting Services
333 S. Meridian, Puyallup, WA 98371
(253) 864-4165
www.cityofpuyallup.org

Permit No:
PRDE20221644

DEMOLITION

Puyallup, WA

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-----------------------------------|
| Job Address | Address: 201 W MAIN, PUYALLUP, WA 98371 Parcel # 7940100244 | ISSUED January 26, 2023 |
| Owner COMMUNITY HEALTH CARE 1148 BROADWAY STE 100 TACOMA, WA 98402 | | |
| Applicant Jonah Rogin 118 N. 35th St, Suite 200 Seattle, WA 98103 jonahrogin@millerhayashi.com | | |
| Contractor RENKO NW INC PO BOX 1812 CLACKAMAS, OR 97015 WA L&I #: | | |
| Description of Work Interior demolition, no changes to site or building structure. Removal of ceilings, partition walls, mechanical equipment and plumbing fixtures. | | |
| Permit Types | Demolition | |
| Expiration Date: July 25, 2023 | | |

Building Components:

| Quantity | Units | Description | Unit Cost | Subtotal Cost |
|-----------------------------|-------|---------------------------------------|-----------|---------------|
| 27000 | SQ FT | Commercial Tenant Improvement/Remodel | \$0.00 | \$0.00 |
| | SQ FT | Building/Structure Demolition | \$0.00 | \$0.00 |
| Total Value of Work: | | | | \$0.00 |

Standard Conditions:

1. * Final approval by the Building Official is required prior to use or occupancy.* Work shall not proceed until the inspector has approved the stages of construction.* Surface storm water shall be diverted from the building site and shall not drain onto adjacent properties.* I hereby acknowledge that I have read this Permit/Application, that the information given is correct; that I am the owner or the duly authorized agent of the owner; that plans submitted herewith are in compliance with all applicable city, county and state laws and that all construction will proceed in accordance with said laws. This permit shall expire if work is not commenced with 180 days or if the work is suspended for a period of 180 days. Permits expire two years from issuance. * By leaving the contractor information section blank, I hereby certify further that contractors (general or subcontractors) will not be hired to perform any work in association with this permit. I also certify that if I do choose to hire a contractor (general or subcontractor) I will only hire those contractors that are licensed by the State of Washington. If you are a property owner, contractor or permittee and you are paying for someone to perform the work, they must have a valid contractor registration and the person(s) installing plumbing inside a structure must meet the plumbing certification requirements. If you have any questions regarding these regulations, you may contact the Washington State Department of Labor and Industries or you can find more information on-line at: <http://www.lni.wa.gov/TradesLicensing/Contractors/HireCon/default.asp>

2. There are two sets of conditions for this project. The first set is for Demo and the second set is for construction. The construction set should be reviewed asap.

Demo

- Fire extinguishers are required during construction.
- Fire Sprinkler system required to be monitored throughout construction. System may only be put in test for 8hrs. Approval from Fire Code Official required for periods longer than 8hrs.
- Fire Alarm Control Panel required to be fully functional throughout construction. System may only be put in test for 8hrs. Approval from Fire Code Official required for periods longer than 8hrs.
- Separate permits required for Fire Alarm and Fire Sprinkler.
- A Knox box is required at the front entry on the exterior of the building.
- PIV must have a Knox lock or approved lock with an extra key provided in Knox box.
- All above items to be completed prior to fire final. Fire final required before building final.

Construction

- Comply with 2018 IFC and 2018 IBC.
- Building address are required. Comply with municipal code.
- Total coverage required in the city of puyallup.
- L&I Final required prior to Fire Final.
- Exit lighting test required, contractor to provide light meter.
- Emergency radio test required comply with IFC section 510. Fire final approval upon completed test results.
- Fire Sprinkler system will be required to have all maintenance and inspections completed prior to Final.
- Separate permits required for Fire Alarm and Fire Sprinkler.
- RTU'S will be required to be tested for shut down.
- Smoke and Fire dampeners will be tested with Fire Alarm. Access doors are required for maintenance and visual inspection.
- Fire extinguishers required per code.
- Elevators – L&I Final required prior to inspection; Fire Alarm contractor required for inspection. All maintenance and inspections are required prior to Final.
- A Knox box is required at the front entry on the exterior of the building.
- PIV must have a Knox lock or approved lock with an extra key provided in Knox box.
- Existing buildings will need to contact central pierce fire & rescue and update the key in the Knox box.
- All above items to be completed prior to fire final. Fire final required before building final.

Schedule your inspection online through the City of Puyallup online permit system. This is a request for inspection only. A date and time will be selected by Inspector depending on availability. Email prior to inspection for date and time. Fire Inspections are Monday – Thursday there will be no inspections on Fridays.

David Drake 253-864-4171 ddrake@puyallupwa.gov

Permit is valid 180 days from date of issuance. Permit validity is subject to all adhering to all applicable codes, ordinances and standards, and conditions of this permit.

I certify that I am the owner of this property or the owner's authorized agent, including an appropriately licensed contractor. I have read and examined this application and furnished true and correct information. I will comply with all provisions of law and ordinances governing this type of construction work, whether specific herein or not. By submitting this application, I give the jurisdiction permission to enter the property to perform inspections. The granting of this permit does not presume or give authority to violate or cancel the provisions of any other state or local law regulating construction or the performance of construction. I understand that failure to comply with the above may result in revocation of the permit.

Applicant:
Jonah Rogin