

TECHNICAL MEMORANDUM

Prepared for: Kevin Anderson – CEO November 2, 2023

Wesley Homes

815 South 216th Street

Des Moines, WA 98198-6332

Prepared by: Grette Associates^{LLC} File No.: 621.008

2709 Jahn Ave NW, Suite H-5 Gig Harbor, WA 98335

Re: Wesley Homes – Bradley Park Phase II

1 INTRODUCTION

Grette Associates is under contract with Wesley Homes to complete a wetland verification at the Bradley Park Phase II project in Puyallup, WA (Figure 1). This project primarily includes an addition to an existing retirement home. This wetland verification is meant to determine if the boundaries of a previously approved wetland delineation associated with Wetland C have changed significantly since 2013.

Figure 1. Map



2 PREVIOUS WETLAND DELINEATION

In support of the Wesley Homes retirement home (Phase I and II) project, Soundview Consultants LLC (Soundview) identified and delineated four wetlands within the project site during their assessment performed in 2013 (Wetlands A, B, C, and D; Soundview Consultants LLC 2017). This technical memorandum is intended to provide a wetland verification in support of the Phase II project. As such, this summary is limited to Wetland C that was provided in the 2017 report.

Wetland C was mapped in 2017 at approximately 3,075 square feet in size. The wetland was classified as palustrine scrub-shrub wetland with a saturated hydrological regime (Cowardin et al. 1979), and as a slope wetland using the hydrogeomorphic method (Brinson 1993). Dominant vegetation included salmonberry (*Rubus spectabilis*) and soft rush (*Juncus effusus*). Hydrological support came primarily from uphill seeps.

Initially rated Category IV using the 2004 Washington Department of Ecology rating system (Hruby 2004), the wetland was rated again in 2017, during which the 2014 Washington Department of Ecology rating system was applied (Hruby 2014). Using the 2014 method, Wetland C was rated Category III and was subject to a standard buffer width of 110 feet. This buffer was approved to be reduced to 50 feet with buffer enhancement (Soundview Consultants LLC 2017). Namely, protective fencing was installed and the buffer was enhanced with the removal of invasive species and planting of native vegetation.

3 METHODS

The portion of Wetland C near the Phase II project area was verified according to wetland delineation procedures described in the U.S. Army Corps of Engineers' (USACE) Federal Wetland Delineation Manual (1987), and the USACE's Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0) (2010). Paired data plots and soil test pits were excavated to evaluate wetland and upland conditions. Guidance from the USACE's Regional Supplement was used to evaluate the data at each data point.

The boundary of the wetland was established based on changes in vegetation, field indicators of hydric soils, water levels, topographic changes, and best professional judgment. GPS points were taken for each soil plot and those boundary flags placed during Grette Associates' verification.

The previous wetland rating conducted by Soundview was also reviewed to determine if it was still valid. The most recent Washington Department of Ecology rating system was used (Hruby and Yahnke 2023) to complete this task.

4 RESULTS

4.1 Wetland Boundary Determination

Three soil pits were investigated to verify the location of the wetland boundary: two paired data plots as required by the USACE *Federal Wetland Delineation Manual* (1987; SP1 and SP2), and one data plot (SP3) between the two that was explored in order to determine the wetland boundary. See Attachment A for the locations of these data plots, and Attachment B for the wetland determination datasheets.

The wetland boundary was determined to be between SP2 (wetland) and SP3 (upland) (Attachment A). This indicates a change of approximately 10 feet southward of the boundary delineated in 2013.

4.2 Wetland Categorization

A preliminary wetland categorization was completed using the most recent version of the Washington Department of Ecology 2014 wetland rating system (Hruby and Yahnke 2023). The wetland was rated Category III, suggesting that the current wetland buffer still applies.

5 CONCLUSION

Based on Grette Associates' 2023 verification, a portion of Wetland C's boundary has appeared to shift slightly southward (Attachment A). According to the project site plans, two stormwater dispersion trenches were installed during the construction of Phase I. These two stormwater features are located upslope of Wetland C and the area identified to exhibits wetland conditions (Attachment A). Grette Associates identified the southern dispersion trench that is located immediately upslope of the small area that exhibited wetland conditions and outside of the wetland area delineated in 2013.

In Grette Associates' professional opinion, this area is likely exhibiting wetland conditions because it is very likely that the existing stormwater discharge structure constructed during Phase I is providing artificial hydrological support to this location. While this stormwater feature is intended to allow stormwater discharge to sheet flow across the landscape, these types of features still provide a relatively concentrated discharge to an area which Grette believes is likely the result to why the questionable area exhibits wetland conditions rather than from a change that occurring naturally. This determination is also supported by the fact that Grette Associates only observed these changes near and downslope area of the stormwater outfall southeast of the wetland rather than throughout the entire wetland area evaluated.

Grette Associates' rating review determined that conditions have not significantly changed from the 2017 rating conducted by Soundview Consultants (2017) and that Wetland C is classified as a Category III wetland per Chapter 21.06 of the Puyallup Municipal Code (PMC).

In closing, while Grette Associates did identify a slight change in the boundary associated with Wetland C, it is Grette Associates' professional opinion that this change is a result of the placement of the stormwater dispersion trench that was constructed during Phase I and is not a result of a change in conditions that occurred naturally. Therefore, it is Grette Associates recommendation that the current modified buffer should continue to apply in support of the Phase II project.

Based on the City's September 19, 2023 review comments, there was concern whether or not the proposed paved trail along the new building will encroach into the wetland buffer. As shown in project plans (Attachment A), this trial will be constructed outside of the previously approved modified wetland buffer.

If you have any questions on this wetland verification, please contact me at (253) 573-9300, or by email at chadw@gretteassociates.com.

Regards,

Terra Hauser

Biologist

Chad Wallin, PWS


Biologist

References

- Brinson, M.M. 1993. A Hydrogeomorphic Classification for Wetlands. Wetlands Research Program Technical Report WRP-DE-4, U.S. Army Corps of Engineers, Waterways Experiment Station. Washington D.C.
- Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats for the United States. FWS/OBS-79/31, U.S. Department of Interior, Fish and Wildlife Service. Washington D.C.
- Hruby, T. 2004. Washington State wetland rating system for western Washington Revised. Washington State Department of Ecology Publication # 04-06-025.
- Hruby, T. 2014. Washington State Wetland Rating System for Western Washington: 2014 Update. (Publication #14-06-029). Olympia, WA: Washington Department of Ecology.
- Hruby, T. & Yahnke, A. 2023. Washington State Wetland Rating System for Western Washington: 2014 Update (Version 2). Publication #23-06-009. Washington Department of Ecology.
- Soundview Consultants LLC. 2017. Wetland Delineation, Habitat Assessment, and Final Mitigation Plan: Wesley Homes Puyallup Senior Living. Prepared for: Wesley Homes.
- U.S. Army Corps of Engineers (Corps). 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1, US Army Engineer Waterways Experiment Station, Vicksburg, Mississippi.
- U.S. Army Corps of Engineers (Corps). 2010. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region (Version 2.0), ed. J. S. Wakeley, R. W. Lichvar, and C. V. Noble. ERDC/EL TR-10-3. Vicksburg, MS: U.S. Army Engineer Research and Development Center.

ATTACHMENT A

WETLAND VERIFICATION MAP



ATTACHMENT B

WETLAND DETERMINATION DATASHEETS

Ph: 253.573.9300

			ntains, Valleys, and Coast Region
Project/Site: Wesley Homes Pha	se 2 0	ity/County: Plaud	Mup Pierce Sampling Date: 9/2/2
Applicant/Owner: Wesley Homes		<u> </u>	State: Sampling Point:
Investigator(s): Terra Hauses	8	Section, Township, Rar	nge:
Landform (hillslope, terrace, etc.): Slight 510		· · ·	_
V 1			Long: See Map Datum:
Soil Map Unit Name:		11.01	NWI classification:
Are climatic / hydrologic conditions on the site typical for	this time of yea	r? Ves No	
Are Vegetation, Soil, or Hydrology			Normal Circumstances" present? Yes No
Are Vegetation, Soil, or Hydrology	-		eded, explain any answers in Remarks.)
SUMMARY OF FINDINGS – Attach site ma	p showing	sampling point le	ocations, transects, important features, etc.
Hydrophytic Vegetation Present? Yes	No	1- 4b- 01-d	
Hydric Soil Present? Yes	No	is the Sampled within a Wetlan	
Wetland Hydrology Present? Yes	No		
Drier than normal			
VEGETATION – Use scientific names of pla	ants		
	Absolute	Dominant Indicator	Dominance Test worksheet:
Tree Stratum (Plot size:	% Cover	Species? Status	Number of Dominant Species
1. Pacitic villas	- <u>82</u>	Y FACW	That Are OBL, FACW, or FAC: (A)
2. red alder	<u> 20</u>	Y FAC	Total Number of Dominant
3,			Species Across All Strata: (B)
4	- 125		Percent of Dominant Species
Sapting/Shrub Stratum (Plot size: 15-Ft)	132	= Total Cover	That Are OBL, FACW, or FAC: (A/B)
1. HBB	40	Y PAC	Prevalence Index worksheet:
2. black cottonwood	15	y FAC	
3			OBL species x 1 = FACW species x 2 =
4			FAC species x 2 =
5			FACU species x4 =
Herb Stratum (Plot size: 5 ft)	_55_	= Total Cover	UPL species x 5 =
1. Epilobium ciliatum	5	Y FACL	Column Totals: (A) (B)
2			
3.			Prevalence Index = B/A = Hydrophytic Vegetation Indicators:
4			1 - Rapid Test for Hydrophytic Vegetation
5			✓ 2 - Dominance Test is >50%
6.			3 - Prevalence Index is ≤3.0¹
7			4 - Morphological Adaptations (Provide supporting
8			data in Remarks or on a separate sheet)
9			5 - Wetland Non-Vascular Plants ¹
10.			Problematic Hydrophytic Vegetation (Explain)
11		T. (10	¹ Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: 5 ft)	2	= Total Cover	
1. Deadly night strade	20	Y FAC	Hydrophytic
2.			Vegetation
as a second	20	= Total Cover	Present? Yes No
% Bare Ground in Herb Stratum 9			
Remarks:			-61

_	.,	3

Sampling Point: SP

nches)	Color (moiet)	%	Color (moist)	%	Type ¹	Loc	Texture	Remarks
7 /	Color (moist)	180.0		7	1,400	100	Clay	- Noniano
)-6	104R 5/1	48	104R4/4			<u> 101</u>	Clau	
2-6	10 YE 3/2	<u>_SD</u> .					Silly	Mixed matrix
6-11+	104R 4/1	95	104R 3/4	5		M	Loam	
						-		
				-		5		
				÷				-
				-			*	47
-								- Townson
			Reduced Matrix, CS			d Sand Gra		ation: PL=Pore Lining, M=Matrix.
dric Soil I	ndicators: (Applic	able to all	LRRs, unless other		ted.)		Indicato	rs for Problematic Hydric Soils ³ :
Histosol			Sandy Redox (S	-				Muck (A10)
	ipedon (A2)	<u> </u>	Stripped Matrix					Parent Material (TF2)
Black His	The second secon		Loamy Mucky N			MLRA 1)		Shallow Dark Surface (TF12)
	n Sulfide (A4) Below Dark Surfac	e (Δ11)	Loamy Gleyed Depleted Matrix		-)		Otne	er (Explain in Remarks)
	rk Surface (A12)	C (ATT)	Redox Dark Su)		3 Indicato	rs of hydrophytic vegetation and
	ucky Mineral (S1)		Depleted Dark					nd hydrology must be present,
	leyed Matrix (S4)		Redox Depress		-			s disturbed or problematic.
strictive L	ayer (if present):							
Type:	edrock	9						
Depth (inc	hes):	1					Hydric Soil	Present? Yes V No
	GY			1 2			, , ,	
-	Irology Indicators	a						
DROLO	irology Indicators ators (minimum of	a	i; check all that appl	44-14				ndary Indicators (2 or more required)
DROLO etland Hyd imary Indic Surface	irology Indicators ators (minimum of o Water (A1)	a	Water-Sta	ined Leav		xcept		/ater-Stained Leaves (B9) (MLRA 1, 2
DROLO etland Hyd mary Indic Surface High Wa	irology Indicators ators (minimum of o Water (A1) ter Table (A2)	a	Water-Sta	ined Leav 1, 2, 4A,		xcept	_ w	/ater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B)
DROLO etland Hyd mary Indic Surface High Wa Saturatio	irology Indicators: ators (minimum of e Water (A1) ter Table (A2) on (A3)	a	Water-Sta MLRASalt Crust	ined Leav 1, 2, 4A, (B11)	and 4B)	xcept	_ n	/ater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10)
DROLO etland Hyd mary Indic Surface High Wa Saturatio Water M	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1)	a	Water-Sta MLRA Salt Crust Aquatic In	ined Leaven 1, 2, 4A, (B11) evertebrate	and 4B)	xcept	_ W	/ater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rrainage Patterns (B10) rry-Season Water Table (C2)
DROLO etland Hyd mary Indic Surface High Wa Saturatio Water M Sedimer	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2)	a	Water-Sta MLRA Salt Crust Aquatic In Hydrogen	ined Leaven 1, 2, 4A, (B11) evertebrate Sulfide C	and 4B) es (B13)° Odor (C1)		W D s	/ater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ry-Season Water Table (C2) aturation Visible on Aerial Imagery (C
DROLO otland Hyd mary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep	trology Indicators: ators (minimum of e Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) posits (B3)	a	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I	ined Leavent 1, 2, 4A, (B11) evertebrate Sulfide C	and 4B) es (B13) odor (C1) eres along	Living Roo	W D S ds (C3) G	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ry-Season Water Table (C2) aturation Visible on Aerial Imagery (C deomorphic Position (D2)
DROLO etland Hyd mary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep	trology Indicators: ators (minimum of a Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4)	a	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence	ined Leavent 1, 2, 4A, (B11) evertebrate Sulfide CRhizosphe of Reduc	es (B13)° Odor (C1) eres along ed Iron (C	Living Roo 4)	W D S S ts (C3) G	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) rry-Season Water Table (C2) aturation Visible on Aerial Imagery (Caeomorphic Position (D2) hallow Aquitard (D3)
DROLO etland Hyd mary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma	trology Indicators: ators (minimum of of other (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) oosits (B3) at or Crust (B4) oosits (B5)	a	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In	ined Lead 1, 2, 4A, (B11) evertebrate Sulfide C Rhizospho of Reduction Reduction	es (B13) ² Odor (C1) eres along ed Iron (C- tion in Tille	Living Roo 4) d Soils (C6	W D S S S S	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ry-Season Water Table (C2) aturation Visible on Aerial Imagery (Caeomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5)
DROLO etland Hyd mary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep	trology Indicators: ators (minimum of of other (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) oosits (B3) at or Crust (B4) oosits (B5) Soil Cracks (B6)	one required	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent Inc Stunted o	ined Leaven 1, 2, 4A, (B11) evertebrate Sulfide Confice Confic	es (B13) odor (C1) eres along ed Iron (C- tion in Tille d Plants (D	Living Roo 4)	W D S S _ts (C3) G S	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) rry-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A)
DROLO ptland Hyd mary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface	trology Indicators: ators (minimum of of other (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) oosits (B3) at or Crust (B4) oosits (B5) Soil Cracks (B6) on Visible on Aerial	ne required	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex	ined Leaven 1, 2, 4A, (B11) evertebrate Sulfide Confice Confic	es (B13) odor (C1) eres along ed Iron (C- tion in Tille d Plants (D	Living Roo 4) d Soils (C6	W D S S _ts (C3) G S	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ry-Season Water Table (C2) aturation Visible on Aerial Imagery (Caeomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5)
DROLO ptland Hyd mary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatic	trology Indicators: ators (minimum of other (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) oosits (B3) at or Crust (B4) oosits (B5) Soil Cracks (B6) on Visible on Aerial	ne required	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex	ined Leaven 1, 2, 4A, (B11) evertebrate Sulfide Confice Confic	es (B13) odor (C1) eres along ed Iron (C- tion in Tille d Plants (D	Living Roo 4) d Soils (C6	W D S S _ts (C3) G S	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) rry-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A)
DROLO etland Hyd mary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatic Sparsely	Arology Indicators: Ators (minimum of of other (A1) Arole (A2) Arole (A2) Arole (A3) Arole (B4) Arole (B3) Arole (B3) Arole (B4) Arole (B5) Arole (B6) Aro	Imagery (B e Surface (I	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent Inc Stunted o T) Other (Ex	ined Leaven 1, 2, 4A, (B11) evertebrate Sulfide Con Reduction Redu	es (B13) odor (C1) eres along ed Iron (C- tion in Tille d Plants (D	Living Roo 4) d Soils (C6	W D S S _ts (C3) G S	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) rry-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A)
DROLO etland Hyd imary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely	irology Indicators: ators (minimum of of water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: ar Present?	Imagery (B e Surface (I	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8)	ined Leavanne Leavann	es (B13) odor (C1) eres along ed Iron (C- tion in Tille d Plants (D	Living Roo 4) d Soils (C6	W D S S _ts (C3) G S	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) rry-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A)
DROLO etland Hyd imary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatic Sparsely eld Obser urface Water Table	irology Indicators: ators (minimum of other (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial of Vegetated Concaverations: er Present?	Imagery (B e Surface (I	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8) No Depth (in	ined Lear 1, 2, 4A, (B11) overtebrate Sulfide C Rhizospho of Reduct on Reduct r Stressed plain in R	es (B13) odor (C1) eres along ed Iron (C- tion in Tille d Plants (D	Living Roo 4) d Soils (C6 11) (LRR A)	W D S S S S F F	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ray-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A) rost-Heave Hummocks (D7)
DROLO etland Hyd imary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio Sparsely eld Obser urface Water Table aturation Packudes cap	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial ovegetated Concaverations: er Present? Present?	Imagery (B e Surface (I /es /es	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8) No Depth (in Depth (in	nined Leaven 1, 2, 4A, (B11) overtebrate Sulfide Con Reduction Reductor Stressed plain in Reductor Str	es (B13) es (B13) dor (C1) eres along ed Iron (C- tion in Tille d Plants (D emarks)	Living Roo 4) d Soils (C6 1) (LRR A)	W D S S S S F F	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) rry-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A)
DROLO etland Hyd imary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatio Sparsely eld Obser urface Water Table aturation Packudes cap	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial ovegetated Concaverations: er Present? Present?	Imagery (B e Surface (I /es /es	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8) No Depth (in	nined Leaven 1, 2, 4A, (B11) overtebrate Sulfide Con Reduction Reductor Stressed plain in Reductor Str	es (B13) es (B13) dor (C1) eres along ed Iron (C- tion in Tille d Plants (D emarks)	Living Roo 4) d Soils (C6 1) (LRR A)	W D S S S S F F	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ray-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A) rost-Heave Hummocks (D7)
DROLO etland Hyd imary Indic Surface High Wa Saturatic Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundatic Sparsely eld Obser urface Water Table aturation P includes cap escribe Re	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial ovegetated Concaverations: er Present? Present?	Imagery (B e Surface (I /es /es	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8) No Depth (in Depth (in	nined Leaven 1, 2, 4A, (B11) overtebrate Sulfide Con Reduction Reductor Stressed plain in Reductor Str	es (B13) es (B13) dor (C1) eres along ed Iron (C- tion in Tille d Plants (D emarks)	Living Roo 4) d Soils (C6 1) (LRR A)	W D S S S S F F	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ray-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A) rost-Heave Hummocks (D7)
DROLO etland Hydimary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely eld Obser urface Water Table atturation P cludes cap escribe Re	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial ovegetated Concaverations: ar Present? Present? resent? olillary fringe) corded Data (strean	Imagery (B e Surface (I /es /es	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8) No Depth (in Depth (in	nined Leaven 1, 2, 4A, (B11) overtebrate Sulfide Con Reduction Reductor Stressed plain in Reductor Str	es (B13) es (B13) dor (C1) eres along ed Iron (C- tion in Tille d Plants (D emarks)	Living Roo 4) d Soils (C6 1) (LRR A)	W D S S S S F F	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ray-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A) rost-Heave Hummocks (D7)
DROLO etland Hyd mary Indic Surface High Wa Saturatio Water M Sedimer Drift Dep Algal Ma Iron Dep Surface Inundati Sparsely eld Obser urface Wate ater Table atturation P cludes cap escribe Re	irology Indicators: ators (minimum of o Water (A1) ter Table (A2) on (A3) arks (B1) at Deposits (B2) osits (B3) at or Crust (B4) osits (B5) Soil Cracks (B6) on Visible on Aerial ovegetated Concaverations: er Present? Present?	Imagery (B e Surface (I /es /es	Water-Sta MLRA Salt Crust Aquatic In Hydrogen Oxidized I Presence Recent In Stunted o Other (Ex B8) No Depth (in Depth (in	nined Leaven 1, 2, 4A, (B11) overtebrate Sulfide Con Reduction Reductor Stressed plain in Reductor Str	es (B13) es (B13) dor (C1) eres along ed Iron (C- tion in Tille d Plants (D emarks)	Living Roo 4) d Soils (C6 1) (LRR A)	W D S S S S F F	Vater-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) rainage Patterns (B10) ray-Season Water Table (C2) aturation Visible on Aerial Imagery (Cateomorphic Position (D2) hallow Aquitard (D3) AC-Neutral Test (D5) taised Ant Mounds (D6) (LRR A) rost-Heave Hummocks (D7)

WETLAND DETERMINATION DATA FORM - Western Mountains, Valleys, and Coast Region Project/Site: Wesley Homes Phase 2 City/County: Puyallyp/Pierce Sampling Date: State: WA Sampling Point: Applicant/Owner: Wesley Homes Section, Township, Range: Investigator(s): Landform (hillslope, terrace, etc.): Local relief (concave, convex, none): Slope (%): Subregion (LRR): Lat: Long: Datum: NWI classification: Soil Map Unit Name: Are climatic / hydrologic conditions on the site typical for this time of year? Yes _____ No _____ (If no, explain in Remarks.) Are Vegetation , Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes No Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.) SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc. Hydrophytic Vegetation Present? Yes \ No __ Is the Sampled Area Hydric Soil Present? No _____ Yes 1/ within a Wetland? Yes V Wetland Hydrology Present? Remarks: Drier than normal **VEGETATION – Use scientific names of plants.** Absolute Dominant Indicator **Dominance Test worksheet:** Tree Stratum (Plot size: % Cover Species? Status **Number of Dominant Species** 1. Red a lour That Are OBL, FACW, or FAC: 2. Daylas tic Total Number of Dominant . Species Across All Strata: Percent of Dominant Species = Total Cover (A/B) That Are OBL, FACW, or FAC: Sapling/Shrub Stratum (Plot size: ____15 FH) Prevalence Index worksheet: 1. Ired-object dogwood Total % Cover of: Multiply by: OBL species FACW species FAC species FACU species 220 = Total Cover Herb Stratum (Plot size: 5 ft UPL species 1. Sward fern 20 2. Lady fern 5 Column Totals: Prevalence Index = B/A = Hydrophytic Vegetation Indicators: 1 - Rapid Test for Hydrophytic Vegetation 2 - Dominance Test is >50% 1 3 - Prevalence Index is ≤3.01 ___ 4 - Morphological Adaptations¹ (Provide supporting data in Remarks or on a separate sheet) ___ 5 - Wetland Non-Vascular Plants¹ Problematic Hydrophytic Vegetation¹ (Explain) ¹Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Woody Vine Stratum (Plot size: 5 Hydrophytic Vegetation Present? = Total Cover

Remarks:

L Constintion: (Describe to the den	th needed to document the indicator or con	firm the absence of indicators.)
	Redox Features	mill the absence of indicators.
epth Matrix nches) Color (moist) %	Colòr (moist) % Type¹ Loc²	Texture Remarks
n-7 MUR 2/1 100		Sitty clay
		sandy clay Mixed matrix
1-14 10 YR 2/1 35		
7-14 10/24/16	DYR3/4 4 C M	= 331d4 (194
14-18+ 1041 2/1 10		sandy losin Mixed matrix
14-18+ 1124R 4/1 85	1048 314 5 CM	Sanhi lam
TO THE TE	0 0 10	Control tons
		-
vne: C=Concentration, D=Depletion, RM	=Reduced Matrix, CS=Covered or Coated Sand	d Grains. ² Location: PL=Pore Lining, M=Matrix.
ydric Soil Indicators: (Applicable to all	LRRs, unless otherwise noted.)	Indicators for Problematic Hydric Soils ³ :
Histosol (A1)	Sandy Redox (S5)	2 cm Muck (A10)
Histic Epipedon (A2)	Stripped Matrix (S6)	Red Parent Material (TF2)
Black Histic (A3)	Loamy Mucky Mineral (F1) (except MLR/	
Hydrogen Sulfide (A4)	Loamy Gleyed Matrix (F2)	Other (Explain in Remarks)
Depleted Below Dark Surface (A11)	✓ Depleted Matrix (F3)	
_ Thick Dark Surface (A12)	Redox Dark Surface (F6)	³ Indicators of hydrophytic vegetation and
_ Sandy Mucky Mineral (S1)	Depleted Dark Surface (F7)	wetland hydrology must be present,
_ Sandy Gleyed Matrix (S4)	Redox Depressions (F8)	unless disturbed or problematic.
estrictive Layer (if present):		1910
11 1 - 2		
Type: Hard pan		
11 1 - 2		Hydric Soil Present? Yes No No
Type: Hard pan Depth (inches): 150 emarks:		Hydric Soil Present? Yes No No
Type: Hard pan Depth (inches): 15 emarks:		Hydric Soil Present? Yes No No
Type: Hard Pan Depth (inches): 150 emarks: /DROLOGY Wetland Hydrology Indicators:		
Type: Hard pan Depth (inches): 15 emarks:		Secondary Indicators (2 or more required)
Type: Hard Pan Depth (inches): 150 emarks: /DROLOGY Wetland Hydrology Indicators:	ed; check all that apply) Water-Stained Leaves (B9) (except	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2
Type:Hard pan Depth (inches):		Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B)
Depth (inches):	Water-Stained Leaves (B9) (except	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10)
Depth (inches):	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2)
Type: Hard Pan Depth (inches):	 Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) 	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C
Depth (inches):	 Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) 	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C) Roots (C3) — Geomorphic Position (D2)
Depth (inches):	 Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) 	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C) Roots (C3) Geomorphic Position (D2) Shallow Aquitard (D3)
Depth (inches): Depth	 Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living 	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C Roots (C3) Geomorphic Position (D2) Shallow Aquitard (D3) s (C6) FAC-Neutral Test (D5)
Depth (inches):	 Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) 	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Roots (C3) Geomorphic Position (D2) Shallow Aquitard (D3) s (C6) FAC-Neutral Test (D5)
Depth (inches):	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Roots (C3) Geomorphic Position (D2) Shallow Aquitard (D3) s (C6) FAC-Neutral Test (D5)
Depth (inches):	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF) Other (Explain in Remarks)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Roots (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A)
Depth (inches):	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF) Other (Explain in Remarks)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Roots (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A)
Depth (inches): Depth	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF) Other (Explain in Remarks)	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A)
Depth (inches):	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF Other (Explain in Remarks) 8 (B8) No Depth (inches):	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (Called Saturation (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A)
Depth (inches):	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF Other (Explain in Remarks) No Depth (inches): No Depth (inches):	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (Called Saturation (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A)
Depth (inches): Depth	Water-Stained Leaves (B9) (except	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) Wetland Hydrology Present? Yes No
Depth (inches): Depth	Water-Stained Leaves (B9) (except MLRA 1, 2, 4A, and 4B) Salt Crust (B11) Aquatic Invertebrates (B13) Hydrogen Sulfide Odor (C1) Oxidized Rhizospheres along Living Presence of Reduced Iron (C4) Recent Iron Reduction in Tilled Soils Stunted or Stressed Plants (D1) (LF Other (Explain in Remarks) No Depth (inches): No Depth (inches):	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) Wetland Hydrology Present? Yes No
Depth (inches): Depth	Water-Stained Leaves (B9) (except	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) Wetland Hydrology Present? Yes No
Depth (inches): Depth	Water-Stained Leaves (B9) (except	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) Wetland Hydrology Present? Yes No Wetland Hydrology Present? Yes
Depth (inches): Depth	Water-Stained Leaves (B9) (except	Secondary Indicators (2 or more required) Water-Stained Leaves (B9) (MLRA 1, 2 4A, and 4B) Drainage Patterns (B10) Dry-Season Water Table (C2) Saturation Visible on Aerial Imagery (C3) Geomorphic Position (D2) Shallow Aquitard (D3) S (C6) FAC-Neutral Test (D5) RR A) Raised Ant Mounds (D6) (LRR A) Frost-Heave Hummocks (D7) Wetland Hydrology Present? Yes No Wetland Hydrology Present? Yes

WETLAND DETERMINATION DATA FORM - Western Mountains, Valleys, and Coast Region

Project/Site: Wesley Homes Pha	se 2 c	ty/County: Puya	allup Pierce sampling Date: 9/21/23
Applicant/Owner: Wesley Homes			State: WA Sampling Point:
Investigator(s): Terra Houser			
Landform (hillslope, terrace, etc.): Slight Sk	pe L	ocal relief (concave, c	onvex, none): Slope (%):
Subregion (LRR):	Lat:		Long: Datum:
Soil Map Unit Name:			NWI classification:
Are climatic / hydrologic conditions on the site typical for			
		·	Normal Circumstances" present? Yes No
Are Vegetation, Soil, or Hydrology			eded, explain any answers in Remarks.)
./		sampling point lo	ocations, transects, important features, etc.
Hydrophytic Vegetation Present? Yes		Is the Sampled	Area
Hydric Soil Present? Yes Wetland Hydrology Present? Yes		within a Wetlan	
Remarks:	140		
Nomains.			
			and the second s
VEGETATION – Use scientific names of p	lants.		
20 [4		Dominant Indicator	Dominance Test worksheet:
Tree Stratum (Plot size: 30 ft)		Species? Status	Number of Dominant Species
1 red alder	2047	FAC FAC	That Are OBL, FACW, or FAC: (A)
2. Pac willow		N FACW	Total Number of Dominant
3. dayays fir		y FACU	Species Across All Strata: (B)
4.	- 25		Percent of Dominant Species That Are OBL. FACW, or FAC: 83.3 (A/B)
Sapling/Shrub Stratum (Plot size: 15 ft)		= Total Cover	
1. HB13	90	Y FAC	Prevalence Index worksheet:
2. I'ld orier dogwood	45	Y FACW	Total % Cover of: Multiply by:
3.		,	OBL species x1=
4.			FACW species x2 =
5.			FAC species 160 x 3 = 480
er Cl-		= Total Cover	FACU species(O x4 =
Herb Stratum (Plot size:		V Exc	UPL species $x5 = 620$ (B)
1. Unidentified grass		TAC	
2			Prevalence Index = B/A = 2.82
3			Hydrophytic Vegetation Indicators:
4			1 - Rapid Test for Hydrophytic Vegetation
5			2 - Dominance Test is >50%
6			✓ 3 - Prevalence Index is ≤3.0¹
7			4 - Morphological Adaptations ¹ (Provide supporting data in Remarks or on a separate sheet)
8			5 - Wetland Non-Vascular Plants ¹
9			Problematic Hydrophytic Vegetation¹ (Explain)
10			¹Indicators of hydric soil and wetland hydrology must
11			be present, unless disturbed or problematic.
Woody Vine Stratum (Plot size: 5 11)		= Total Cover	
1. Deally night shade	40	Y TAC	Hydrophytic
2.			Vegetation
90		= Total Cover	Present? Yes No No No
% Bare Ground in Herb Stratum			
Remarks:			

Sampling Point:

epth _	Matrix Calar (maint)	0/	Redox	0/		12	Tastina		Dance	andra.
nches)	Color (moist)	99	Color (moist)		Type	Loc ²	Texture	<u></u>	Rema	arks
2-9	101/2 2/2	-	104R3/4		<u> </u>	<u>M</u> .	Camy			
-18t -	104B3/2	90	10 YR 34	<u> </u>		<u> </u>	Clay		1/1/20	matrix
-18+	104R 4/1	15					clay's			
		- F					,			
		· · · · ·		i ——		- 3		o::———		_
		e e								
me: C=Con	centration. D=Dec	letion. RM≕	Reduced Matrix, CS	=Covered	d or Coated	Sand Gra	ains. ² Lo	cation: P	L=Pore Lin	ing, M=Matrix.
			RRs, unless other							Hydric Soils ³ :
Histosol (A	A1)		Sandy Redox (S	35)			20	m Muck (A	A10)	
	pedon (A2)		Stripped Matrix	-					Material (TF	:2)
Black Histi			Loamy Mucky M	lineral (F1	1) (except M	ILRA 1)			Dark Surfa	
, Hydrogen	Sulfide (A4)		Loamy Gleyed I	Matrix (F2	2)		Ot	ner (Expla	in in Remai	rks)
	Below Dark Surfac	e (A11)	Depleted Matrix							7
	Surface (A12)		Redox Dark Sui					_		getation and
	cky Mineral (S1)	-	Depleted Dark S		- 7)			_	logy must b	
	eyed Matrix (\$4)		Redox Depress	ions (F8)			unle	ss disturb	ed or proble	ematic.
	yer (if present):									
Туре:										
Depth (inch	es):		_				Hydric So	il Present	? Yes_	No
marks:	Υ				ā,		4.		7	
DROLOG	Y ology Indicators:		; check all that appl	v)	1		Seco	ondary Ind	licators (2 o	or more required
DROLOG	ology Indicators: tors (minimum of c				/es (B9) (exc	cept		- 77.4		or more required s (B9) (MLRA 1
DROLOG etland Hydr imary Indica _ Surface W	ology Indicators: tors (minimum of c		Water-Sta			eept		- 77	ined Leave	
DROLOG etland Hydr mary Indica Surface W	ology Indicators: tors (minimum of o /ater (A1) er Table (A2)		Water-Sta	ined Leav 1, 2, 4A, a		cept	_	Water-Sta 4A, an	ined Leave	s (B9) <mark>(MLRA 1</mark>
DROLOG etland Hydr mary Indica Surface W High Wate	ology Indicators: tors (minimum of o /ater (A1) er Table (A2)		Water-Sta	ined Leave 1, 2, 4A, a (B11)	and 4B)	cept	<u> </u>	Water-Sta 4A, an Drainage	ined Leave d 4B) Patterns (B	s (B9) (MLRA 1
DROLOG etland Hydr mary Indica Surface W High Wate Saturation Water Mal	ology Indicators: tors (minimum of o /ater (A1) er Table (A2)		Water-Sta MLRA Salt Crust	ined Leave 1, 2, 4A, a (B11) vertebrate	and 4B) es (B13)	ept	=	Water-Sta 4A, an Drainage Dry-Sease	ined Leave d 4B) Patterns (B on Water Ta	s (B9) (MLRA 1
DROLOG etland Hydr mary Indica Surface W High Wate Saturation Water Mal	rology Indicators: tors (minimum of o /ater (A1) er Table (A2) n (A3) rks (B1) Deposits (B2)		Water-Stai MLRA Salt Crust Aquatic In Hydrogen	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Od	and 4B) es (B13)		=	Water-Sta 4A, an Drainage Dry-Sease Saturation	ined Leave d 4B) Patterns (B on Water Ta	s (B9) (MLRA 1 10) able (C2) Aerial Imagery
DROLOG etland Hydr mary Indica Surface W High Wate Saturation Water Mar Sediment Drift Depo	rology Indicators: tors (minimum of o /ater (A1) er Table (A2) n (A3) rks (B1) Deposits (B2)		Water-Stai MLRA Salt Crust Aquatic In Hydrogen Oxidized F	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe	es (B13) dor (C1)		ts (C3)	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpl	ined Leave d 4B) Patterns (B on Water Ta n Visible on	s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2)
DROLOG etland Hydr imary Indica Surface W High Wate Saturation Water Mai Sediment Drift Depo	tors (minimum of contract (A1) or Table (A2) or (A3) rks (B1) Deposits (B2) or Crust (B4)		Water-Stal MLRA Salt Crust Aquatic In Hydrogen Oxidized F	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce	and 4B) es (B13) edor (C1) eres along Liv	ving Roo	ts (C3)	Water-Sta 4A, an Drainage Dry-Seaso Saturation Geomorpl Shallow A	ined Leave d 4B) Patterns (B on Water Ta visible on nic Position	s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2)
DROLOG etland Hydr imary Indica Surface W High Wate Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo	tors (minimum of contract (A1) or Table (A2) or (A3) rks (B1) Deposits (B2) or Crust (B4)		Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oo Rhizosphe of Reduce in Reducti	es (B13) dor (C1) eres along Lived Iron (C4)	ving Roo Soils (C6	ts (C3)	Water-Sta 4A, an Drainage Dry-Sease Saturatior Geomorpl Shallow A FAC-Neut	ined Leave d 4B) Patterns (B on Water Ta visible on nic Position quitard (D3 ral Test (D8	s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2)
DROLOG etland Hydr mary Indica Surface W High Wate Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S	tology Indicators: tors (minimum of colors) tater (A1) er Table (A2) a (A3) rks (B1) Deposits (B2) sits (B3) or Crust (B4) sits (B5)	one required	Water-Stal MLRA Salt Crust Aquatic In Hydrogen Oxidized F Presence Recent Iro Stunted or	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce on Reducti	es (B13) dor (C1) eres along Lived Iron (C4) ion in Tilled S I Plants (D1)	ving Roo Soils (C6	ts (C3)	Water-State 4A, an Drainage Dry-Sease Saturation Geomorpl Shallow A FAC-Neut Raised Ar	ined Leave d 4B) Patterns (B on Water Ta visible on nic Position quitard (D3 ral Test (D8	s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2))) 5) D6) (LRR A)
DROLOG etland Hydr mary Indica Surface W High Water Saturation Water Man Sediment Drift Depo Algal Mat Iron Depo Surface S Inundatior	tology Indicators: tors (minimum of colors) ter (A1) ter Table (A2) to (A3) trks (B1) Deposits (B2) to (B3) to Crust (B4) to (B5) to (Cracks (B6)	one required	Water-Stai MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce on Reducti	es (B13) dor (C1) eres along Lived Iron (C4) ion in Tilled S I Plants (D1)	ving Roo Soils (C6	ts (C3)	Water-State 4A, an Drainage Dry-Sease Saturation Geomorpl Shallow A FAC-Neut Raised Ar	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D5 it Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2))) 5) D6) (LRR A)
DROLOG etland Hydr mary Indica Surface W High Water Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S Inundatior Sparsely	tology Indicators: tors (minimum of otater (A1) er Table (A2) er (A3) erks (B1) Deposits (B2) esits (B3) er Crust (B4) esits (B5) eoil Cracks (B6) en Visible on Aerial Vegetated Concav	Imagery (B7 e Surface (E	Water-Stai MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp. 18)	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce on Reducti Stressed Dain in Re	es (B13) edor (C1) eres along Lived Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)	Water-State 4A, an Drainage Dry-Sease Saturation Geomorpl Shallow A FAC-Neut Raised Ar	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D5 it Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2))) 5) D6) (LRR A)
DROLOG etland Hydr mary Indica Surface W High Water Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S Inundatior Sparsely V eld Observa	tors (minimum of of vater (A1) or Table (A2) or (A3) or (B1) Deposits (B2) or Crust (B4) sits (B5) oil Cracks (B6) or Visible on Aerial Vegetated Concavations:	Imagery (B7	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp. 188)	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce on Reducti Stressed plain in Re	es (B13) dor (C1) eres along Lived Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6 (LRR A)	ts (C3)	Water-State 4A, an Drainage Dry-Sease Saturation Geomorpl Shallow A FAC-Neut Raised Ar	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D5 it Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2))) 5) D6) (LRR A)
DROLOG etland Hydr imary Indica Surface W High Wate Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S Inundatior Sparsely V eld Observa	tors (minimum of of vater (A1) or Table (A2) or (A3) or (B1) Deposits (B2) or Crust (B4) sits (B5) oil Cracks (B6) or Visible on Aerial Vegetated Concavations:	Imagery (B7 e Surface (E	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp. 188)	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce on Reducti Stressed plain in Re	es (B13) edor (C1) eres along Lived Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6 (LRR A)	ts (C3)	Water-State 4A, an Drainage Dry-Sease Saturation Geomorpl Shallow A FAC-Neut Raised Ar	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D5 it Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2))) 5) D6) (LRR A)
DROLOG etland Hydr imary Indica Surface W High Water Saturation Water Man Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely Water ater Table Paturation Pre	tology Indicators: tors (minimum of otater (A1) er Table (A2) er (A3) erks (B1) Deposits (B2) esits (B3) er Crust (B4) esits (B5) eoil Cracks (B6) en Visible on Aerial Vegetated Concavations: er Present?	Imagery (B7 e Surface (E	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp. 188)	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oc Rhizosphe of Reduce on Reducti Stressed blain in Re ches): ches):	es (B13) electric (C1) eres along Lined Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpi Shallow A FAC-Neut Raised Ar Frost-Hea	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D9 at Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2) b) 5) (D6) (LRR A) cks (D7)
DROLOG etland Hydr imary Indica Surface W High Wate Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely V eld Observa	tology Indicators: tors (minimum of colors (minimum	Imagery (B7 e Surface (E fes f fes f	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp 88) Depth (in Depth (in	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oo Rhizosphe of Reduce on Reducti Stressed plain in Re ches): ches): ches):	and 4B) es (B13) edor (C1) eres along Lined Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)) and Hydrolo	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpi Shallow A FAC-Neut Raised Ar Frost-Hea	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D9 at Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2) b) 5) (D6) (LRR A) cks (D7)
DROLOG etland Hydr imary Indica Surface W High Wate Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely W eld Observation atter Table P	tology Indicators: tors (minimum of colors (minimum	Imagery (B7 e Surface (E fes f fes f	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp 88) Depth (in Depth (in	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oo Rhizosphe of Reduce on Reducti Stressed plain in Re ches): ches): ches):	and 4B) es (B13) edor (C1) eres along Lined Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)) and Hydrolo	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpi Shallow A FAC-Neut Raised Ar Frost-Hea	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D9 at Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2) b) 5) (D6) (LRR A) cks (D7)
DROLOG etland Hydr imary Indica Surface W High Water Saturation Water Mai Sediment Drift Depo Algal Mat Iron Depo Surface S Inundatior Sparsely V eld Observa	tology Indicators: tors (minimum of colors (minimum	Imagery (B7 e Surface (E fes f fes f	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp 88) Depth (in Depth (in	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oo Rhizosphe of Reduce on Reducti Stressed plain in Re ches): ches): ches):	and 4B) es (B13) edor (C1) eres along Lined Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)) and Hydrolo	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpi Shallow A FAC-Neut Raised Ar Frost-Hea	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D9 at Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2) b) 5) (D6) (LRR A) cks (D7)
DROLOG etland Hydr imary Indica Surface W High Water Saturation Water Man Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely V eld Observator ater Table P aturation Prescuedes capit escribe Recommendation	tors (minimum of otater (A1) er Table (A2) er (A3) erks (B1) Deposits (B2) esits (B3) er Crust (B4) esits (B5) eoil Cracks (B6) ervisible on Aerial vegetated Concavations: er Present? esent? esent? esent? esent? esent? esent? esented Concavations: eresented Concavations eresented Con	Imagery (B7 re Surface (E res N res N res N	Water-Stal MLRA Salt Crust Aquatic Interpretation Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp 88) Depth (interpretation Depth (int	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oo Rhizosphe of Reduce on Reducti Stressed plain in Re ches): ches): ches):	and 4B) es (B13) edor (C1) eres along Lined Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)) and Hydrolo	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpi Shallow A FAC-Neut Raised Ar Frost-Hea	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D9 at Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2) b) 5) (D6) (LRR A) cks (D7)
DROLOG etland Hydr mary Indica Surface W High Water Saturation Water Man Sediment Drift Depo Algal Mat Iron Depo Surface S Inundation Sparsely V eld Observator ater Table P aturation Pre cludes capil escribe Reco	tors (minimum of otater (A1) er Table (A2) er (A3) erks (B1) Deposits (B2) esits (B3) er Crust (B4) esits (B5) eoil Cracks (B6) ervisible on Aerial vegetated Concavations: er Present? esent? esent? esent? esent? esent? esent? esented Concavations: eresented Concavations eresented Con	Imagery (B7 re Surface (E res N res N res N	Water-Stal MLRA Salt Crust Aquatic Int Hydrogen Oxidized F Presence Recent Iro Stunted or Other (Exp 88) Depth (in Depth (in	ined Leave 1, 2, 4A, a (B11) vertebrate Sulfide Oo Rhizosphe of Reduce on Reducti Stressed plain in Re ches): ches): ches):	and 4B) es (B13) edor (C1) eres along Lined Iron (C4) ion in Tilled S I Plants (D1) emarks)	ving Roo Soils (C6) (LRR A)	ts (C3)) and Hydrolo	Water-Sta 4A, an Drainage Dry-Sease Saturation Geomorpi Shallow A FAC-Neut Raised Ar Frost-Hea	ined Leave d 4B) Patterns (B on Water Ta i Visible on nic Position quitard (D3 ral Test (D9 at Mounds (s (B9) (MLRA 1 10) able (C2) Aerial Imagery ((D2) b) 5) (D6) (LRR A) cks (D7)

ATTACHMENT C

WETLAND RATING FORM

RATING SUMMARY – Western Washington

	Name of wetland (or ID #): Wetland (ite visit: <u>9/21</u> /23
	Rated by Terra Hauser Tr	ained by Ecology? Yes No	Date of training 10/13/22
	HGM Class used for rating Slope	Wetland has multiple HGM	classes?YN
	NOTE: Form is not complete without Source of base aerial photo/map	N/A	
C	VERALL WETLAND CATEGORY	(based on functions V or spe	cial characteristics)
	1. Category of wetland based on FUNC Category I — Total score = 2		
	Category II - Total score =	20 - 22	Score for each function based
	Category III – Total score =		on three

FUNCTION		rovii ater iality		Hy	/drolo	gic	ŀ	labita	t	
				(Circle th	ne app	ropri	ate rat	ings	
Site Potential	Н	М	(L	ЭН	M	L	Н	М ((L	
Landscape Potential	H (M	L	Н	(M.) L	Н	М	(L)	
Value	H	M	L	H	М	L	H) M	L	TOTAL
Score Based on Ratings	(0			7			5	-	18

Category IV — Total score = 9 - 15

Score for each function based on three ratings (order of ratings is not important)

9 = H, H, H

alailan

8 = H, H, M 7 = H, H, L 7 = H, M, M 6 = H, M, L 6 = M, M, M 5 = H, L, L 5 = M, M, L 4 = M, L, L 3 = L, L, L

2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATE	GORY
Estuarine	I	II
Wetland of High Conservation Value		I
Bog		I
Mature Forest		I
Old Growth Forest		I
Coastal Lagoon	I	II
Interdunal	I II	III IV
None of the above	V	

Maps and figures required to answer questions correctly for Western Washington

Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	
Hydroperiods	D 1.4, H 1.2	
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	
Map of the contributing basin	D 4.3, D 5.3	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	

Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and total habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of dense trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of dense, rigid trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and total habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

NO – go to 2	YES – the wetland class is Tidal Fringe – go to 1.1
1.1 Is the salinity of the water du	ring periods of annual low flow below 0.5 ppt (parts per thousand)?
	ied as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Estuarine wetland and is not scored. This method cannot be used to score
2. The entire wetland unit is flat, a surface water runoff are NOT s	and precipitation is the only source (>90%) of water to it. Groundwater and ources of water to the unit.
NO – go to 3	YES – The wetland class is Flats
	d as a Flats wetland, use the form for Depressional wetlands.
	vetland is on the shores of a body of permanent open water (without any time of the year) at least 20 ac (8 ha) in size,
At least 30% of the open wa	ater area is deeper triair 6.0 it (2 m).

____The water leaves the wetland without being impounded.

NO - go to 5

YES — The wetland class is Slope

NOTE: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

 $\sqrt{}$ The water flows through the wetland in one direction (unidirectional) and usually comes from seeps.

It may flow subsurface, as sheet flow, or in a swale without distinct banks,

We	Vetland name or number	
5.	 Does the entire wetland unit meet all of the formal. The unit is in a valley, or stream channel, stream or river, The overbank flooding occurs at least one 	where it gets inundated by overbank flooding from that
	NO – go to 6 NOTE: The Riverine unit can contain depression	YES – The wetland class is Riverine ns that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? This means that any outlet, if present, is higher than the interior of the wetland.

NO - go to 7

YES - The wetland class is Depressional

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched but has no obvious natural outlet.

NO - go to 8

YES – The wetland class is **Depressional**

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

NOTE: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit being rated	HGM class to use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

SLOPE WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
S 1.0. Does the site have the potential to improve water quality?	
S 1.1. Characteristics of the average slope of the wetland: (A 1% slope has a 1 ft vertical change in elevation for every	
100 ft of horizontal distance.)	
Slope is 1% or less points = 3	
Slope is > 1%-2% points = 2	0
Slope is > 2%-5% points = 1	
Slope is greater than 5% points = 0	
S 1.2. The soil 2 in. below the surface (or duff layer) is true clay or true organic (use NRCS definitions): Yes = 3 No = 0	0
S 1.3. Characteristics of the plants in the wetland that trap sediments and pollutants:	
Choose the points appropriate for the description that best fits the plants in the wetland. Dense means you	
have trouble seeing the soil surface (>75% cover), and uncut means not grazed or mowed, and plants are	
higher than 6 in.	
Dense, uncut, herbaceous plants > 90% of the wetland area points = 6	
Dense, uncut, herbaceous plants > ½ of area points = 3	7
Dense, woody, plants > ½ of area points = 2	_
Dense, uncut, herbaceous plants > 1/4 of area points = 1	
Does not meet any of the criteria above for plants points = 0	
Total for S 1 Add the points in the boxes above	2
Rating of Site Potential If score is:12 = H6-11 = M0-5 = L Record the rating on a	the first page
S 2.0. Does the landscape have the potential to support the water quality function of the site?	e le les l
S 2.1. Is > 10% of the area within 150 ft on the uphill side of the wetland in land uses that generate pollutants? Yes = 1 No = 0	1
S 2.2. Are there other sources of pollutants coming into the wetland that are not listed in question S 2.12	1
Other sources Stamwater reipe Ves = 1 No = 0	1
Total for S 2 Add the points in the boxes above	2
Rating of Landscape Potential If score is: 1-2 = M0 = L Record the rating on	the first page
S 3.0. Is the water quality improvement provided by the site valuable to society?	المراجعات
2 3.0. 10 the tracer quality improvement provided by the size fundable to society.	

S 3.0. Is the water quality improvement provided by the site valuable to society?	
S 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	0
S 3.2. Is the wetland in a basin or sub-basin where water quality is an issue? (At least one aquatic resource in the basin is on the 303(d) list.) Yes = 1 No = 0	1
S 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality? (Answer YES if there is a TMDL in development or in effect for the basin in which unit is found.) Yes = 2 No = 0	2
Total for S 3 Add the points in the boxes above	3

Rating of Value If score is: 2-4 = H ___1 = M ___0 = L

Record the rating on the first page

SLOPE WETLANDS	
Hydrologic Functions - Indicators that the site functions to reduce flooding and stream eros	sion
S 4.0. Does the site have the potential to reduce flooding and stream erosion?	V-Allegar
S 4.1. Characteristics of plants that reduce the velocity of surface flows during storms: Choose the points appropriate for the description that best fits conditions in the wetland. Stems of plants should be thick enough (usually > 1/8 in), or dense enough, to remain erect during surface flows. Dense, uncut, rigid plants cover > 90% of the area of the wetland All other conditions	1
Rating of Site Potential If score is: \(\sqrt{1} = M \)0 = L \\ Record the rating on	the first page
S 5.0. Does the landscape have the potential to support the hydrologic functions of the site?	
S 5.1. Is more than 25% of the area within 150 ft upslope of wetland in land uses or cover that generate excess surface runoff? Yes = 1 No = 0	1
Rating of Landscape Potential If score is: <u>1</u> = M0 = L Record the rating on	the first page
S 6.0. Are the hydrologic functions provided by the site valuable to society?	
S 6.1. Distance to the nearest areas downstream that have flooding problems:	
The sub-basin immediately downgradient of site has flooding problems that result in damage to human or natural resources (e.g., houses or salmon redds)	
Surface flooding problems are in a sub-basin farther downgradient points = 1	2
No flooding problems anywhere downstream points = 0	
S 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood control plan? Yes = 2 No = 0	0
Total for S 6 Add the points in the boxes above	2

Rating of Value If score is: 2-4 = H ___1 = M ___0 = L

Record the rating on the first page

NOTES and FIELD OBSERVATIONS:

These questions apply to wetlands of all HGM classes.	
HABITAT FUNCTIONS - Indicators that site functions to provide important habitat	
H 1.0. Does the site have the potential to provide habitat?	S 1
H 1.1. Structure of plant community: Indicators are Cowardin classes and strata within the Forested class. Check the Cowardin plant classes in the wetland. Up to 10 patches may be combined for each class to meet the threshold of ¼ ac if the unit is at least 2.5 ac, or more than 10% of the unit if it is smaller than 2.5 ac. Aquatic bedAquatic bed4 structures or more: points = 4Emergent3 structures: points = 2Scrub-shrub (areas where shrubs have > 30% cover)2 structures: points = 1Forested (areas where trees have > 30% cover)1 structure: points = 0	
H 1.2. Hydroperiods	
Check the types of water regimes (hydroperiods) present within the wetland. The water regime has to cover more than 10% of the wetland if the unit is < 2.5 ac, or ¼ ac if the unit is at least 2.5 ac to count (see text for descriptions of hydroperiods). Permanently flooded or inundated Seasonally flooded or inundated Occasionally flooded or inundated Saturated only Permanently flowing stream or river in, or adjacent to, the wetland Intermittently or seasonally flowing stream in, or adjacent to, the wetland Lake Fringe wetland Freshwater tidal wetland 2 points	0
H 1.3. Richness of plant species	
Count the number of plant species in the wetland that cover at least 10 ft ² . Different patches of the same species can be combined to meet the size threshold and you do not have to name the species. Do not include Eurasian milfoil, reed canarygrass, purple loosestrife, Canada thistle If you counted: > 19 species 5 - 19 species 5 - 5 species 9 points = 1	1
H 1.4. Interspersion of habitats	
Decide from the diagrams below whether interspersion among Cowardin plants classes (described in H 1.1), or the classes and unvegetated areas (can include open water or mudflats) is high, moderate, low, or none. If you have four or more plant classes or three classes and open water, the rating is always high. None = 0 points Low = 1 point Moderate = 2 points All three diagrams in this row are High = 3 points	0

H 1.5. Special habitat features:		
Check the habitat features that are present in the wetland. The number of	checks is the number of points.	
Large, downed, woody debris within the wetland (> 4 in. diameter and	i 6 ft long).	
Standing snags (dbh > 4 in.) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) and/or overhangir	ng plants extend at least 3.3 ft (1 m)	
over open water or a stream (or ditch) in, or contiguous with the wet	land, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or m	uskrat for denning (> 30 degree	_
slope) OR signs of recent beaver activity are present (cut shrubs or tre	ees that have not yet weathered	2
where wood is exposed)		
At least ¼ ac of thin-stemmed persistent plants or woody branches are	e present in areas that are	
permanently or seasonally inundated (structures for egg-laying by am		
list of strata and H 1.5 in the manual for the list of aggressive plant sp		
Total for H 1	Add the points in the boxes above	4
Rating of Site Potential If score is:15-18 = H7-14 = M0-6 = L	Record the rating on t	the first page
H 2.0. Does the landscape have the potential to support the habitat functi	ons of the site?	Re
H 2.1. Accessible habitat (include only habitat polygons accessible from the wetla	nd.	
Calculate: % relatively undisturbed habitat 1 + [(% moderate and low into	ensity land uses)/2] $2 = 8$ %	
Total accessible habitat is:		
> 1/3 (33.3%) of 1 km Polygon	points = 3	
20-33% of 1 km Polygon	points = 2	\mathcal{E}
10-19% of 1 km Polygon	points = 1	-
< 10% of 1 km Polygon	points = 0	7
H 2.2. Total habitat in 1 km Polygon around the wetland.		
Calculate: % relatively undisturbed habitat 1/2 + [(% moderate and low into	ensity land uses)/21 $\frac{1}{2}$ = 12 %	
Total habitat > 50% of Polygon	points = 3	
Total habitat 10-50% and in 1-3 patches	points = 2	
Total habitat 10-50% and > 3 patches	points = 1	- 1
Total habitat < 10% of 1 km Polygon	points = 0	
H 2.3. Land use intensity in 1 km Polygon:		
> 50% of 1 km Polygon is high intensity land use	points = (- 2)	-7
≤ 50% of 1 km Polygon is high intensity	points = 0	_
Total for H 2	Add the points in the boxes above	-1
Rating of Landscape Potential If score is:4-6 = H1-3 = M<1 = L	Record the rating on the	he first nage
	necold the rating on the	jiist page
H 3.0. Is the habitat provided by the site valuable to society?		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or pol	icies? Choose only the highest score	
that applies to the wetland being rated.		
Site meets ANY of the following criteria:	points = 2	
It has 3 or more Priority Habitats within 100 m (see next page)		
It provides habitat for Threatened or Endangered species (any plant or	r animal on the state or federal lists)	1
It is mapped as a location for an individual WDFW Priority Species		
 It is a Wetland of High Conservation Value as determined by the Depa 		
It has been categorized as an important habitat site in a local or region	nal comprehensive plan, in a	
Shoreline Master Plan, or in a watershed plan	matua. 4	
Site has 1 or 2 Priority Habitats (listed on next page) within 100 m	points = 1	
Site does not meet any of the criteria above	points = 0	
Rating of Value If score is: $\sqrt{2}$ = H1 = M0 = L	Record the rating on	the first page

WDFW Priority Habitats

See complete descriptions of Priority Habitats listed by WDFW, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008 (current year, as revised). Priority Habitat and Species List. 133 This list was updated for consistency with guidance from WDFW.

This question is independent of the land use between the wetland unit and the Priority Habitat. All vegetated wetlands are by definition a Priority Habitat but are not included in this list because they are addressed by this rating system.

Count how many of the following Priority Habitats are within 330 ft (100 m) of the wetland unit:

- Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- Biodiversity Areas and Corridors: Areas of habitat that are relatively important to various species of native fish and wildlife. This habitat automatically counts if mapped on the PHS online map within 100m of the wetland. If not mapped, a determination can be made in the field.
- Caves: A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- Cliffs: Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Fresh Deepwater: Lands permanently flooded with freshwater, including environments where surface water is permanent and often deep, so that water, rather than air, is the principal medium within which the dominant organisms live. Substrate does not support emergent vegetation. Do not select if Instream habitat is also present, or if the entire Deepwater feature is included in the wetland unit being rated (such as a pond with a vegetated fringe).
- Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.
- Instream: The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources. Do not select if Fresh Deepwater habitat is also present.
- Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore.
- Old-growth/Mature forests: Old-growth west of Cascade crest Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in. (81 cm) diameter at breast height (dbh) or > 200 years of age. Mature forests Stands with average diameters exceeding 21 in. (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.

¹³³ http://wdfw.wa.gov/publications/00165/wdfw00165.pdf Wetland Rating System for Western WA: 2014 Update Rating Form – Version 2, July 2023

Wetland name or number _____
 Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important. For single oaks or oak stands <0.4 ha in urban areas. WDEW's


the oak component is important. For single oaks or oak stands <0.4 ha in urban areas, <u>WDFW's</u>

<u>Management Recommendations for Oregon White Oak</u>¹³⁴ provides more detail for determining if they are Priority Habitats

Riparian: The area adjacent to freshwater aquatic systems with flowing or standing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.

- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in. (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in. (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.
- Talus: Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- **Westside Prairies:** Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie.

https://wdfw.wa.gov/publications/00030/wdfw00030.pdf
 Wetland Rating System for Western WA: 2014 Update
 Rating Form – Version 2, July 2023



CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS

Wetla	ind Type	Category
Check	off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
	. Estuarine wetlands	
	Does the wetland meet the following criteria for Estuarine wetlands?	
	— The dominant water regime is tidal,	
	— Vegetated, and	
	— With a salinity greater than 0.5 ppt Yes – Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1.	Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area	
	Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
	Yes = Category I No – Go to SC 1.2	Cat. !
SC 1.2.	Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
	— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	
	than 10% cover of non-native plant species. If non-native species are <i>Spartina</i> , see chapter 4.8 in the manual.	Cat. I
	— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or unmowed grassland.	Cat. Ii
	— The wetland has at least two of the following features: tidal channels, depressions with open water, or	
	contiguous freshwater wetlands. Yes = Category I No = Category II	
SC 2 0	. Wetlands of High Conservation Value (WHCV)	
	Does the wetland overlap with any known or historical rare plant or rare & high-quality ecosystem polygons	
	on the WNHP Data Explorer? ¹³⁵ Yes = Category I No – Go to SC 2.2	Cat. I
SC 2.2.	Does the wetland have a rare plant species, rare ecosystem (e.g., plant community), or high-quality common ecosystem that may qualify the site as a WHCV? Contact WNHP for resources to help determine the presence of these elements.	
	Yes – Submit data to WA Natural Heritage Program for determination, ¹³⁶ Go to SC 2.3 No = Not a WHCV	
SC 2.3.	Did WNHP review the site within 30 days and determine that it has a rare plant or ecosystem that meets their criteria?	
	Yes = Category I No = Not a WHCV	
SC 3.0	Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key	
	below. If you answer YES, you will still need to rate the wetland based on its functions.	
SC 3.1.	Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in.	
	or more of the first 32 in. of the soil profile? Yes – Go to SC 3.3 No – Go to SC 3.2	
SC 3.2.	Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in. deep	
	over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 No = Not a bog	
SC 3.3.	Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
	cover of plant species listed in Table 4? Yes = Category I bog No - Go to SC 3.4	
	NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
	measuring the pH of the water that seeps into a hole dug at least 16 in. deep. If the pH is less than 5.0 and	
	the plant species in Table 4 are present, the wetland is a bog.	Cat. I
SC 3.4	. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
	western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
	species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
	Yes = Category I bog No = Not a bog	

¹³⁵ https://www.dnr.wa.gov/NHPdata

¹³⁶ https://www.dnr.wa.gov/Publications/amp_nh_sighting_form.pdf Wetland Rating System for Western WA: 2014 Update

Does the wetland have at least 1 contiguous acre of forest that meets one of these criteria for the WA	
Department of Fish and Wildlife's forests as Priority Habitats? <i>If you answer YES, you will still need to rate the wetland based on its functions.</i>	
— Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in. (81 cm) or more.	
Mature forests (west of the Cascade Crest): Stands where the largest trees are 80- 200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in. (53 cm).	
Yes = Category No = Not a forested wetland for this section	Cat. I
C 5.0. Wetlands in Coastal Lagoons	
oes the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
— The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt) during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	
— The lagoon retains some of its surface water at low tide during spring tides	
Yes – Go to SC 5.1 No = Not a wetland in a coastal lagoon	Cat. I
C 5.1. Does the wetland meet all of the following three conditions?	Cat. I
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less than 20% cover of aggressive, opportunistic plant species (see list of species in H 1.5 in the manual).	
— At least % of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un- mowed grassland.	Cat. I
— The wetland is larger than 1/10 ac (4350 ft²)	
Yes = Category I No = Category II	
C 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer YES, you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
 Long Beach Peninsula: Lands west of SR 103 Grayland-Westport: Lands west of SR 105 	Cat I
Ocean Shores-Copalis: Lands west of SR 115 and SR 109 and Ocean Shores Blvd SW, including lands west of E. Oceans Shores Blvd SW.	
Yes – Go to SC 6.1 No = Not an interdunal wetland for rating	Cat.
C 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	
for the three aspects of function)? Yes = Category I No – Go to SC 6.2	Cat. I
C 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger? Yes = Category II No – Go to SC 6.3	vat. I
C 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac? Yes = Category III No = Go to SC 6.3 Yes = Category III No = Category IV	Cat. I
Category of wetland based on Special Characteristics	v 1 /