

43RD AVENUE MULTI-FAMILY
SITE LIGHTING

A PORTION OF THE NW 1/4 OF THE NE 1/4, SECTION 9, TOWNSHIP 19 NORTH, RANGE 4 EAST, W.M.
CITY OF PUYALLUP, PIERCE COUNTY, WASHINGTON



Statistics					
Description	Symbol	Avg	Max	Min	Avg/Min
SITE	+	1.0 fc	2.1 fc	0.2 fc	5.0:1
OFF-SITE	+	0.1 fc	0.8 fc	0.0 fc	N/A

Schedule						
Symbol	Label	Image	QTY	Description	Lamp Output	Input Power
○	A1		5	Lithonia Lighting D-Series Size 0 Area Luminaire P1 Performance Package 3000K CCT 70 CRI Type 3 Medium Houseside Shield, 15-Foot Anchor Base Pole	3985	0.9
○	A2		1	Lithonia Lighting D-Series Size 0 Area Luminaire P1 Performance Package 3000K CCT 70 CRI Type 4 Medium, 15-Foot Anchor Base Pole	4666	0.9
⊗	W1		9	Lithonia Lighting D-Series Size 1 Wallpack 4000 3000K 70CRI Type 3 Medium, Mount At +18" (Verify Mounting Height With Architect)	2972	0.9

SITE LIGHTING

TITLE CLIENT



Know what's below.
Call 811 before you dig.
DigsafeWA.com

DATE SEALED

PRELIMINARY

PROJECT MANAGER
G. JELLISON

DESIGN CTU

DRAWN AD

CHECKED CTU

SEC 9 T 19 N R 4 E

DATE 01/16/25

SHEET 1 OF 1

FILE NO 35043-01

© APEX ENGINEERING LLC 2025



DJL INVESTMENTS LLC
P.O. BOX 26446
FEDERAL WAY, WA 98001
ATTN: DAVID LITOWITZ (253) 988-8815



HULTZ BHU
engineers inc

1111 Fawcett Ave, Suite 100 Tacoma, WA 98402
Phone: (253) 383-3257 Fax: (253) 383-3283
general@hultzbhu.com Job Number: 25-066