



CITY OF PUYALLUP

Development and Permitting Services

333 S Meridian, Puyallup, WA 98371

(253) 864-4165 Fax (253) 840-6678

Critical Areas Report Checklist—Fish and Wildlife Habitat Conservation Areas

This checklist reflects the minimum elements needed for a complete Fish and Wildlife Habitat Conservation Area (FWHCA) critical areas report as described in Puyallup Municipal Code 21.06.530 and 21.06.1070. It is intended to be used as a preliminary review for basic completeness prior to technical review, which may address concerns or requirements beyond the basic elements included here. Use of this checklist will ensure efficient and consistent review of development proposals in the City of Puyallup. If a report element is included, note the page, section, or figure number in Column 2.

Report Details

Name of Report _____

Date of Report _____

Author of Report _____

Application Number _____

Included?	Location in Report ¹	Report Element
Yes No		A description of the methods used to determine/delineate FWHCAs
Yes No		A description of vegetation and FWCHA characteristics of on-site
Yes No		A written qualitative assessment of the known or suspected critical areas and buffers within 300 feet of the site/project area and an estimate of the existing acreage for each critical area
Yes No		A detailed description of the delineated FWHCAs and buffers on or adjacent to the site, including the size, type/classification, condition, disturbance history, and functions and values
Yes No		A detailed assessment of the potential impacts to critical areas and buffers resulting from site development (this may also be in a separate mitigation plan)
Yes No		An analysis of site development alternatives and measures taken to avoid and minimize critical area impacts (this may also be in a separate mitigation plan)
Yes No		A detailed description of the effects of the proposed development on wetland and buffer area and function, including a quantification of the area of wetland disturbance (this may also be in a separate mitigation plan)
Yes No		A description of the proposed storm water management plan for the development and consideration of impacts to drainage alterations (this may also be in a separate mitigation plan)

¹ Location in report can be either page number, figure number, or report section.



CITY OF PUYALLUP

Development and Permitting Services

333 S Meridian, Puyallup, WA 98371

(253) 864-4165 Fax (253) 840-6678

Included?	Location in Report ¹	Report Element
Yes No		Assessment of FWHCA functions under pre- and post-development conditions (post-development conditions may also be described in a separate mitigation plan)
Yes No		The dates, names, and qualifications of the person(s) preparing the report and documentation of any fieldwork performed on the site and analysis of consultants compliance with the city's Qualified Professional requirements (PMC 21.06.210 (108))
Yes No		Site vicinity map
Yes No		Figure showing study area (including within 300 feet of the site/project area)
Yes No		Figure showing location of delineated ordinary high water mark, for sites with streams on-site
Yes No		Figure showing FWHCAs on-site and within 300 feet and the associated buffers
Yes No		A site plan for the development proposal showing the proposed development footprint and clearing limits (this may also be in a separate mitigation plan)

Comments: